



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.:	<b>IECEX FTZU 15.0038X</b>	Page 1 of 4	<u>Certificate history:</u>
Status:	<b>Current</b>	Issue No: 2	<a href="#">Issue 1 (2020-06-30)</a> <a href="#">Issue 0 (2016-01-11)</a>
Date of Issue:	2023-10-31		
Applicant:	<b>Streamlight, Inc.</b> 30 Eagleville Road Eagleville, PA 19403 <b>United States of America</b>		
Equipment:	<b>Handlight Vulcan LED</b>		
Optional accessory:			
Type of Protection:	<b>Increased safety "ec", intrinsic safety "ic", dust protection by enclosure "tc"</b>		
Marking:	Ex ec ic IIC T5 Gc Ex tc IIIC T54°C Dc		

Approved for issue on behalf of the IECEx  
Certification Body:

**Dipl. Ing. Lukáš Martinák**

Position:

**Head of the Certification Body**

Signature:  
(for printed version)

Date:  
(for printed version)

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting [www.iecex.com](http://www.iecex.com) or use of this QR Code.



Certificate issued by:

**Fyzikálne technický zkušební ústav**  
**(Physical -Technical Testing Institute)**  
**Pikartská 7, 71607 Ostrava - Radvanice**  
**Czech Republic**





# IECEX Certificate of Conformity

Certificate No.: **IECEX FTZU 15.0038X**

Page 2 of 4

Date of issue: 2023-10-31

Issue No: 2

Manufacturer: **Streamlight, Inc.**  
30 Eagleville Road  
Eagleville, PA 19403  
**United States of America**

Manufacturing  
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended

## STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements  
Edition:7.0

[IEC 60079-11:2011](#) Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"  
Edition:6.0

[IEC 60079-31:2013](#) Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"  
Edition:2

[IEC 60079-7:2017](#) Explosive atmospheres - Part 7: Equipment protection by increased safety "e"  
Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

## TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[CZ/FTZU/ExTR15.0038/00](#)

[CZ/FTZU/ExTR15.0038/01](#)

[CZ/FTZU/ExTR15.0038/02](#)

Quality Assessment Report:

[NO/NEM/QAR14.0001/06](#)



# IECEX Certificate of Conformity

Certificate No.: **IECEX FTZU 15.0038X**

Page 3 of 4

Date of issue: 2023-10-31

Issue No: 2

## **EQUIPMENT:**

Equipment and systems covered by this Certificate are as follows:

The equipment is a plastic hand held battery operated lantern with carrying handle. The equipment comprises a red body, black facecap, reflector, lens, black handle, switch and two charging contacts. Inside of the equipment there are two printed circuit boards on which all of the electronic components are mounted without the battery and the switch. The battery is mounted into the foam battery holder. The battery includes two self-contained, rechargeable lithium cells. The three-positions switch is located below carrying handle. In the bottom of the equipment there are two contacts for charging the battery and the valve plug. As a light source there is used one LED.

For Instructions refer to document No.997525-3

## **SPECIFIC CONDITIONS OF USE: YES as shown below:**

1. The equipment shall be used in areas with low risk of mechanical damage.
2. The equipment shall be charged by manufacturer's chargers only and opened when the hazardous area is not present.
3. An ambient temperature range is -20°C to +35°C.



# IECEX Certificate of Conformity

Certificate No.: **IECEX FTZU 15.0038X**

Page 4 of 4

Date of issue: 2023-10-31

Issue No: 2

## **DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)**

Issue 2:

Added alternative material of the body and facecap.

Ex marking for a gases has been changed from Ex ic nA IIC T5 Gc to the Ex ec ic IIC T5 Gc.