



(1) EC-Type Examination Certificate

(2)

Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 94/9/EC)

(3) EC-Type Examination Certificate Number:

FTZÚ 15 ATEX 0046X

(4) Equipment or protective system: Flashlight Survivor

(5) Manufacturer: Streamlight, Inc.

(6) Address: 30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This equipment or protective system and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- (8) The Physical Technical Testing Institute, notified body number 1026 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No:

15/0046 dated 12.10.2015

(9) Compliance with Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012, EN 60079-11:2012

- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.
- (11) This EC-Type Examination Certificate relates only to the design, examination and testing of the specified equipment or protective system in accordance to the Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.
- (12) The marking of the equipment or protective system shall include the following:

II 1G Ex ia IIB T3/T4 Ga
II 2G Ex ia IIC T3/T4 Gb

ref. clause 17.3

(13) This EC-Type Examination Certificate is valid till: 12.10.2020

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body AO 210
NB 1026

Date of issue; 12.10.2015

Page: 1/4



(13) Schedule

(14) EC-Type Examination Certificate N° FTZÚ 15 ATEX 0046X

(15) Description of Equipment:

The equipment is a hand held, battery operated flashlight. The equipment comprises a body in two colours (yellow, red), a facecap with optic, a switch sealed by boot and fixing clip. Inside there are four 1.5V primary alkaline or lithium cells size AA in a carrier or the Streamlight pack 90316 with two secondary cells, three printed circuit boards with electronics. As a light source a high power white LED is used. There are charging pins for the version with the Streamlight pack 90316.

Parameters:

Degree of protection: IP 66

Ambient temperature: -20 to +40°C Charging voltage: Um = 15 V

(16) Report No.: 15/0046

- (17) Special conditions for safe use:
 - 17.1 The equipment shall be charged by manufacturer's chargers only and opened when the hazardous area is not present.
 - 17.2 The equipment shall be worn or carried on the body while in hazardous area. The equipment shall not be stored in a hazardous area to prevent build up an electrostatic charge. The measured capacitance of accessible metal parts (charge contacts) while used with Streamlight pack 90316 is 15pF.
 - 17.3 The cells size AA type Energizer L91 Lithium, Rayovac 815, Duracell MN1500 or Streamlight pack 90316 for temperature class T4 and type Panasonic LR6XP, Panasonic LR6XWA, Energizer E91 for temperature class T3 shall only be used in the equipment.
- (18) Essential Health and Safety Requirements:

Essential health and safety requirement of Directive 94/9/EC are covered by the standard mentioned in (9), according which the product was verified and in the manufacturer's instruction for use No. 998131.

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 12.10.2015



(13) Schedule

(14) EC-Type Examination Certificate N° FTZÚ 15 ATEX 0046X

(19) List of Documentation:

Document No.:	Rev.:	Date:	Pages:	Title:
B 330215	С	04.12.2015	1	Switch Boot
B 670015	E	30.09.2014	1	Valve
D 905002	В	14.08.2013	1	Battery Door
B 905003	D	19.03.2015	1	Switch Ring
C 905027	Α	24.05.2006	1	Battery Door Assy
A 905028	Т3	01.08.2006	1	Battery Door O-Ring
C 905030	В	02.06.2015	1	Alkaline Battery Carrier
A 905046	T1	19.06.2006	1	Housing O-Ring
C 908000-3	Α	01.10.2015	1	Survivor ATEX Assy
D 908001	С	19.03.2015	1	Body
A 908002	С	23.03.2015	1	Lens
C 908003	Н	27.07.2015	1	Facecap
C 908004	C	14.07.2015	1	Optic
C 908007	E	17.02.2015	1	Clip
C 908008	С	16.01.2014	1	Clip Assy
D 908009	D	24.02.2014	1	Heatsink
A 908013	В	23.12.2013	1	Facecap O-Ring
A 908024	В	06.10.2015	1	ATEX Label
C 908030	В	13.08.2015	1	ATEX LED Module Assy
C 908031	В	13.08.2015	1	ATEX Electrical Assy
C 908032	В	13.08.2015	1	ATEX Switch PCB Assy
B 908033	В	13.08.2015	1	ATEX Switch PCB
A 908034	В	13.08.2015	1	ATEX LED Assy
A 908035	В	26.08.2015	1	ATEX LED PCB
C 998131	В	02.10.2015	1	ATEX Addendum
C 903160	С	08.05.2015	1	Lithium Battery Pack Assy
903136 Ass	F	18.09.2015	4	Battery Case and Boards Sub Assy
903138 Ass	F	18.09.2015	4	Center and Contact PCB Assy
903139 Ass	F	18.09.2015	10	Center PCB Assy

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 12.10.2015

Page: 3/4



(13) Schedule

(14) EC-Type Examination Certificate N° FTZÚ 15 ATEX 0046X

(19) List of Documentation: continue

Document No.:	Rev.:	Date:	Pages:	Title:
908030 Ass	С	09.09.2015	4	LED Module Assy
908031 Ass	С	09.09.2015	4	Electronics Assy
908032 Ass	С	09.09.2015	10	Switch PCB Assy
C 903136	С	24.03.2015	1	Batt Case and Boards Sub. Assy
D 903137	D	04.04.2015	1	Case Button
B 903138	D	25.03.2015	1	Center, Contact PCB Assy
B 903139	D	24.03.2015	1	Center, PCB Assy
B 903140	С	24.03.2015	1	PCB Center
B 903143	С	24.03.2015	1	Contact, PCB Assy
B 903145	C	24.03.2015	1	Spring PCB Assy
B 903146	D	24.03.2015	1	PCB, spring
D 903147	D	04.04.2015	1	Top Case
B 903171	D	24.03.2015	1	PCB, Module Contact
B 903173	С	12.08.2015	1	Cell, Assy
A 903174	С	12.08.2015	1	Cell
A 903175	В	05.08.2015	1	Contact Bent
A 903176	В	05.08.2015	1	Contact, Straight
903143 Ass	С	24.03.2015	5	Lithium Battery Pack Assy
903145 Ass	С	24.03.2015	5	Spring PCB Assy

Responsible person:

Dipt. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 12.10.2015

Page: 4/4





(1) Supplementary EU - Type Examination Certificate No.1

(2) Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) EU - Type Examination Certificate number:

FTZÚ 15 ATEX 0046X

(4) Product: Flashlight Survivor

(5) Manufacturer: Streamlight, Inc.

(6) Address: 30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This supplementary certificate extends EC Type Examination Certificate No. FTZÚ 15 ATEX 0046X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- (9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.
- (10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013, EN 60079-11:2012

(11) The marking of the product shall include the following:

II 1G Ex ia IIB T3/T4 Ga
II 2G Ex ia IIC T3/T4 Gb

(12) This certificate is valid till:

12.10.2020

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body TARTER STATES

Date of issue: 18.07.2016

Page: 1/2



(13) Schedule

(14) Supplementary EU - Type Examination Certificate No. 1 to FTZÚ 15 ATEX 0046X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Evaluation according to the newest standard: EN 60079-0:2012/A11:2013.
- Minor corrections in Instructions.

Technical data remain unchanged.

- (16) Report Number.: 15/0046/1
- (17) Specific Conditions of Use:

None additional to those listed previously.

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents:

Number: Revision: Date: Pages: Title:

C998131 D 27.06.2016 1 Instructions

Responsible person

Dipl. Ing. Lukás Martinák Head of Certification Body



Date of issue: 18.07.2016





Supplementary EU - Type Examination Certificate No.2

Equipment or Protective Systems Intended for Use (2)in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) EU - Type Examination Certificate number:

FTZÚ 15 ATEX 0046X

(4) Product:

Flashlight Survivor

(5) Manufacturer:

Streamlight, Inc.

(6) Address:

30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This supplementary certificate extends EC Type Examination Certificate No. FTZÚ 15 ATEX 0046X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- (9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.
- (10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013, EN 60079-11:2012, EN 60079-28:2015

(11) The marking of the product shall include the following:

II 1G Ex ia op is IIB T3/T4 Ga

II 2G Ex ia op is IIC T3/T4 Gb

(12) This certificate is valid till:

12.10.2020

Responsible person:

Dipl. Ing. Lukáš Martinák

Head of Certification Body

Date of issue: 30.10.2017

Page: 1/2



(13) Schedule

(14) Supplementary EU - Type Examination Certificate No. 2 to FTZÚ 15 ATEX 0046X

(15) Description of the variation to the Product:

The subject of this supplementary certificate:

- Evaluation according to the standard EN 60079-28:2015.
- The marking has been updated.
- Changes in mechanical construction.

The product has been newly evaluated in the scope of the standard EN 60079-28:2015 and the marking has been updated with letters "op is". The items Switch boot and Clip assy have been modified. The specific conditions of use have been revised. Technical data remain unchanged.

- (16) Report Number.: 15/0046/2
- (17) Specific Conditions of Use: revised cl.17.2
 - 17.1 The equipment shall be charged by manufacturer's chargers only and opened when the hazardous area is not present.
 - 17.2 The equipment shall be worn or carried on the body while in hazardous area. The equipment shall not be stored in a hazardous area to prevent build up an electrostatic charge. The measured capacitance of accessible metal parts:
 - Charge contacts while used with Streamlight pack 90316 is 15 pF and
 - D-ring is 9 pF.
 - 17.3 The cells size AA type Energizer L91 Lithium, Rayovac 815, Duracell MN1500 or Streamlight pack 90316 for temperature class T4 and type Panasonic LR6XP, Panasonic LR6XWA, Energizer E91 for temperature class T3 shall only be used in the equipment.
- (18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents:

Rev.:	Date:	Pages:	Title:
D	04.10.2017	1	Switch Boot
D	09.12.2015	1	Clip Assembly
С	24.10.2017	1	ATEX Label
E	23.10.2017	1	ATEX Addendum
	D D	D 04.10.2017 D 09.12.2015 C 24.10.2017	D 04.10.2017 1 D 09.12.2015 1 C 24.10.2017 1

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body Date of issue: 30.10.2017

Page: 2/2





(1) Supplementary EU - Type Examination Certificate No.3

(2) Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) EU - Type Examination Certificate number:

FTZÚ 15 ATEX 0046X

(4) Product: Flashlight Survivor

(5) Manufacturer: Streamlight, Inc.

(6) Address: 30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This supplementary certificate extends EC Type Examination Certificate No. FTZÚ 15 ATEX 0046X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- (9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.
- (10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018, EN 60079-11:2012, EN 60079-28:2015

(11) The marking of the product shall include the following:

II 1G Ex ia op is IIB T3/T4 Ga
II 2G Ex ia op is IIC T3/T4 Gb

(12) This certificate is valid till:

27.02.2024

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body FIZURE FIZURE IN STATE OF THE S

Date of issue: 27.02.2019

Page: 1/2



(13) Schedule

Supplementary EU - Type Examination Certificate No. 3 to FTZÚ 15 ATEX 0046X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Evaluation according to the newest standard.
- Changes in mechanical construction.
- Prolongation of certificate validity.

The product has been evaluated according to the newest standard EN IEC 60079-0:2018. The items Facecap and Lens have been integrated into one part. The materials of Facecap and Switch boot have been modified. Technical data remain unchanged.

Approval documentation has been updated and is listed in clause (19).

(16) Report Number.: 15/0046/3 dated 27.02.2019

(17) Specific Conditions of Use:

None additional to those listed previously.

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents:

Document No.:	Rev.:	Date:	Pages:	Title:
B 330215	F	05.06.2018	1	Switch Boot
C 908000-3	С	16.10.2018	1	Survivor ATEX Assembly
A 908024	D	19.02.2019	1	ATEX Label
D 908039	E	30.10.2018	1	Overmold Facecap
C 998131	F	26.02.2019	1	ATEX Addendum
B 903173	F	18.07.2016	1	Cell, Assy
A 903174	F	18.07.2016	1	Cell
		CAL		

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body TANGEN TO STANGE IN STANGE

Date of issue: 27.02.2019





(1) Supplementary EU - Type Examination Certificate No.4

Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) EU - Type Examination Certificate number:

FTZÚ 15 ATEX 0046X

(4) Product: Flashlight Survivor

(5) Manufacturer: Streamlight, Inc.

(6) Address: 30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This supplementary certificate extends EC Type Examination Certificate No. FTZÚ 15 ATEX 0046X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- (9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.
- (10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018, EN 60079-11:2012, EN 60079-28:2015

If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specific Conditions of Use specified in the schedule to this certificate.

(11) The marking of the product shall include the following:

II 1G Ex ia op is IIB T3/T4 Ga

(12) This certificate is valid till:

30.000

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body 31.08.2027

FTZU STITU

Date of issue: 30.08.2022

Page: 1/3



(13) Schedule

(14) Supplementary EU - Type Examination Certificate No. 4 to FTZÚ 15 ATEX 0046X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Modification of certified apparatus;
- Extension of certificate validity.

This supplementary certificate describes the change of enclosure materials. The new materials of the enclosure parts - body, switch ring and clip were alternatively added.

The approval drawings have been updated. The parameters have not been changed. The validity of the certificate has been prolonged for next five years.

Parameters: recapitulation

Ambient temperature: -20 to +40°C

Degree of protection: IP 66

Charging voltage: Um = 15 V (with Streamlight pack 90316)

(16) Report Number: 15/0046/4

- (17) Specific Conditions of Use: recapitulation
 - 1. The product shall be charged by manufacturer's chargers only and opened when the hazardous area is not present.
 - 2. The product shall be worn or carried on the body while in hazardous area. The product shall not be stored in a hazardous area to prevent build up an electrostatic charge. The measured capacitance of accessible metal parts:
 - Charge contacts while used with Streamlight pack 90316 is 15 pF and
 - D-ring is 9 pF.
 - 3. The cells size AA type Energizer L91 Lithium, Rayovac 815, Duracell MN1500 or Streamlight pack 90316 for temperature class T4 and type Panasonic LR6XP, Panasonic LR6XWA, Energizer E91 for temperature class T3 shall only be used in the product.

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 30.08.2022



(13) Schedule

(14) Supplementary EU - Type Examination Certificate No. 4 to FTZÚ 15 ATEX 0046X

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents: only updated

Document No.:	Rev.:	Date:	Pages:	Title:
C908000-3	D	29.08.2022	1	Basic Assy, ATEX
D908001	F	25.08.2022	1	Body
B905003	L	23.08.2022	1	Switch Ring
C908007	F	26.08.2021	1	Clip

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 30.08.2022

Page: 3/3





(1) Supplementary EU - Type Examination Certificate No.5

(2)

Equipment or Protective Systems Intended for Use in Potentially Explosive Atmospheres (Directive 2014/34/EU)

(3) EU - Type Examination Certificate number:

FTZÚ 15 ATEX 0046X

(4) Product:

Flashlight Survivor

(5) Manufacturer: Streamlight, Inc.

(6) Address:

30 Eagleville Road, Eagleville, PA 19403, USA

- (7) This supplementary certificate extends EC Type Examination Certificate No. FTZÚ 15 ATEX 0046X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- (8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- (9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.
- (10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018, EN 60079-11:2012, EN 60079-28:2015

If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specific Conditions of Use specified in the schedule to this certificate.

(11) The marking of the product shall include the following:

II 1G Ex ia op is IIB T3/T4 Ga II 2G Ex ia op is IIC T3/T4 Gb

(12) This certificate is valid till:

31.01.2028

Responsible person:

Dipl. Ing. Lukáš Martinák

Head of Certification Body

Date of issue: 20.01.2023

Page: 1/3



(13) Schedule

(14) Supplementary EU - Type Examination Certificate No. 5 to FTZÚ 15 ATEX 0046X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Modification of certified apparatus.
- Modification of Specific Condition of Use no. 2.
- Extension of certificate validity.

This supplementary certificate describes the use of alternative types of electronic components. The technical parameters remain unchanged.

The validity of the certificate has been extended for the next five years. The approval documentation has been updated and is listed in clause (19).

Parameters: (recapitulation)

Ambient temperature: -20°C to +40°C

Degree of protection: IP 66

Charging voltage: Um = 15 V (with Streamlight pack 90316)

(16) Report Number: 15/0046/5

- (17) Specific Conditions of Use: (updated no. 2)
 - 1. The product shall be charged by manufacturer's chargers only and opened when the hazardous area is not present.
 - The product enclosure includes accessible metal parts. Due to the possibility of the electrostatic charging while subjected to a prolific charge generating mechanism, the end user shall determine suitability in the specific application.
 - 3. The cells size AA type Energizer L91 Lithium, Rayovac 815, Duracell MN1500 or Streamlight pack 90316 for temperature class T4 and type Panasonic LR6XP, Panasonic LR6XWA, Energizer E91 for temperature class T3 shall only be used in the product.
- (18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body Date of issue: 20.01.2023



(13)

Schedule

Supplementary EU - Type Examination Certificate No. 5 to FTZÚ 15 ATEX 0046X

(19) Drawings and Documents: only updated

Document No.:	Rev.:	Date:	Pages:	Title:
C908000-3	E	10.11.2022	1	Basic Assy, ATEX
C908030	С	03.11.2022	1	ATEX LED Module Assembly
908030-1	Α	16.11.2022	4	ATEX LED Module Assembly
C908031	С	03.11.2022	1	ATEX Electronics Assembly
908031-1	Α	16.11.2022	4	ATEX Electronics Assembly
C908032	С	03.11.2022	1	ATEX Switch PCB Assembly
908032-1	Α	16.11.2022	4	ATEX Switch PCB Assembly
B908033	С	03.11.2022	1	PCB, ATEX Switch
C998131	Н	18.01.2023	1	ATEX ADDENDUM, Instructions

Responsible person:

Dipl. Ing. Lukáš Martinák Head of Certification Body



Date of issue: 20.01.2023

Page: 3/3