



**STREAMLIGHT®**

**PROFESSIONAL-GRADE  
ILLUMINATION TOOLS**

# SINCE 1973, WE'VE BEEN FOCUSED ON LIGHTING THE WAY IN INNOVATION. **WE'LL NEVER STOP.**

For 50 years, Streamlight has delivered effective, efficient high-performance lighting solutions featuring the latest technology, unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And although features or light output may change - our commitment to quality and innovation is the one constant that will always remain the same.



# TABLE OF CONTENTS

<b>STINGER SERIES</b>	Stinger® 2020	Pg. 10	<b>DUALIE/ PROPOLYMER SERIES</b>	Dualie® Series	Pgs. 70-72	
	Stinger® 2020 S	Pg. 11		ProPolymer® Series	Pgs. 73-74	
	Stinger LED HL®	Pg. 12		Poly Mount Kit	Pg. 75	
	Stinger® Color-Rite®	Pg. 12				
	Stinger® HPL Series	Pg. 13				
	Stinger® LED Series	Pg. 14				
	UltraStinger® LED PolyStinger® Series	Pg. 15 Pg. 16				
<b>STRION SERIES</b>	Strion® 2020	Pg. 18	<b>WEAPON-MOUNTED SERIES</b>	TLR-1® // TLR-2® Series	Pgs. 81-84	
	Strion LED HL® Series	Pg. 19		TLR 3® // TLR-4® Series	Pg. 85	
	Strion® HPL Series	Pg. 19		TLR-6® Series	Pgs. 86-89	
	Strion® LED Series	Pg. 20		TLR-7® X // TLR-8® X Series	Pgs. 90-96	
				TLR-9® // TLR-10® Series	Pgs. 96-97	
		TLR-VIR® II		Pg. 98		
		SpeedLocker®		Pg. 101		
		TLR® RM Series		Pgs. 102-105		
		TLR-1 HPL®		Pg. 106		
		TL-Racker®		Pg. 107		
		ProTac® Rail Mount Series		Pgs. 110-117		
<b>SL SERIES</b>	SL Series	Pgs. 22-23	<b>TACTICAL SERIES</b>	Wedge® Series	Pgs. 120-121	
		ProTac® Series		Pgs. 122-127		
		PolyTac® Series		Pgs. 130-131		
		Sidewinder® Series		Pgs. 136-143		
<b>WORK LIGHT SERIES</b>	Stinger Switchblade®	Pg. 29	<b>LITHIUM-ION BATTERY PACKS</b>	SL-B50®	Pg. 135	
	Strion Switchblade®	Pg. 30		SL-B26®	Pgs. 132-133	
	Syclone® Series	Pg. 32		SL-B9®	Pg. 99	
	FlipMate®	Pg. 33				
	BearTrap® Series	Pgs. 34-35				
<b>LANTERN SERIES</b>	Portable Scene Light Series	Pgs. 38-40	<b>HEADLAMP SERIES</b>	Headlamp Series	Pgs. 146-157	
	Vulcan® 180 Series	Pgs. 42-43				
	Vulcan Clutch®	Pg. 45				
	E-Flood® LiteBox®	Pg. 45				
	E-Flood® FireBox®	Pg. 46				
	E-Spot® LiteBox®	Pg. 45		<b>PENLIGHT SERIES</b>	MicroStream® Series	Pg. 160
	E-Spot® FireBox®	Pg. 46			MegaStream® USB	Pg. 161
	Fire Vulcan® LED	Pg. 47			MacroStream® Series	Pg. 161
	HID LiteBox®	Pg. 48			Stylus® Series	Pgs. 163-164
	Waypoint® Series	Pgs. 50-51			Stylus Reach® Series	Pg. 164
	Siege® Series	Pgs. 52-53				
<b>SURVIVOR SERIES</b>	Survivor® X Series	Pgs. 56-57	<b>SPECIALTY SERIES</b>	ClipMate USB	Pg. 165	
	Survivor Pivot® Series	Pg. 59				
	Survivor® Series	Pg. 60				
<b>VANTAGE SERIES</b>	Vantage® 180 X Series	Pg. 63	<b>STREAMLIGHT JR. SERIES</b>	Streamlight Jr. F-Stop®	Pg. 166	
	Vantage®	Pg. 64		Streamlight Jr.® Series	Pg. 167	
	Vantage® II	Pg. 65				
			<b>POCKET LIGHT SERIES</b>	Pocket Mate®	Pg. 168	
				Nano Light® II	Pg. 168	

# LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS:



STINGER® 2020  
pg. 10



STINGER® 2020 S  
pg. 11



STINGER LED HL® //  
DS LED HL® pg. 12



STINGER® COLOR-RITE®  
pg. 12



STINGER HPL® //  
DS® HPL pg. 13



STINGER® LED //  
DS® LED pg. 14



STRION® LED  
// STRION® DS  
pg. 20



SL-20L® // SL-20LP®  
pgs. 22-23



STINGER // STRION  
SWITCHBLADE®  
pgs. 29-30



SYCLONE®  
SERIES pg. 32



FLIPMATE®  
pg. 33



BEARTRAP®  
SERIES pgs. 34-35



FIRE VULCAN® LED  
pg. 47



H.I.D. LITEBOX®  
pg. 48



WAYPOINT®  
pg. 50



WAYPOINT® 400  
pg. 50



SUPER SIEGE®  
pg. 52



THE SIEGE®  
pg. 53



SIEGE® AA  
pg. 53



DUALIE® 3AA  
LASER pg. 71



DUALIE® 3AA  
COLOR-RITE®  
pg. 72



DUALIE® 2AA  
pg. 72



2AAA // 2AA PROPOLYMER®  
HAZ-LO® pg. 73



STYLUS PRO®  
HAZ-LO® pg. 73



4AA PROPOLYMER®  
LED // LUX pg. 74



ENDURO®  
pg. 151



ENDURO® PRO HAZ-LO®  
pg. 152



USB HAZ-LO®  
HEADLAMP pg. 153



3AA HAZ-LO®  
pg. 154



SEPTOR®  
pg. 154



ARGO®  
pg. 154



MACROSTREAM® USB  
pg. 161



STYLUS PRO® USB  
SERIES pg. 163



STYLUS PRO®  
pg. 163



STYLUS® SERIES  
pg. 164



STYLUS REACH®  
pg. 164



CLIPMATE® USB  
pg. 165

# STREAMLIGHT

PERFORMANCE. PERIOD.



ULTRASTINGER®  
LED pg. 15



POLYSTINGER®  
LED HAZ-LO®  
pg. 16



POLYSTINGER®  
LED // DS® LED  
pg. 16



STRION® 2020  
pg. 18



STRION LED HL®  
// STRION® DS HL  
pg. 19



STRION® HPL  
//STRION DS HPL®  
pg. 19



PORTABLE SCENE  
LIGHT pg. 38



PORTABLE SCENE  
LIGHT II pg. 40



VULCAN® 180 SERIES  
pgs. 42-43



VULCAN CLUTCH®  
pg. 45



E-FLOOD® LITEBOX®  
// FIREBOX®  
pg. 46



E-SPOT® LITEBOX®  
//FIREBOX®  
pg. 46



SURVIVOR® X  
pg. 56



SURVIVOR PIVOT®  
pg. 59



SURVIVOR®  
pg. 60



VANTAGE® 180 X  
pg. 63



VANTAGE®  
pg. 64



VANTAGE® II  
pg. 65



DUALIE® RECHARGEABLE  
pg. 70



DUALIE® 3AA  
pg. 71



PROTAC® 2.0  
HEADLAMP pg. 147



PROTAC HL® USB  
HEADLAMP pg. 148



PROTAC HL®  
HEADLAMP pg. 148



BANDIT® // BANDIT®  
PRO pg. 149



ENDURO® PRO USB  
pg. 150



ENDURO® PRO  
pg. 151



TRIDENT®  
pg. 157



DOUBLE CLUTCH®  
USB pg. 156



TWIN-TASK® USB  
pg. 157



MICROSTREAM®  
pg. 160



MICROSTREAM®  
USB pg. 160



MEGASTREAM®  
USB pg. 161



STREAMLIGHT JR.  
F-STOP® pg. 166



STREAMLIGHT JR.® LED/REACH  
pg. 167



POCKET MATE®  
USB pg. 168



NANO LIGHT® II  
pg. 165

# LEADING THE INDUSTRY

## WITH THE GREATEST VARIETY OF TACTICAL LIGHTS



TLR-1 HL®  
pg. 81



TLR-1 HL®-X  
pg. 82



TLR-1® // TLR-1®s  
pg. 83



TLR-2 HL®  
pg. 83



TLR-2 HL® G  
pg. 83



TLR-2® // TLR-2®s  
pg. 84



TLR-2® G  
pg. 84



TLR-7® HL-X  
SUB pg. 91



TLR-7® X  
SUB pg. 91



TLR-7® HL-X  
pg. 92



TLR-8® HL-X  
pg. 93



TLR-8® HL-X G  
pg. 93



TLR-8® HL-X  
SUB pg. 94



TLR-8® HL-X G  
SUB pg. 94



TLR-VIR® II  
pg. 98



SL-B9® BATTERY  
PACK pg. 99



SPEEDLOCKER®  
pg. 101



TLR® RM 1 HL-X  
pg. 102



TLR® RM 1  
pg. 102



TLR® RM 2  
pg. 103



TLR® RM 1 LASER  
pg. 104



PROTAC® RAIL  
MOUNT HL-X  
pg. 111



PROTAC® RAIL  
MOUNT HL-X  
PRO pg. 112



PROTAC® RAIL  
MOUNT HL-X  
LASER pg. 113



PROTAC® 2.0  
RAIL MOUNT  
pg. 114



PROTAC® RAIL  
MOUNT HP-X PRO  
pg. 116



PROTAC® 2.0  
RAIL MOUNT HP  
pg. 117



WEDGE® SERIES  
pg. 120-121



PROTAC HL® 6  
pg. 126



PROTAC HL® 5-X  
pg. 126



PROTAC® HPL  
USB pg. 128



PROTAC HL®  
USB pg. 128



POLYTAC® X  
pg. 130



POLYTAC 90® X  
pg. 131



POLYTAC®  
pg. 131

# STREAMLIGHT

PERFORMANCE. PERIOD.



TLR-3®  
pg. 85



TLR-4®  
pg. 85



TLR-4® G  
pg. 85



TLR-6®  
pgs. 86-87



TLR-6 HL®  
pgs. 88-89



TLR-7® X  
pg. 90



TLR-7® X CONTOUR  
REMOTE pg. 90



TLR-8® X SUB  
pg. 95



TLR-8® X G sub  
pg. 95



TLR-8® X  
pg. 96



TLR-8® X G  
pg. 96



TLR-9®  
pg. 96



TLR-10®  
pg. 97



TLR-10® G  
pg. 97



TLR® RM 2 LASER  
pg. 104



TLR® RM 1 LASER-G  
pg. 105



TLR® RM 2 LASER-G  
pg. 105



TLR-1 HPL®  
pg. 106



TL-RACKER®  
pg. 107



PROTAC® RAIL  
MOUNT 1  
pg. 110



PROTAC® RAIL  
MOUNT 2  
pg. 111



PROTAC®  
1L-1AA pg. 122



PROTAC® 2.0  
pg. 122



PROTAC® 2L  
pg. 123



PROTAC HL®  
pg. 123



PROTAC® 2AA-X  
pg. 124



PROTAC® 2L-X  
pg. 124



PROTAC® HL-X  
pg. 125



PROTAC® 90X  
pg. 125



SL-B26®  
BATTERY PACK  
pgs. 132-133



SL-B50®  
BATTERY PACK  
pg. 135



SIDEWINDER  
STALK®  
pgs. 136-137



SIDEWINDER® X  
pg. 140



SIDEWINDER®  
pg. 141



SIDEWINDER®  
RESCUE  
pg. 141



SIDEWINDER  
COMPACT® II  
pg. 142



SIDEWINDER  
BOOT®  
pg. 142

# STINGER, STRION & SL SERIES //

**DUTY & UTILITY LIGHTING SPECIALISTS**  
BECAUSE WORK IS TOUGH ENOUGH WITHOUT  
HAVING TO WORRY ABOUT YOUR LIGHTING.

Streamlight Stingers, Strions and SL lights are trusted by law enforcement, professional mechanics and tradesmen around the world for a simple reason... they're the best. With the performance and features that they need and the durability they can depend on.

**STINGER, STRION & SL**  
SERIES //



STINGER® 2020



STINGER DS® HPL



STRION® 2020



SL-20L®



# STINGER® 2020 HIGH-PERFORMANCE FLASHLIGHT

## STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting SL-B26® USB rechargeable battery packs offer multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside of the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery packs  
**SIZE:** 7.67" x 1.62" (19.48 x 4.11 cm)  
**WEIGHT:** 12.3 oz. (350g)  
**COLOR:** Black, Red and Blue

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	850	100
<b>CANDELA:</b>	25,000	10,000	1,200
<b>DISTANCE:</b>	315m	200m	70m
<b>RUN TIME:</b>	2h	4h	24h

STROBE RUNS 3.25 HOURS

  
2,000  
LUMENS



  
Dual  
Switch  
TECHNOLOGY

**[(STROBE)]**  
Double tap  
switch to activate

ITEM #	DESCRIPTION
78101	Stinger 2020 - 120V/12V DC - Black
78121	Stinger 2020 - 120V/12V DC - Red
78131	Stinger 2020 - 120V/12V DC - Blue
78104	Stinger 2020 - 12V DC
78100	Stinger 2020 - Light Only - Includes "Y" USB cord - Black
78120	Stinger 2020 - Light Only - Includes "Y" USB cord - Red
78130	Stinger 2020 - Light Only - Includes "Y" USB cord - Blue

TAA COMPLIANT

# STINGER® 2020 S **NEW**

Featuring 2,000 lumens, an aluminum alloy body, and a mode selector switch, the Stinger 2020 S is reminiscent of the well-known Stinger 2020, but has a single head switch, a new lithium-ion battery pack, and offers PiggyBack® charging options to ensure you always have a charged battery at the ready to double your run time and reduce down time. IPX7-rated; 2m impact resistance tested.

**BATTERY:** (1) Stinger 2020 S Li-Ion rechargeable battery pack  
**SIZE:** 7.69" x 1.62" (19.53 x 4.11 cm)  
**WEIGHT:** 12.2 oz. (346g)  
**COLOR:** Black

ITEM #	DESCRIPTION
78201	Stinger 2020 - 120V/12V DC - PiggyBack
78121	Stinger 2020 - 120V/12V DC - 1 Holder
78100	Stinger 2020 - Light Only - Includes "Y" USB cord

TAA COMPLIANT

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	850	100
<b>CANDELA:</b>	25,000	10,000	1,200
<b>DISTANCE:</b>	315m	200m	70m
<b>RUN TIME:</b>	2h	4h	24h

STROBE RUNS 3.25 HOURS



Intuitive mode selector switch

# STREAMLIGHT STINGER SERIES

## STINGER LED HL® // STINGER DS LED HL®



The Stinger LED HL provides 800 lumens of maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. Rubberized comfort grip. IPX4-rated; water-resistant.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	24,000	12,000	6,000
<b>DISTANCE:</b>	310m	219m	155m
<b>RUN TIME:</b>	1.5h	2.5h	5h

STROBE RUNS 3 HOURS

### STINGER LED HL

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 oz. (352g)

**COLOR:** Black

### STINGER DS LED HL

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)

**WEIGHT:** 12.8 oz. (364g)

**COLOR:** Black

HL	DS HL	DESCRIPTION
75430	75454	120V AC/12V DC - 2 holders
75431	75455	120V AC
75432	75456	12V DC
75434	75458	120V AC/12V DC PiggyBack
75429	75453	Light Only

**[(STROBE)]**

Double tap  
switch to activate



Available in both  
dual switch and  
standard styles



## STINGER® COLOR-RITE®

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	500	275	140
<b>CANDELA:</b>	17,500	9,000	4,500
<b>DISTANCE:</b>	265m	190m	134m
<b>RUN TIME:</b>	1.5h	2.5h	5h

STROBE RUNS 3 HOURS  
COLOR TEMPERATURE: 3,000K

**Color-  
Rite®**

The Stinger Color-Rite features a warm white 90 CRI LED (3,000K) with Color-Rite Technology® that produces a more natural light so you can differentiate between paint or wire colors. Reduced glare prevents eye fatigue and helps cut through murky atmospheres. Ideal for low-light tracking and detecting trace evidence. IPX4-rated; water-resistant.

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 oz. (352g)

**COLOR:** Black



**[(STROBE)]**

Double tap  
switch to activate

ITEM #	DESCRIPTION
75499	Stinger Color-Rite - 120V AC/12V DC
75502	Stinger Color-Rite - 120V AC/12V DC PiggyBack
75498	Stinger Color-Rite - Light Only

# THE STINGER SERIES IS ALWAYS ON THE JOB IT'S A DUTY LIGHT BUILT WITH PRECISION & PERFORMANCE



## STINGER HPL® // STINGER DS® HPL

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	48,000	24,000	12,000
<b>DISTANCE:</b>	438m	310m	219m
<b>RUN TIME:</b>	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



**[(STROBE)]**  
Double tap  
switch to activate



Available in both  
dual switch and  
standard styles

The Stinger HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 800 lumen beam provides side to side visibility to fill in up-close areas and corners. IPX4-rated; water-resistant.

### STINGER HPL

**BATTERY:** NiMH Rechargeable  
**SIZE:** 9.23" x 2.20" x 1.17"  
(23.44 x 5.59 x 2.97 cm)  
**WEIGHT:** 13.6 oz. (385g)  
**COLOR:** Black

### STINGER DS HPL

**BATTERY:** NiMH Rechargeable  
**DS SIZE:** 9.65" x 2.20" x 1.17"  
(24.51 x 5.59 x 2.97 cm)  
**DS WEIGHT:** 14.0 oz. (396g)  
**COLOR:** Black

HPL	DS HPL	DESCRIPTION
75763	75863	120V AC/12V DC - 2 holders
75761	75861	120V AC
75799	75899	12V DC
75782	75882	120V AC/12V DC PiggyBack
75980	75900	Light Only



**DUTY + TACTICAL HOLSTER**  
- Super-tough nylon construction  
- Quick, Easy Access



THE STINGER IS FOUND  
**IN MORE TOOL BOXES**  
AND HOLSTERS FOR TWO SIMPLE REASONS...  
**PERFORMANCE AND DEPENDABILITY**

**STINGER® LED // STINGER DS® LED**

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tail and head switch. IPX4-rated; water-resistant.

**STINGER LED**

**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)  
**WEIGHT:** 12.4 oz. (352g)  
**COLOR:** Black

**STINGER DS LED**

**BATTERY:** NiMH Rechargeable  
**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)  
**DS WEIGHT:** 12.8 oz. (364g)  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	425	200	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	322m	219m	155m
<b>RUN TIME:</b>	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			

LED	DS LED	DESCRIPTION
75713	75813	120V AC/12V DC - 2 Holders
75711	75811	120V AC
75712	75812	12V DC
75732	75832	120V AC/12V DC PiggyBack
75710	75810	Light Only



**[(STROBE)]**  
Double tap  
switch to activate



**FAR REACHING BEAM +  
1,100 LUMENS...  
THERE'S A REASON IT'S CALLED THE  
ULTRASTINGER LED**

**ULTRASTINGER® LED**

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all - it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and a rubber sleeve for a better grip. IPX4-rated; water-resistant.

**BATTERY:** NiMH Rechargeable  
**SIZE:** 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm)  
**WEIGHT:** 19.9 oz. (564g)  
**COLOR:** Black

ITEM #	DESCRIPTION
77553	UltraStinger LED - 120V AC/12V DC - 2 Holders
77551	UltraStinger LED - 120V AC
77555	UltraStinger LED - 12V DC
77550	UltraStinger LED - Light Only

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	350	90
<b>CANDELA:</b>	65,000	21,000	5,000
<b>DISTANCE:</b>	510m	290m	141m
<b>RUN TIME:</b>	1.5h	4.5h	16h

STROBE RUNS 3.25 HOURS

**[(STROBE)]**  
 Double tap  
 switch to activate



**TEN-TAP®** Programmable - choose from three programs:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

# BUILT FOR DURABILITY AND PERFORMANCE

## POLYSTINGER® LED HAZ-LO®

A good choice for gas utility workers, the PolyStinger LED HAZ-LO is a durable, safety-rated, rechargeable light that delivers the performance you want with the safety ratings you need. Features a non-conductive, corrosion-resistant body and an unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.

## POLYSTINGER® LED // POLYSTINGER DS® LED

Intense brightness, long-range and long run time in a durable nylon polymer housing. It's the ideal combination of power, performance and durability. The DS model has the convenience of two full-function, independent switches: one on the head and a tail switch.

	HIGH	LOW
<b>LUMENS:</b>	260	80
<b>CANDELA:</b>	16,000	5,700
<b>DISTANCE:</b>	253m	151m
<b>RUN TIME:</b>	5h	16h
MOONLIGHT MODE RUNS 20 DAYS		

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	485	240	120
<b>CANDELA:</b>	28,000	14,000	7,000
<b>DISTANCE:</b>	335m	237m	167m
<b>RUN TIME:</b>	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			



Class I, II, Div. 1, Groups C, D, F, G;  
Class III, 138°C (T3C)  
Non-Incendive: Class I, Div. 2  
Groups A, B, C, D



**[(STROBE)]**  
Double tap  
switch to activate

**BATTERY:** NiMH Rechargeable  
**SIZE:** 10.2" x 1.76" x 1.34" (25.9 x 4.47 x 3.4 cm)  
**WEIGHT:** 13.5 oz. (382g)  
**COLOR:** Black or Yellow

YELLOW	BLACK	DESCRIPTION
76412	76442	120V AC/12V DC
76411	76441	12V DC
76410	76440	Light Only

**POLYSTINGER LED**  
**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.07" x 1.76" x 1.21"  
(20.50 x 4.47 x 3.07 cm)  
**WEIGHT:** 11.5 oz. (326g)  
**COLOR:** Black or Yellow

**POLYSTINGER DS LED**  
**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.64" x 1.76" x 1.21"  
(21.95 x 4.47 x 3.07 cm)  
**WEIGHT:** 11.9 oz. (338g)  
**COLOR:** Black

LED	DS LED	DESCRIPTION
76163	---	120V AC/12V DC - Yellow - 2 Holders
76113	76813	120V AC/12V DC - Black - 2 Holders
76161	---	120V AC - Yellow
76111	76811	120V AC - Black
76162	---	12V DC - Yellow
76112	76812	12V DC - Black
76182	---	120V AC/12V DC PiggyBack - Yellow
76132	76832	120V AC/12V DC PiggyBack - Black
76160	---	Light Only - Yellow
76110	76810	Light Only - Black

## STINGER ACCESSORIES

DESCRIPTION	STINGER 2020	STINGER 2020 S	STINGER COLOR-RITE	DS LED HL LED HL	DS HPL HPL	DS LED LED	ULTRASTINGER LED	POLYSTINGER LED HAZ-LO	POLYSTINGER LED /DS LED
5 Unit Bank Charger 	75400	75400	75400	75400	75400	75400	75400	75400	75400
Smart Charger 	75105	75105	75105	75105	75105	75105	75105	75105	75105
PiggyBack® Charger 	—	—	75277	75277	75277	75277	—	—	75277
PiggyBack® Charger 	—	78119	—	—	—	—	—	—	—
PiggyBack® Charger (includes battery pack) 	—	78204	—	—	—	—	—	—	—
Lithium-Ion Battery Pack 	—	78118	—	—	—	—	—	—	—
NiMH Battery Stick 	—	—	75375	75375	75375	75375	77375	76375	75375
Li-Ion Battery Stick 	—	—	75176	75176	75176	75176	—	—	75176
SL-B26 Battery Pack 	78105	78105	—	—	—	—	—	—	—
12V DC Car Charge Cord 	22051	22051	22051	22051	22051	22051	22051	22051	22051
12V DC Charge Cord 	22050	22050	22050	22050	22050	22050	22050	22050	22050
120V AC Charge Cord 	22071	22071	22071	22071	22071	22071	22071	22071	22071
Leather Plain Holster 	—	—	75133	75133	—	75133	—	—	75133
Leather Weave Holster 	78114	78114	75134	75134	—	75134	—	—	75134
Nylon Holster 	—	—	75927	75927	75927	75927	—	—	75910
Nylon Holster 	78107	78107	—	—	—	—	—	—	—
Loop Nylon Holster 	—	—	75928	75928	75928	75928	75928	75928	75928
Duty Holster 	—	—	88053	88053	88053	88053	88053	—	—
Ring Holder 	—	—	75906	75906	75906	75906	75906	75906	75906
Red Flip Lens 	75115	75115	75115	75115	—	75115	—	—	—
Blue Flip Lens 	75116	75116	75116	75116	—	75116	—	—	—
Green Flip Lens 	75117	75117	75117	75117	—	75117	—	—	—
Red Wand 	75903	75903	75903	75903	75946	75903	78903	—	75933
White Wand 	75908	75908	75908	75908	75949	75908	—	—	75938
Blue Wand 	75902	75902	75902	75902	75947	75902	—	—	75932
Yellow Wand 	75904	75904	75904	75904	75948	75904	78904	—	75934
Glow in the Dark Wand 	75913	75913	75913	75913	75950	75913	78913	—	75943
USB-C "Y" Cord 	22090	22090	—	—	—	—	—	—	—
Face cap Ring Kit 	78113	78113	—	—	—	—	—	—	—

**STRION® 2020**

The Strion 2020 features independently functioning head and tail switches along with an intuitive mode select switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting lithium-ion rechargeable battery offers multiple charging options using existing Strion® smart chargers and bank chargers. IPX7-rated; waterproof to 2m. Corrosion-resistant sealed glass lens. Fits long gun mounts.



**BATTERY:** Lithium-ion  
**SIZE:** 6.33" x 1.25" x 0.95" (16.1 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.7 oz. (161.6g)  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,200	460	120
<b>CANDELA:</b>	28,000	10,500	3,000
<b>DISTANCE:</b>	335m	200m	110m
<b>RUN TIME:</b>	1.75h	5.5h	12h
STROBE RUNS 3.5 HOURS			

**[(STROBE)]**  
 Double tap  
 switch to activate



Independently functioning  
 head and tail switches

ITEM #	DESCRIPTION
74431	Strion 2020 - 120V AC/12V DC - 1 Holder
74435	Strion 2020 - 120V AC/12V DC PiggyBack
74434	Strion 2020 - 12V DC
74430	Strion 2020 - Light Only

Mode intensity switch for easy selection  
 of High, Medium or Low



Battery status indicator:  
 Green = Charged  
 Red = Needs to be charged



PiggyBack® Charger

## STRION LED HL® // STRION® DS HL

The Strion LED HL provides a high lumen beam with maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. IPX4-rated; water-resistant. Fits long gun mounts.

### STRION LED HL

**BATTERY:** Lithium-ion  
**SIZE:** 5.90" x 1.25" x 0.95"  
 (14.99 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.2 oz. (148g)  
**COLOR:** Black

### STRION DS HL

**BATTERY:** Lithium-ion  
**SIZE:** 6.33" x 1.25" x 0.95"  
 (16.08 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.4 oz. (153g)  
**COLOR:** Black

STRION LED HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	12,000	6,000	3,000
<b>DISTANCE:</b>	219m	155m	110m
<b>RUN TIME:</b>	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS

## STRION® HPL // STRION® DS HPL

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

### STRION HPL

**BATTERY:** Lithium-ion  
**SIZE:** 7.00" x 2.2" x 0.95"  
 (17.78 x 5.59 x 2.41 cm)  
**WEIGHT:** 7.1 oz. (202g)  
**COLOR:** Black

### STRION DS HPL

**BATTERY:** Lithium-ion  
**SIZE:** 7.56" x 2.2" x 0.95"  
 (19.2 x 5.59 x 2.41 cm)  
**WEIGHT:** 6.9 oz. (196g)  
**COLOR:** Black

STRION HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	40,000	20,000	10,000
<b>DISTANCE:</b>	400m	283m	200m
<b>RUN TIME:</b>	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS

**HL**



Dual  
Switch  
TECHNOLOGY

**[(STROBE)]**

Double tap  
switch to activate

STRION DS HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	12,000	5,000	800
<b>DISTANCE:</b>	219m	141m	57m
<b>RUN TIME:</b>	1.25h	3.5h	24h

STROBE RUNS 2.5 HOURS

DS model features **TEN-TAP**® Programmable  
 - choose from three programs:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

HL	DS HL	DESCRIPTION
74752	74612	120V AC/12V DC - 2 Holders
74751	74611	120V AC/12V DC - 1 Holder
74755	74621	120V AC/12V DC - 1 Holder - Clam
74778	74619	120V AC/12V DC PiggyBack
74753	74613	120V AC
74509	74620	120V AC - with Grip Ring
74754	74614	12V DC
74750	74610	Light Only



Dual  
Switch  
TECHNOLOGY

**[(STROBE)]**

Double tap  
switch to activate

STRION DS HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	44,000	18,000	2,600
<b>DISTANCE:</b>	420m	268m	102m
<b>RUN TIME:</b>	1.25h	3.5h	24h

STROBE RUNS 2.5 HOURS

DS model features **TEN-TAP**® Programmable  
 - choose from three programs:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

HPL	DS HPL	DESCRIPTION
74502	74812	120V AC/12V DC - 2 Holders
74501	74811	120V AC/12V DC - 1 Holder
74536	74819	120V AC/12V DC PiggyBack
75503	74813	120V AC
74504	74814	12V DC
74500	74810	Light Only

# STREAMLIGHT STRION SERIES



## STRION® LED // STRION® DS

A powerful value that's perfect for the broadest range of lighting needs. IPX4-rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

### STRION LED

**BATTERY:** Lithium-ion  
**SIZE:** 5.9" x 1.25" x 0.95"  
(14.99 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.2 oz. (148g)  
**COLOR:** Black

### STRION DS

**BATTERY:** Lithium-ion  
**SIZE:** 6.4" x 1.25" x 0.95"  
(16.26 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.4 oz. (153g)  
**COLOR:** Black

STRION LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	175	80
<b>CANDELA:</b>	12,000	6,500	3,200
<b>DISTANCE:</b>	219m	161m	113m
<b>RUN TIME:</b>	2.5h	4.75h	9.5h

STROBE RUNS 6.5 HOURS



### [(STROBE)]

Double tap  
switch to activate

STRION DS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	150	40
<b>CANDELA:</b>	12,000	5,000	1,300
<b>DISTANCE:</b>	219m	141m	72m
<b>RUN TIME:</b>	2.5h	6.25h	24h

STROBE RUNS 5 HOURS

LED	DS	DESCRIPTION
74302	74412	120V AC/12V DC - 2 Holders
74301	74411	120V AC/12V DC - 1 Holder
74353	74419	120V AC/12V DC PiggyBack
74303	74413	120V AC
74309	74420	120V AC - with Grip Ring
74304	74414	12V DC
74300	74410	Light Only

DS model features **TEN-TAP®** Programmable

- choose from three programs:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

## STRION ACCESSORIES

DESCRIPTION	STRION / DS LED HL	STRION HPL / DS HPL	STRION / STRION DS	STRION 2020
6 Unit Bank Charger 120V	 74400	74400	74400	74400
6 Unit Bank Charger DC	 74401	74401	74401	74401
Piggyback Charger Holder	 74115	74115	74115	---
Smart Charger Holder	 74102	74102	74102	74102
Li-ion Battery Stick Strion Series	 74175	74175	74175	---
Li-ion Battery Stick Strion 2020	 74436	74436	74436	74436
12V DC1 Charge Cord	 22051	22051	22051	22051
12V DC2 Charge Cord	 22050	22050	22050	22050
120V USB Charge Cord	 22071	22071	22071	22071
Rail Mount	 74200	74200	74200	74200
Vertical Grip	 69114	69114	69114	69114
Leather Plain Holster	 74059	---	74059	74059
Leather Weave Holster	 74060	---	74060	74060
Nylon Holster	 85905	---	85905	85905
Tactical Holster	 88051	88051	88051	88051
Red Flip Lens	 85115	---	85115	85115
Green Flip Lens	 85117	---	85117	85117
Blue Flip Lens	 85116	---	85116	85116
Red Wand	 74903	75946	74903	74903
Yellow Wand	 74904	75948	74904	74904
Glow in the Dark Wand	 74913	75950	74913	74913

**STREAMLIGHT**  
**SL-20L SERIES**



**SL-20L®**

Full-size, professional grade light that delivers the intense brightness and run times you need for a wide variety of jobs. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

**BATTERY:** NiMH Rechargeable  
**SIZE:** 13.1" x 2.5" x 1.5"  
(33.3 x 6.35 x 3.81 cm)  
**WEIGHT:** 1.7 lbs. (770g)  
**COLOR:** Black



**[(STROBE)]**  
Double tap  
switch to activate

ITEM #	DESCRIPTION
20703	SL-20L - 120V AC/12V DC - 2 sleeves
20701	SL-20L - 120V AC
20702	SL-20L - 12V DC
20700	SL-20L - Light Only

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	450	225	60
<b>CANDELA:</b>	70,000	35,000	9,000
<b>DISTANCE:</b>	529m	374m	189m
<b>RUN TIME:</b>	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

# A HISTORY OF PERFORMANCE, THE LEGENDARY FULL-SIZE DUTY LIGHT



## SL-20LP®

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	450	225	60
<b>CANDELA:</b>	70,000	35,000	9,000
<b>DISTANCE:</b>	529m	374m	189m
<b>RUN TIME:</b>	3.25h	5h	20h

STROBE RUNS 4.5 HOURS

Feature packed, the SL-20LP full sized professional grade, high-intensity, rechargeable flashlight offers high, medium, low and strobe modes. Lightweight, polymer construction, unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

**BATTERY:** NiMH Rechargeable  
**SIZE:** 13.2" x 2.5" x 1.5" (33.5 x 6.35 x 3.81 cm)  
**WEIGHT:** 1.3 lbs. (590g)  
**COLOR:** Black, Yellow or Orange

ITEM #	DESCRIPTION
25323	SL-20LP - 120V AC/12V DC - 2 sleeves - Yellow
25303	SL-20LP - 120V AC/12V DC - 2 sleeves - Black
25313	SL-20LP - 120V AC/12V DC - 2 sleeves - Orange
25321	SL-20LP - 120V AC - Yellow
25301	SL-20LP - 120V AC - Black
25311	SL-20LP - 120V AC - Orange
25322	SL-20LP - 12V DC - Yellow
25302	SL-20LP - 12V DC - Black
25312	SL-20LP - 12V DC - Orange
25320	SL-20LP - Light Only - Yellow
25300	SL-20LP - Light Only - Black
25310	SL-20LP - Light Only - Orange

**[(STROBE)]**  
 Double tap  
 switch to activate

## ACCESSORIES

DESCRIPTION	SL-20L	SL-20LP
5-Unit Bank Charger 120V AC	21400	21400
5-Unit Bank Charger 12V DC	21401	21401
Charger Holder	22047	22047
12V DC1 Charge Cord	22051	22051
12V DC2 Charge Cord	22050	22050
120V AC Charge Cord	22060	22060
NiMH Battery Stick	77375	77375
Nylon Holster	25090	25090
Red Wand	22511	22511
Blue Wand	22512	22512
Yellow Wand	22519	22519
Glow In the Dark Wand	22513	22513

# WORK LIGHT SERIES //

## **WORK LIGHT SPECIALISTS**

**IN THE GARAGE, ON THE WORK TRUCK OR IN THE FIELD,  
STREAMLIGHT DELIVERS LIGHT WHERE YOU NEED IT.**

At Streamlight we innovate lighting solutions that make sense.

We build lighting tools that put function right alongside performance and convenience. That's exactly what our family of work lights is designed to deliver. With innovative charging systems and light delivery, we make it easier for you to get the job done.



STINGER SWITCHBLADE®

STRION SWITCHBLADE®

BEARTRAP® 360

SYCLONE®

FLIPMATE®

# // COLOR-RITE TECHNOLOGY®

## // WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

## // WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

## // COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite® lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite® products help get the job done efficiently and safely.

Our family of Color-Rite® products include the following:



### STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K)  
90 CRI LED with Streamlight's  
Color-Rite Technology



### DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight  
with a cool white LED and a warm white (4,000K)  
90 CRI LED with Streamlight's Color-Rite Technology



### STINGER SWITCHBLADE®

Five lights in one:  
Drop Light | Hands-Free | White Light |  
Color-Rite Light (4,000K) | UV Light



### STRION SWITCHBLADE®

Five lights in one:  
Drop Light | Hands-Free | White Light |  
Color-Rite Light (4,000K) | UV Light



### SYCLONE®

Ultra-compact work light with a cool white LED  
and a warm white (4,000K) 90 CRI LED with  
Streamlight's Color-Rite Technology



### FLIPMATE®

Compact work light with cool white LEDs and warm  
white (4,000K) 90 CRI LEDs with Streamlight's Color-Rite  
Technology - each with high and low modes

# // A LIGHT FOR EVERY SITUATION

## // COLOR-RITE® APPLICATIONS BY MARKET

### LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger Color-Rite help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger Color-Rite.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

### AUTOMOTIVE

- **Match and identify colors.** The Dualie 3AA Color-Rite, FlipMate, Stinger Switchblade, Cyclone and Strion Switchblade are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



### INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie 3AA Color-Rite, FlipMate and Cyclone provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

### FIRE/RESCUE/EMS

- When responding to fires, accidents or other events under low light conditions, high CRI area lights such as the Dualie 3AA Color-Rite, Stinger Switchblade and Stinger Color-Rite can be essential tools, permitting first responders to **see the color spectrum as they would in natural daylight.**
- High CRI lights allow investigators to **see specific colors, imperfections and subtle details** when examining fire or accident scenes and gathering evidence.

### OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger Color-Rite, reduces certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie 3AA Color-Rite to better see obstacles when navigating trails at night and under other low-light conditions.

STREAMLIGHT  
WORK LIGHT SERIES

THE STINGER SWITCHBLADE  
SPENDS AS MUCH TIME  
**UNDER THE CAR**  
**AND COVERED**  
**IN GREASE AS YOU**  
A PERFECT MATCH



**STINGER SWITCHBLADE®**

The Stinger Switchblade rechargeable area light is five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. The blade of the Switchblade can rotate 180° on the body. Soft detents will hold the blade in your desired position, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base plate or the retractable hook for many hanging options. The weighted base also includes magnets that will hold the light (in any orientation) to provide task-specific illumination.



**BATTERY:** Lithium-ion  
**FOLDED SIZE:** 9.80" x 1.62" x 1.40"  
 (24.89 x 4.11 x 3.56 cm)  
**EXTENDED LENGTH:** 17" (43.18 cm)  
**WEIGHT:** 17.1 oz. (485g)  
**COLOR:** Red

ITEM #	DESCRIPTION
76801	Stinger Switchblade - 120V AC - 1 Holder
76800	Stinger Switchblade - Includes micro USB cord



Hands-free applications:  
Tail-end magnet, stowable hang hook and stable foot

	COOL WHITE	HIGH CRI (90) WARMWHITE	UV LED
<b>LUMENS:</b>	800	600	500 mW
<b>RUN TIME:</b>	3.75h	3.75h	15h
COLOR TEMPERATURE: 4,000K			

Double-Sided Light bar:

- 90 CRI LEDs - Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- Cool white LEDs for bright, white light
- UV LED for leak detection



Dual charging options:  
Charge using existing Stinger chargers or charge via USB source

**ACCESSORIES**

5 Unit Bank Charger		75400
Charger		75105
Li-Ion Battery Stick		76805
12V DC Car Charge Cord		22051
12V DC Charge Cord		22050
120V AC Charge Cord		22071
Micro-USB Cord		22081 - 22" (55.8 cm) 22070 - 40" (101.9 cm)
12V DC USB Adapter		22069

**STRION SWITCHBLADE®**

Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology. Lithium-ion battery charges in 4 hours. Charge using existing Strion chargers or USB source. You can work harder for longer with the PiggyBack® charger and easy-to-change battery - just twist off the endcap, replace and go.

**BATTERY:** Lithium-ion  
**FOLDED SIZE:** 6.0" x 1.18" x 0.99" (15.24 x 3.0 x 2.51 cm)  
**EXTENDED LENGTH:** 10.75" (27.30 cm)  
**WEIGHT:** 6.4 oz. (181g)  
**COLOR:** Red

ITEM #	DESCRIPTION
74850	Strion Switchblade - Includes micro USB cord
74851	Strion Switchblade - 120V AC - 1 Holder
74854	Strion Switchblade - 120V AC PiggyBack



Hands-free applications:  
Tail-end magnet, stowable hang hook and stable foot



Multiple charging options:  
Charge using PiggyBack® Chargers, existing Strion chargers or charge via USB source



- Double-Sided Light bar:
- 1.) Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
  - 2.) UV LED for leak detection
  - 3.) Cool white LEDs for bright, white light



180° rotating light bar aims the beam where you need it.


**Color-Rite®**

	COOL WHITE	HIGH CRI (90) WARM WHITE	UV LED
<b>LUMENS:</b>	500	400	500 mW
<b>RUN TIME:</b>	3h	3h	5h
COLOR TEMPERATURE: 4,000K			



**ACCESSORIES**

6 Unit Bank Charger 120V		74400
6 Unit Bank Charger DC		74401
PiggyBack Charger Holder		74115
Charger Holder		74102
Li-ion Battery Stick		74175
12V DC1 Charge Cord		22051
12V DC2 Charge Cord		22050
120V USB Charge Cord		22071



**SYCLONE®**

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

**BATTERY:** Lithium Polymer Rechargeable  
**SIZE:** 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.6 cm)  
**WEIGHT:** 5.3 oz. (150g)  
**COLOR:** Red



Multi-function push-button switch with charge indicator.  
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61510	Syclone - Includes micro USB cord



**Color-  
Rite®**



Hands-free applications:  
 1.) Magnetic base  
 2.) Stowable hang hook



SPOT/COOL WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	400	200	100
<b>DISTANCE:</b>	141m	95m	72m
<b>RUN TIME:</b>	2h	4.5h	9.5h

FLOOD/WARM WHITE 90 CRI	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	300	150	75
<b>DISTANCE:</b>	48m	35m	24m
<b>RUN TIME:</b>	2h	4h	8h

COLOR TEMPERATURE: 4,000K

**SYCLONE® JR.**

Inspect, identify and repair with the Syclone Jr. It produces bright white light for everyday use. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.



Multi-function push-button switch with charge indicator.  
 Battery charges in approx. 4.5 hours

**BATTERY:** Lithium Polymer Rechargeable  
**SIZE:** 2.04" x 2.25" x 1.14" (5.18 x 5.71 x 2.89 cm)  
**WEIGHT:** 2 oz. (57g)  
**COLOR:** Red

ITEM #	DESCRIPTION
61530	Syclone Jr. - Includes micro USB cord



Hands-free applications:  
 1.) Magnetic base  
 2.) Stowable hang hook



	HIGH	LOW
<b>LUMENS:</b>	210	85
<b>DISTANCE:</b>	79m	49m
<b>RUN TIME:</b>	3.75h	8.5h

## FLIPMATE®

Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable.



270° rotating light bar aims the beam where you need it



Hands-free applications:  
1.) Magnetic base  
2.) Stowable hang hook  
3.) Foot provides stability to stand on end

**BATTERY:** Lithium-Ion  
**SIZE:** Folded length: 4.58" (11.63 cm) // Extended length: 7.94" (20.17 cm)  
**WEIGHT:** 8.7 oz. (247g)  
**COLOR:** Black, Red or Blue

ITEM #	DESCRIPTION
61500	FlipMate - Includes micro USB cord - Black
61501	FlipMate - Includes micro USB cord - Red
61502	FlipMate - Includes micro USB cord - Blue

## Color-Rite®

COOL WHITE	HIGH	LOW
<b>LUMENS:</b>	500	250
<b>RUN TIME:</b>	4h	5.75h

90 CRI WARM WHITE	HIGH	LOW
<b>LUMENS:</b>	400	200
<b>RUN TIME:</b>	4h	6h
COLOR TEMPERATURE: 4,000K		



Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light  
Each with high and low modes





**BEARTRAP<sup>®</sup>**

Inspect, identify and repair with the multi-function BearTrap worklight. High power with big performance. It produces bright white light in both spot and flood modes. Lithium-ion battery charges in 5.5 hours; continues to charge while plugged in and in use. Features a secure cord connection to prevent snags. Multi-function push-button power switch with battery life indicator that lets you know when it needs to be to charged.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-get-to spaces like under the dash; also features a magnetic base and stowable hook.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated water resistant; 1m impact resistance tested.

**BATTERY:** Lithium-ion  
**SIZE:** 7.62 x 6.5 x 3.12" (19.37 x 16.51 x 7.94 cm)  
**WEIGHT:** 2 lbs. 3 oz. (992g)  
**COLOR:** Red

FLOOD	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	1,000	575
<b>CANDELA:</b>	1,200	680	360
<b>DISTANCE:</b>	69m	52m	38m
<b>RUN TIME:</b>	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	450	325
<b>CANDELA:</b>	7,500	3,600	2,500
<b>DISTANCE:</b>	174m	120m	100m
<b>RUN TIME:</b>	4.5h	8.75h	12.5h

  
**2,000**  
**LUMENS**



ITEM #	DESCRIPTION
61520	BearTrap - 120V/100V AC
44922	120V AC Cord
44923	12V DC Cord
61522	Lithium-ion Battery

## BEARTRAP® 360

Inspect, identify and repair with the multi-function BearTrap 360 work light featuring a 360° rotating and 270° pivoting body. It produces bright white light in both spot and flood modes. Flood fills your work area with evenly dispersed, bright light; Spot provides a concentrated beam - each with high, medium and low modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-reach spaces like under the dash; also features a magnetic base. Rubberized grip surface designed to prevent scratches.


Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact-resistance tested.

FLOOD	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	1,000	575
<b>CANDELA:</b>	1,200	680	360
<b>DISTANCE:</b>	69m	52m	38m
<b>RUN TIME:</b>	2.5h	5h	8.75h
SPOT	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	450	325
<b>CANDELA:</b>	7,500	3,600	2,500
<b>DISTANCE:</b>	174m	120m	100m
<b>RUN TIME:</b>	4.5h	8.75h	12.5h

**BATTERY:** Lithium-Ion  
**SIZE:** 7.62 x 6.5 x 3.12" (19.36 x 16.51 x 7.93 cm)  
**WEIGHT:** 2 lbs. 5 oz. (1049g)  
**COLOR:** Red



  
**2,000 LUMENS**



ITEM #	DESCRIPTION
61523	BearTrap 360 - 120V/100V AC
44922	120V AC Cord
44923	12V DC Cord
61522	Lithium-ion Battery



# SCENE LIGHT/LANTERN SERIES //

## SCENE LIGHTING SPECIALISTS

FROM FIRST ON THE SCENE TO THE LAST ONE OUT  
OF THE TUNNEL, HEROES TRUST STREAMLIGHT.

Lanterns are part of our history and part of our future. In 1973, Streamlight pioneered portable lighting with our million candlepower Streamlite 1 Million™ and for the past 50 years we continue to forge new ways to provide light where it's needed.



PORTABLE SCENE LIGHT



VULCAN® 180



WAYPOINT® 400



THE SIEGE®



VULCAN CLUTCH®



PORTABLE SCENE LIGHT II

# LIGHT UP THE WORLD ANYWHERE YOU WANT

## PORTABLE SCENE LIGHT PORTABLE SCENE LIGHT EXT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers.

### PORTABLE SCENE LIGHT

**BATTERY:** Zero-maintenance, sealed lead acid  
Can also be powered by 12V DC power cord  
**SIZE:** 22.5" x 6.7" x 11" (55.88 x 17 x 27.9 cm)  
**WEIGHT:** 25 lbs. (11.3kg)  
**COLOR:** Yellow


### PORTABLE SCENE LIGHT EXT

**BATTERY:** Zero-maintenance, sealed lead acid  
Can also be powered by 12V DC power cord  
**SIZE:** 25.5" x 6.7" x 11" (64.8 x 17 x 27.9 cm)  
**WEIGHT:** 25.5 lbs. (11.6kg)  
**COLOR:** Yellow

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	2,500	1,300
<b>CANDELA:</b>	42,000	21,300	11,600
<b>DISTANCE:</b>	410m	292m	215m
<b>RUN TIME:</b>	4h	9h	18h




ITEM #	DESCRIPTION
45670	Portable Scene Light - 120V AC/12V DC
45680	Portable Scene Light EXT - 120V AC/12V DC



### Special Features:

- Full deployment in 30 seconds
- Designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67-rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces



Extends to full height with the stabilization legs fully deployed and locked in less than 30 seconds

Portable Scene Light EXT: pole extends to 84" (213.36 cm)

Portable Scene Light: pole extends to 72" (182.88 cm)

Cord is built into the pole avoiding snags during deployment

Balanced design; lead acid batteries provide ballast and stability

# PORTABLE SCENE LIGHT II

10,000 LUMENS | WATERPROOF |  
360° ROTATING HEAD | STACKABLE



## PORTABLE SCENE LIGHT II

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 16" x 11" x 12" (40.6 x 27.9 x 30.5 cm)  
**WEIGHT:** 15.56 lbs. (7.03 kg)  
**COLOR:** Red



	100%	80%	60%	40%	20%
<b>LUMENS:</b>	10,000	8,300	6,300	4,500	2,300
<b>RUN TIME:</b>	2h	2.75h	3.75h	5.75h	11h

ITEM #	DESCRIPTION
46000	Portable Scene Light II - 120V AC/12V DC

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

### Special Features:

- Portable, cordless, ultra compact
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
  - Batteries will continue to charge while in use
- IPX7 WATERPROOF TO 1M FOR 30 MINUTES

Use a single unit or stack for multi-level lighting



Hang over doors, guard rails, fences, etc.



## CORDLESS AND COMPACT PREVENTS TRIP HAZARDS

The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs - so if you need to grab one off the stack and move to another location, it won't weigh you down.





# SEE AND BE SEEN EVEN IN THE THICKEST SMOKE

THE VULCAN SERIES FEATURES A TIGHT BEAM AND  
BLUE TAILLIGHT LEDS

## VULCAN® 180

The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke. IP64 rated, dust-tight and water resistant; 2m impact resistance tested.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 7.43" x 4.32" x 4.36" (18.8 x 10.9 x 11 cm)  
**WEIGHT:** 2.47 lbs. (1.12 kg)  
**COLOR:** Orange or Yellow

YELLOW	ORANGE	DESCRIPTION
44307	44311	Vulcan 180 - Standard System - 120V AC/12V DC, quick release shoulder strap
44301	---	Vulcan 180 - Standard System - 120V AC/12V DC, heavy duty shoulder strap
44305	44315	Vulcan 180 - Vehicle Mount System - 12V DC, shoulder strap
44300	44310	Vulcan 180 - Without Charger



Class I, Div 2, Grps. A, B, C, D;  
Class II, Div 2, Grps. F, G;  
Class III; T-Class: T4



Rack meets the requirement  
of NFPA 1900-11.1.11.2 (2024)  
mounted in any position.

Large, multi-function, push button switch  
easy to use with gloved hands.



  
**1,200  
LUMENS**

### NFPA

Rack meets the requirement  
of NFPA 1900-11.1.11.2 (2024)  
mounted in any position.

	HIGH	LOW
<b>LUMENS:</b>	1,200	350
<b>CANDELA:</b>	75,000	22,000
<b>DISTANCE:</b>	548m	296m
<b>RUN TIME:</b>	5.75h	16h

Flat base area allows light to stand  
on its own for scene lighting.



Taillight LEDs ensure you can be  
seen even from behind.  
Can be programmed on or off

	HIGH	LOW
<b>LUMENS:</b>	400	130
<b>CANDELA:</b>	25,000	8,000
<b>DISTANCE:</b>	316m	179m
<b>RUN TIME:</b>	10h	24h



Class I, II, III, Div 1,  
Grps. A, B, C, D, E, F, G  
Class I, Zone 0, Group IIC,  
Class III, T-Code: T4

**NFPA**




Rack meets the requirement  
of NFPA 1900-11.1.11.2 (2024)  
mounted in any position.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 7.43" x 4.32" x 4.36" (18.8 x 10.9 x 11 cm)  
**WEIGHT:** 2.47 lbs. (1.12 kg)  
**COLOR:** Orange or Yellow

YELLOW	ORANGE	DESCRIPTION
44321	44331	Vulcan 180 HAZ-LO - Standard System - 120V AC/12V DC, Includes quick release shoulder strap
44325	44335	Vulcan 180 HAZ-LO - Vehicle Mount System - 12V DC, Includes quick release shoulder strap
44320	44330	Vulcan 180 HAZ-LO - Without Charger

## VULCAN® 180 HAZ-LO®

Developed for use in hazardous locations on a portable scene light platform the Class 1, Div. 1 safety rated Vulcan 180 is lightweight and rechargeable. Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke. Use its 180° articulating head to target the light where needed. A large handle enables smooth handoffs even with gloves. IP65 rated; dust-tight and water resistant; 2m impact resistance tested.



STREAMLIGHT  
VULCAN SERIES



## VULCAN CLUTCH®

The Vulcan Clutch, with its downward-angled head is designed to illuminate your path so you can navigate to your destination safely and efficiently. Once on-site, clamp it virtually anywhere and articulate the head to direct the beam where you need it. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IPX7-rated; waterproof to 1m for 30 minutes. Uses the same mounting rack as the Vulcan 180.

	HIGH	LOW
<b>LUMENS:</b>	1,700	380
<b>CANDELA:</b>	67,500	15,000
<b>DISTANCE:</b>	520m	245m
<b>RUN TIME:</b>	6.5h	18h
FLASH RUNS 25 HOURS		



**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 9.39" x 4.6" x 6.4" (23.85 x 11.68 x 16.26 cm)  
**WEIGHT:** 2.84 lbs (1288g)  
**COLOR:** Orange or Yellow

### NFPA

Rack meets the requirement of NFPA 1900-11.1.1.2 [2024] mounted in any position.

Large, multi-function, push button switch easy to use with gloved hands




Orange model includes quick release shoulder strap.



Yellow model includes heavy duty shoulder strap.

ITEM #	DESCRIPTION
44361	Vulcan Clutch - 120V/100V AC/12V DC - Includes quick release shoulder strap - Orange
44365	Vulcan Clutch - Vehicle Mount System - 12V DC - Includes quick release shoulder strap - Orange
44360	Vulcan Clutch - Light Only - Includes quick release shoulder strap - Orange
44371	Vulcan Clutch - 120V/100V AC/12V DC - Includes heavy duty shoulder strap - Yellow
44375	Vulcan Clutch - Vehicle Mount System - 12V DC - Includes heavy duty shoulder strap - Yellow
44370	Vulcan Clutch - Light Only - Includes heavy duty shoulder strap - Yellow



**E-FLOOD® LITEBOX® // E-FLOOD® FIREBOX®**

The E-Flood series produces diffused light over an entire area using four LEDs within shallow reflectors for a widened beam pattern; an articulating head allows you to aim light right where it is needed. Its large push-button switch is easy to use with heavy gloves and features a battery status indicator. A large grip area makes for easy hand-offs. Includes heavy duty shoulder strap.

	HIGH	LOW
LUMENS:	1,500	350
CANDELA:	4,700	1,000
DISTANCE:	137m	63m
RUN TIME:	7.5h	17.75h



**NFPA** Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
<b>E-FLOOD LITEBOX</b>		
45801	45821	E-Flood LiteBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45805	45825	E-Flood LiteBox Vehicle Mount System - 12V DC - Includes shoulder strap
45807	--	E-Flood LiteBox Power Failure System - 120V AC/12V DC - Includes mounting rack <i>Features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.</i>
45806	45826	E-Flood LiteBox (Without Charger)
<b>E-FLOOD FIREBOX [DUAL REAR LEDS]</b>		
45811	--	E-Flood FireBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45815	--	E-Flood FireBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45832	--	E-Flood FireBox (Without Charger)

**BATTERY:** Zero-maintenance sealed lead acid  
**SIZE:** 11.2 in. (28.4 cm)  
**WEIGHT:** 3.1 lbs. (1389g)  
**COLOR:** Orange or Yellow

**E-SPOT® LITEBOX® // E-SPOT® FIREBOX®**

E-Spot series produces a long range, focused beam pattern using four LEDs within deep parabolic reflectors to spotlight an area with focused bright light. It features a swivel head that makes it easy to inspect high bays, ceilings, and out-of-the-way places. Its large push-button switch is easy to use with heavy gloves and features a battery status indicator. A large grip area makes for easy hand-offs. Includes heavy duty shoulder strap.

	HIGH	LOW
LUMENS:	1,500	350
CANDELA:	110,000	25,000
DISTANCE:	663m	316m
RUN TIME:	7.5h	17.75h



**NFPA** Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
<b>E-SPOT LITEBOX</b>		
45851	45871	E-Spot LiteBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45855	45875	E-Spot LiteBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45857	---	E-Spot LiteBox Power Failure System - 120V AC/12V DC - Includes mounting rack <i>Features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.</i>
45856	45866	E-Spot LiteBox (Without Charger)
<b>E-SPOT FIREBOX [DUAL REAR LEDS]</b>		
45861	--	E-Flood FireBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45865	--	E-Flood FireBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45882	--	E-Flood FireBox (Without Charger)

**BATTERY:** Zero-maintenance sealed lead acid  
**SIZE:** 11.2 in. (28.4 cm)  
**WEIGHT:** 3.1 lbs. (1389g)  
**COLOR:** Orange or Yellow



**Special Features:**

- Flat side allows light to tilt and stand on its own
- Multi-function, push button switch with battery status indicator
- Dual rear LEDs *FIREBOXES ONLY*
- IPX4-rated; water-resistant; 1m impact resistance tested
- Recharges in 5 hours



## FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7-rated; waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 7.5" x 5" x 6.5" (19.05 x 12.7 x 16.51 cm)  
**WEIGHT:** 1.85 lbs. (839g)  
**COLOR:** Orange

	HIGH	LOW
<b>LUMENS:</b>	180	80
<b>CANDELA:</b>	100,000	45,000
<b>RUN TIME:</b>	5h	10h



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G;  
 Class III, T-Code: T4



Rack meets the requirement of NFPA 1900-11.1.1.2 (2024) mounted in any position.

ITEM #	DESCRIPTION
44450	Fire Vulcan LED - Standard System - 120V/100V AC/12V DC - Includes quick release shoulder strap & rack
44451	Fire Vulcan LED - Vehicle Mount System - 12V DC - Includes direct wire rack, shoulder strap
44454	Fire Vulcan LED (Without Charger) - Includes quick release shoulder strap



# STREAMLIGHT LANTERN SERIES



## HID LITEBOX<sup>®</sup>

This portable, one million candela searchlight illuminates objects up to a mile away. Its 35-watt, high intensity xenon lamp has a 2,000-hour minimum lifetime and a 90° swivel head. The intense brightness and amazing 1-mile reach make this the ideal hand-held light when you absolutely must be able to inspect an entire area quickly and efficiently. It plugs into your vehicle's power source for an unlimited run time.

**BATTERY:** Zero-maintenance, sealed lead acid  
**SIZE:** 14.9" x 5.1" x 8.8" (38 x 13 x 23 cm)  
**WEIGHT:** 10 lbs. 1.6 oz. (4.6 kg)  
**COLOR:** Orange or Black

ORANGE	BLACK	DESCRIPTION
45601	45621	HID LiteBox - Std System - 120V AC/12V DC - Includes 10 ft (3m) 12V DC cord, shoulder strap and flood lens
45605	45625	HID LiteBox - Vehicle Mount System - 12V DC direct wire rack - Includes 10ft (3m) 12V DC cord, shoulder strap and flood lens
45600	45620	HID LiteBox - Light Only - Includes 10 ft (3m) 12V DC cord, shoulder strap and flood lens



1,000,000 cd



10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide duration lighting

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the remote cord



<b>LUMENS:</b>	3,350
<b>CANDELA:</b>	1,00,000
<b>RUN TIME:</b>	1.75h

### NFPA

Rack meets the requirement of NFPA 1900-11.1.11.2 (2024) mounted in any position.

## ACCESSORIES

DESCRIPTION		PART #	GOES WITH
Standard Mounting Rack—Orange Vehicle Mounting Rack—Orange Vehicle Mounting Rack—Yellow		45070 45071 45074	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox
Standard Mounting Rack—Black Vehicle Mounting Rack—Black		45075 45076	HID LiteBox
Standard Charge Rack - Black Vehicle Mounting Rack - Black		44103 44132	Fire Vulcan LED
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack Kit - Black		44350 44306	Vulcan 180, Vulcan Clutch
12V DC (Car Socket) Charge Cord		22051	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
12V DC Charge Cord		22050	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
12V DC Charge Cord (10 ft/3m)		22056	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II, HID LiteBox
120V AC Charge Cord		22060	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
120V AC Charge Cord		22085	HID LiteBox
Power Supply 120V AC Charge Cord		22083 22074	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
Battery (Sealed Lead Acid)		45630	Portable Scene Light, Portable Scene Light EXT, HID LiteBox
Battery (Sealed Lead Acid)		45937	E-Flood LiteBox, E-Spot LiteBox - (Original version)
Battery (Lithium-ion)		45938	E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox (Upgraded version)
Battery (Lithium-ion)		44610	Fire Vulcan LED
Battery (Lithium-ion)		44351	Vulcan 180
Battery (Lithium-ion)		44352	Vulcan 180 HAZ-LO
Battery (Lithium-ion)		44366	Vulcan Clutch
Battery (Lithium-ion)		46005	Portable Scene Light II
HID Bulb Kit		45637	HID LiteBox
Flood Lens		45657	HID LiteBox
IR Filter		45654	HID LiteBox
E-Spot Upgrade Kit E-Flood Upgrade Kit		45845 45842	E-Spot LiteBox/FireBox (Original version)
Quick Release Strap		44050	E-Flood LiteBox, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
Heavy Duty Strap		45232	E-Flood LiteBox, E-Flood LiteBox/FireBox, E-Spot LiteBox/FireBox, HID LiteBox, Fire Vulcan LED, Vulcan 180, Vulcan Clutch
Heavy Duty Strap with Carabiner Lock		45677	Portable Scene Light, Portable Scene Light EXT

**WAYPOINT®**

	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	100,000	7,900
<b>DISTANCE:</b>	625m	178m
<b>RUN TIME:</b>	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME  
EMERGENCY SIGNAL: RUNS 82 HOURS



Trigger style switch with momentary operation



Integrated stand for hands-free lighting

Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4-rated; water-resistant.

**BATTERY:** 4 "C" batteries (not included).  
Can also be powered by 12V DC power cord (included)  
**SIZE:** 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)  
**WEIGHT:** 1.8 lbs. (816g)  
**COLOR:** Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision

Green Filter reduces shadows



Red Filter preserves night vision

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC power cord - Box - Yellow
44902	Waypoint - Includes 12V DC power cord - Box - Black
44904	Waypoint - Includes 12V DC power cord - Clam - Yellow
44905	Waypoint - Includes 12V DC power cord - Clam - Black
44908	Polymer Storage Mount
44903	12V DC Power Cord*
44924	Red Filter
44925	Green Filter

\*12V DC power cord does not charge batteries

**WAYPOINT® 400**

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,400	600	38
<b>CANDELA:</b>	400,000	165,000	10,000
<b>DISTANCE:</b>	1,265m	812m	200m
<b>RUN TIME:</b>	3.25h	7.5h	84h



400,000 cd



1,265m



The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

**BATTERY:** Lithium-ion with on-board safety control circuit  
**SIZE:** 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.29 cm)  
**WEIGHT:** 1.52 lbs. (691g)  
**COLOR:** Yellow or Black

ITEM #	DESCRIPTION
44910	Waypoint 400 - 120V AC - Box - Yellow
44911	Waypoint 400 - 120V AC - Box - Black
44901	Polymer Storage Mount
44909	120V AC Charge Cord
44923	12V DC Cord
44915	Red Filter
44916	Green Filter



**SUPER SIEGE®**

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium-ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! Its rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7-rated; waterproof to 1m. It floats.

**BATTERY:** Lithium-ion  
**SIZE:** 3.8" x 7.5" (9.65 x 19.05 cm)  
**WEIGHT:** 1 lb. 14 oz. (867.62g)  
**COLOR:** Coyote or Yellow



Magnetic  
Accessory Base

WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	550	125
<b>RUN TIME:</b>	5.75h	11.5h	36.25h
RED	HIGH	SOS	LOW
<b>LUMENS:</b>	2.7	2.7	1
<b>RUN TIME:</b>	140h	320h	348h

**[(RED SOS)]**

Hold on/off button  
to activate



**1,100  
LUMENS**



Rechargeable lithium-ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port.

ITEM #	DESCRIPTION
44947	Super Siege - 120V AC - Coyote
44945	Super Siege - 120V AC - Yellow
44909	120V AC Charge Cord
44950	Glare Guard™
44951	Magnetic Base - Black



A small dry storage area is provided in the light's base for all your "keep dry" needs



## THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

**BATTERY:** (3) "D" alkaline  
**SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm)  
**WEIGHT:** 1 lb. 15 oz. (878g)  
**COLOR:** Coyote

ITEM #	DESCRIPTION
44931	The Siege
44950	Glare Guard™
44952	Magnetic Base - Black

Magnetic  
Accessory Base



Shown with  
outer globe  
removed.



WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	540	275	55
<b>RUN TIME:</b>	30h	70h	295h

RED	HIGH	SOS
<b>LUMENS:</b>	10	10
<b>RUN TIME:</b>	235h	430h

### [(RED SOS)]

Hold on/off button  
to activate



## SIEGE® AA

The Siege AA lantern features white LED and red LEDs for scene lighting, low level lighting or SOS mode. There are five output modes and a battery level indicator built into the power button. With the outer lantern globe in place, the Siege AA will float. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

**BATTERY:** (3) "AA" alkaline  
**SIZE:** 2.37" x 5.44" (6 x 13.82 cm)  
**WEIGHT:** 8.8 oz. (249.47g) // 9.1 oz. (257.98g) with Magnet  
**COLOR:** Coyote or Yellow

ITEM #	DESCRIPTION
44941	Siege AA - Coyote
44943	Siege AA - Yellow with Magnetic Base
44942	Magnetic Base - Coyote

WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	100	50
<b>RUN TIME:</b>	7h	15.5h	37h

RED	HIGH	SOS
<b>LUMENS:</b>	0.7	0.7
<b>RUN TIME:</b>	192h	288h

### [(RED SOS)]

Hold on/off button  
to activate



The yellow Siege AA has three strong magnets in the base. It's now a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.



Optional magnetic base for  
hands-free work.

# SURVIVOR/VANTAGE SERIES //

## **RIGHT-ANGLE LIGHTING**

WHETHER IT'S ON THE BODY OR ON THE HELMET,  
STREAMLIGHT DELIVERS THE TRUSTED OPTIONS.

Ask any firefighter what light they trust most... and the likely answer is the Streamlight Survivor. And while we're proud of that fact, we're also not one to let it rest at that. We continue to develop products that keep firefighters and industrial workers safe. Because as we all know, the work is never truly done.



VANTAGE®  
180 X USB



VANTAGE® II



SURVIVOR PIVOT®

SURVIVOR® X

**SURVIVOR® X USB**

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.



	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

**BATTERY:** USB rechargeable SL-B26 battery pack; also accepts (3) "AA" alkaline  
**SIZE:** 7.06" x 2.85" x 2.32" (17.9 x 7.24 x 5.89 cm)  
**WEIGHT:** Alkaline: 12.8 oz. (363g) // SL-B26: 11.9 oz. (337g)  
**COLOR:** Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90044	90244	Survivor X USB - Includes SL-B26 Battery Pack



Class I, II, Div. 2,  
Grps. A, B, C, D, E, F, G;  
Class III, T-Code: T4

**NFPA**

Flashlight meets 500°F  
requirements of NFPA  
1971-8.6 (2018)

**NFPA**

Charger meets requirements of  
NFPA 1900-11.11.2 (2024)  
mounted in any position

**SURVIVOR® X**

The Survivor X provides added features and increased output. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

*Note: The Survivor X is not compatible with legacy Survivor chargers.*

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

**BATTERY:** USB rechargeable lithium-ion battery pack; also accepts (3) "AA" alkaline  
**SIZE:** 7.06" x 2.85" x 2.32" (17.9 x 7.24 x 5.89 cm)  
**WEIGHT:** Alkaline: 12.8 oz. (363g) // Li-ion: 12.2 oz. (346g)  
**COLOR:** Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90952	90962	Survivor X - 120V/100V AC/12V DC
90950	90960	Survivor X - Alkaline
90951	90961	Survivor X - Light Only



Class I, II, Div. 1,  
Grps. A, B, C, D, E, F, G;  
Class III, T-Code: T3/T4

**NFPA**

Flashlight meets 500°F  
requirements of NFPA  
1971 8.6 (2018)

**NFPA**

Charger meets requirements of  
NFPA 1900-11.11.2 (2024)  
mounted in any position



Strong spring-loaded clip  
securely grabs onto belts and  
gear; D-ring provides forward  
hanging orientation



**Battery life indicator in switch:**

- Green indicates full charge
- Turns red when battery is nearing low voltage
- Flashes red continuously when 15 minutes left of battery

## SURVIVOR® X IMPROVED CHARGER DESIGN

### Improved charger design:

- Survivor X securely locks into the charger - fits snugly in place
- Quick release latch for one-handed grab-and-go
- Easy to remove with gloved hands
- Charge indicator shines solid red when charging and solid green when charged



*Note: The Survivor X is not compatible with legacy Survivor chargers; however, the new charger WILL charge both Streamlight's Legacy Survivors as well as the new Survivor X.*



- Know your charge status with battery life indicator in switch boot
- Green indicates full charge
- Turns red when battery is nearing end of usable charge
- Flashes red continuously with 15 minutes or less remaining of battery life

**STREAMLIGHT  
SURVIVOR SERIES**



**DUAL BEAM, 90-DEGREE ARTICULATING HEAD  
SURVIVOR PIVOT® AND SURVIVOR PIVOT® USB**



## SURVIVOR PIVOT® USB

The multi-function Survivor Pivot USB provides budget-friendly rechargeability combined with a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. It uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Class I, Div. 2 safety-rated.



**NFPA**  
Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Class I, II, Div. 2,  
Grps. A, B, C, D, F, G;  
Class III, T-Code: T4

## SURVIVOR PIVOT®

The multi-function, Survivor Pivot features a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.



**NFPA**  
Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Class I, II, Div. 1,  
Grps. A, B, C, D, E, F, G;  
Class III, T-Code: T3/T4

	SPOT		FLOOD		COMBO	
	HIGH	LOW	HIGH	LOW	HIGH	LOW
<b>LUMENS:</b>	300	70	300	70	325	80
<b>CANDELA:</b>	34,000	8,500	300	75	19,000	5,000
<b>DISTANCE:</b>	369m	184m	35m	17m	276m	141m
<b>RUN TIME (ALK):</b>	5.5h	15h	5.5h	15h	4.5h	12h
<b>RUN TIME (LI-ION/SL-B26):</b>	4.25h	16h	4.25h	16h	3.75h	13h



- Battery status indicator in switch:
- Green when fully charged
  - Red when low voltage
  - Flashes red with 15 minutes left on battery



**USB  
MULTI-FUEL  
FLEXIBILITY**

**POWER UP WITH A STREAMLIGHT  
SL-B26 USB RECHARGEABLE BATTERY  
PACK, LITHIUM-ION BATTERY OR (3) AA  
ALKALINE BATTERIES**

Strong spring-loaded clip  
securely grabs onto jackets  
and gear; D-ring provides  
forward hanging orientation



Optional magnet

### SURVIVOR PIVOT USB

**BATTERY:** SL-B26 rechargeable battery pack; also accepts (3) AA alkaline  
**SIZE:** 7.93" x 2.86" x 3.29" (20.1 x 7.26 x 8.36 cm)  
**SIZE w/MAGNET:** 7.93" x 2.86" x 3.64" (20.1 x 7.26 x 9.25 cm)  
**WEIGHT:** Alkaline: 16.7 oz. (473g) // SL-B26: 15.8 oz. (448g)  
**WEIGHT w/MAGNET:** Alkaline: 18.1 oz. (513g) // SL-B26: 17.2 oz. (488g)  
**COLOR:** Orange or Yellow

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE w/ MAGNET	YELLOW w/ MAGNET	DESCRIPTION
91804	91814	91838	91839	Survivor Pivot USB - C1D2

### SURVIVOR PIVOT

**BATTERY:** Lithium-ion rechargeable battery pack; also accepts (3) AA alkaline  
**SIZE:** 7.93" x 2.86" x 3.29" (20.1 x 7.26 x 8.36 cm)  
**SIZE w/MAGNET:** 7.93" x 2.86" x 3.64" (20.1 x 7.26 x 9.25 cm)  
**WEIGHT:** Alkaline: 16.7 oz. (473g) // Li-Ion: 16.2 oz. (459g)  
**WEIGHT w/MAGNET:** Alkaline: 18.1 oz. (513g) // Li-Ion: 17.6 oz. (499g)  
**COLOR:** Orange or Yellow

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE w/ MAGNET	YELLOW w/ MAGNET	DESCRIPTION
91802	91812	91830	91831	Survivor Pivot - 120V AC/12V DC
91800	91810	91825	91826	Survivor Pivot - Alkaline - C1D1

Note: The Survivor Pivot® is not compatible with legacy Survivor® chargers.



**THE MOST TRUSTED RIGHT ANGLE LIGHT  
THIN, BRIGHT &  
EXTREMELY  
VERSATILE  
SURVIVOR**



**SURVIVOR®**

This leading Class I, Div. 1 right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). IPX4-rated; water-resistant. Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves.

**BATTERY:** Rechargeable NiMH battery pack; also accepts (4) "AA" alkaline  
**SIZE:** 7.06" (17.92 cm)  
**WEIGHT:** Alkaline: 13.7 oz. (388g) // NiMH: 18 oz. (510g)  
**COLOR:** Orange, Yellow or Black

ORANGE	YELLOW	BLACK	DESCRIPTION
90503	90513	90523	Survivor - 120V AC/12V DC
90500	90510	90520	Survivor - Without Charger
90540	90541	90545	Survivor - Alkaline



Class I, II, Div. 1, Grps. C, D, E, F, G;  
 Class I, Div. 2, Grps. A, B, C, D  
 Class III, T-Code: T4; T4

**NFPA**

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

**NFPA**

Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Permissible Flashlight, Approval No. 20-A150001-0 (Alkaline model)

Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam



Amber reduces peripheral light and eye fatigue caused by glare



Low profile design

	HIGH	LOW
<b>LUMENS:</b>	175	60
<b>CANDELA:</b>	41,000	14,000
<b>DISTANCE:</b>	405m	237m
<b>RUN TIME (RECH):</b>	3.5h	13h
<b>RUN TIME (ALK):</b>	4h	15h
MOONLIGHT MODE: RUNS 20 DAYS FLASH RUNS 8 HOURS		


**SURVIVOR SERIES ACCESSORIES**

DESCRIPTION	SURVIVOR	SURVIVOR X	SURVIVOR X USB	SURVIVOR PIVOT	SURVIVOR PIVOT USB
5 Unit 120V AC Bank Charger	90910	90910		90910	
5 Unit 12V DC Bank Charger	90912	90912		90912	
SL-B26 Bank Charger - 120V AC SL-B26 Bank Charger - 12V DC		20224 20223	20224 20223	20224 20223	20224 20223
Charger	90345	90345		90345	
Lithium-ion Battery		90341		90341	
NiMH Battery	90339				
Alkaline/SL-B26 Battery Cartridge		90342	90342	90342	90342
Alkaline Battery Cartridge	90542				
SL-B26 Battery Pack			22101 - 1pk 22105 - 8pk		22101 - 1pk 22105 - 8pk
12V DC1 Charge Cord	22051	22051		22051	
12V DC2 Charge Cord	22050	22050		22050	
120V AC Charge Cord	22060	22060		22060	

Note: The Survivor X and Survivor Pivot are not compatible with legacy Survivor chargers.



**VANTAGE II**  
**THE VERSATILE SOLUTION**  
**TO FIREFIGHTERS'**  
**HANDS-FREE**  
**LIGHTING NEEDS**





**VANTAGE® 180 X USB // VANTAGE® 180 X**

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123A batteries. Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7-rated; waterproof.

	HIGH	LOW
<b>LUMENS:</b>	250	100
<b>CANDELA:</b>	7,200	2,650
<b>DISTANCE:</b>	170m	103m
<b>RUN TIME (CR123A):</b>	4h	12h
<b>RUN TIME (SL-B26):</b>	5h	15h



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries

**NFPA**

Meets requirements of NFPA 1971-8.6 (2018); 500° heat resistance test



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries  
**SIZE:** 5.2" x 1.6" x 1.06" (13.2 x 4.06 x 2.69 cm)  
**WEIGHT:** SL-B26: 5.9 oz. (167g) // CR123A: 5.5 oz. (156g)  
**COLOR:** Orange or Black

ORANGE	BLACK	DESCRIPTION
88911	88913	Vantage 180 X USB - Includes SL-B26 battery pack
88901	88903	Vantage 180 X - Includes CR123A lithium batteries

Includes "quick release" helmet bracket and hex key.



Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



**STREAMLIGHT**  
**VANTAGE SERIES**



**VANTAGE®**

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Includes a bright blue tail light so you can be seen from behind even in heavy smoke. Easy to operate with gloves. IPX7-rated; waterproof to 1 meter for 30 minutes. Fits both traditional and modern helmets.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.26" x 1.47" x 2.56" (8.28 x 3.73 x 6.5 cm)  
**WEIGHT:** 5.14 oz. (145.7g)  
**COLOR:** Black

**NFPA**  
Meets requirements of  
NFPA 1971-8.6 (2018);  
500° heat resistance test

<b>LUMENS:</b>	115
<b>CANDELA:</b>	7,000
<b>DISTANCE:</b>	167m
<b>RUN TIME:</b>	6h



470nm ultra-bright  
taillight LED

Dual direction, easy access  
on/off switch

ITEM #	DESCRIPTION
69140	Vantage - Includes CR123A lithium batteries

**VANTAGE® II**

Lightweight, compact and low profile, the Vantage II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra- bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

	HIGH	LOW
<b>LUMENS:</b>	350	135
<b>CANDELA:</b>	3,500	1,700
<b>DISTANCE:</b>	118m	80m
<b>RUN TIME:</b>	2.25h	5h

**NFPA**

Meets requirements of NFPA 1971-8.6 (2018); 500° heat resistance test

- BATTERY:** (1) CR123A lithium
- SIZE WITH INDUSTRIAL MOUNT:** 2.37" x 1.16" x 1.54" (6.02 x 2.95 x 3.91 cm)
- INDUSTRIAL MOUNT WEIGHT:** 2.97 oz. (84.2g)
- SIZE WITH FIRE MOUNT:** 2.37" x 1.16" x 2.18" (6.01 x 2.95 x 5.54 cm)
- FIRE MOUNT WEIGHT:** 3.65 oz. (103.5g)
- COLOR:** Black

ITEM #	DESCRIPTION
69331	Vantage II - [Fire] - Includes CR123A lithium battery
69333	Vantage II - [Industrial] - Includes CR123A lithium battery
69337	Vantage II - [for MSA Cairns® 1010/1044 Traditional Fire Helmets] with CR123A lithium battery
69334	Bracket Kit - Fire
69336	Bracket Kit - Industrial
69339	Bracket Kit - for MSA Cairns® 1010/1044 Traditional Fire Helmets

All rights reserved. Cairns® is a registered trademark of the Cairns Trademark Trust.



Fire model



Attaches securely to your helmet - above or below brim in seconds!




Large push-button switch features blue taillight LED that ensures you can be seen even from behind.



Industrial model



Industrial model features hard hat mount that slides into V-Guard slot.



# DUALIE/PROPOLYMER SERIES //

**SAFETY-RATED LIGHTING**  
BECAUSE YOU DON'T GET TO CHOOSE  
WHERE IT'S GOING TO BE DARK

Streamlight builds more safety-rated lights to give you more options in hazardous locations. With our comprehensive product line of Dualies and ProPolymers, you have a full selection of hand-held safety-rated lights no matter your lighting need... spot, flood, laser or true color recognition with Streamlight's Color-Rite Technology.



DUALIE®  
RECHARGEABLE

DUALIE RECHARGEABLE - CHARGER  
MODEL NO. 65790  
FOR SAFETY, READ MANUAL  
USE ONLY WITH STREAMLIGHT  
CHARGE CORDS  
USB INPUT 5VDC 0.5A OUTPUT 5VDC 0.5A  
LED RED - CHARGING - LED GREEN - CHARGED  
**STREAMLIGHT**  
30 EAGLEVILLE ROAD, EAGLEVILLE, PA 19403



DUALIE® 2AA



4AA PROPOLYMER® LUX



DUALIE® 3AA COLOR-RITE®



# STREAMLIGHT SAFETY-RATED LIGHTING TOOLS

## // DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by “class” and “division.” There are three classes:



**CLASS I** locations are made hazardous by the presence of flammable gases, liquids or vapors.



**CLASS II** locations are hazardous because combustible dusts are present.



**CLASS III** locations contain easily ignitable fibers or flyings.

The “Division” designation refers to the likelihood that ignitable concentrations of flammable materials are present. There are two divisions:



**DIVISION 1** designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions, or where easily ignitable fibers and flyings are manufactured, handled or used.



**DIVISION 2** locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by “groups” based on the physical properties of their combustible materials. These groups include (but are not limited to):



**GROUP A** Acetylene

**GROUP B** Hydrogen

**GROUP C** Ethylene, Carbon Monoxide

**GROUP D** Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane



**GROUP E** Metals including aluminum, magnesium (Div. 1 only)

**GROUP F** Carbonaceous dusts including coal, carbon black, coke

**GROUP G** Dusts not included in E and F including wood, plastics, flour, starch or grain dusts



# STREAMLIGHT GIVES YOU MORE SAFETY-RATED LIGHTS FOR MORE OPTIONS IN HAZARDOUS LOCATIONS.

Streamlight flashlights are tested and certified by the world's leading independent laboratories — including Underwriters Laboratories, ATEX, Demko, and the Mine Safety and Health Administration (MSHA). This testing is your assurance that the Streamlight flashlight you choose will be safe in the environment(s) in which you'll be using it.



## // STREAMLIGHT'S HAZ-LO SERIES OF LIGHTING TOOLS PROVIDE DIFFERENT PATHS TO THE SAME RESULT: A DIVISION 1 RATING!

When working in a Division 1 area, we expect explosive atmospheres to be present. Streamlight's HAZ-LO product line is suitable for use in Division 1 areas. Streamlight uses different protection standards and testing at Nationally Recognized Test Labs (NRTL) to achieve the Division 1 rating that is common to all Streamlight HAZ-LO Lighting. This is the best possible performance while ensuring that your flashlight will not become an ignition source. ANSI/UL 783 is the specific standard for flashlights used in hazardous locations. ANSI/UL 913 is the intrinsically safe standard for general electronic equipment. While either standard can direct certification to Division 1 level, it is important to note Class, Group and Temperature code requirements to select the correct flashlight for specific applications.




Scan or click to watch our video:  
"You Bet Your Light On It:  
Safety Ratings Explained"

## // WHY ARE SAFETY RATINGS IMPORTANT?

There are several types of locations in which it can be extremely dangerous to use any light that has not been specifically designed — and approved — for that kind of location. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts, or ignitable fibers or flyings. If you will be using a flashlight in any potentially hazardous location, it is critical that your light be safety-rated for that specific kind of environment.

## // ATEX RATINGS


Streamlight also offers safety-rated lights that comply with the European Union (EU) Directive 2014/34/EU (ATEX) for products intended for use in potentially explosive atmospheres within the EU member countries. Please visit our website, [streamlight.com](http://streamlight.com) for more information on ATEX-rated products. We also have a catalog of ATEX-rated products available upon request.



## THE DUALIE FAMILY OF LIGHTS HANDS-FREE & INCREDIBLY VERSATILE



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light helps you avoid slips, trips and falls.



The Dualie Laser features a simultaneous spot beam and laser pointer allowing you to illuminate the work area and pinpoint out-of-reach objects.

### DUALIE® RECHARGEABLE

The Dualie Rechargeable features a lithium-ion battery and dual beams — forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. Integrated, non-protruding spring loaded belt clip contained within body outline. Optional magnetic clip for hands-free use. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.



Integrated magnet for hands-free use



Class I, II; Div. I  
Grps. A, B, C, D, E, F, G  
Class III, T-Code: T4

	SPOT	FLOOD	COMBO
<b>LUMENS:</b>	180	105	275
<b>CANDELA:</b>	11,500	60	-
<b>DISTANCE:</b>	171m	18m	-
<b>RUN TIME:</b>	7h 15m	13h 30m	5h 30m

**BATTERY:** Lithium-ion  
**SIZE:** 7" x 1.86" x 1.06" (17.78 x 4.72 x 2.69 cm)  
**WEIGHT:** 6.8 oz. (193g) // 7.09 oz. (201g) with Magnetic Clip  
**COLOR:** Yellow or Black

WITHOUT MAGNETIC CLIP	WITH MAGNETIC CLIP	DESCRIPTION
68732	68793	120V/100V AC - Yellow
68733	68794	120V/100V AC - Black
68734	68795	12V DC - Yellow
68735	68796	12V DC - Black
68730	68785	Light only - Yellow
68731	68786	Light only - Black



## DUALIE® 3AA

One light, two beams: choose one spot beam or one flood light or both. The 3AA Dualie provides two types of illumination for multi-directional lighting and special uses. Intuitive activation allows you to use either beam or both at the same time. This intrinsically safe flashlight allows you to see your entire work area and helps you avoid slips, trips, and falls. Optional magnetic clip for hands-free use. IP67-rated; waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

	SPOT	FLOOD	COMBO
<b>LUMENS:</b>	140	140	245
<b>CANDELA:</b>	7,300	80	-
<b>DISTANCE:</b>	171m	8m	-
<b>RUN TIME:</b>	18h	18h	9h



Integrated magnet for hands-free use



**BATTERY:** (3) "AA" alkaline  
**SIZE:** 7" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)  
**WEIGHT:** 6.8 oz. (193g); 7.1 oz. (201g) with Magnetic Clip  
**COLOR:** Yellow or Black

ITEM #	DESCRIPTION
68750	Dualie 3AA - With batteries - Clam - Yellow
68752	Dualie 3AA - With batteries - Clam - Black
68751	Dualie 3AA - Without batteries - Mailer - Yellow
68753	Dualie 3AA - Without batteries - Mailer - Black
68782	Dualie 3AA Magnet - Includes alkaline batteries & lanyard - Box - Yellow
68783	Dualie 3AA Magnet - Includes alkaline batteries & lanyard - Box - Black
68780	Dualie 3AA Magnet - without batteries - Box - Yellow
68781	Dualie 3AA Magnet - without batteries - Box - Black



Class I, II, Div. 1,  
Grps. A, B, C, D, E, F, G;  
Class III, T-Code: T4



Permissible Flashlight  
App. No. 20-A160001-0  
Tested for use in methane-air  
mixtures only

## DUALIE® 3AA LASER

The Dualie 3AA Laser is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The Dualie Laser model features forward facing LED spot beam and laser pointer that can be used individually or at the same time for location identification. Opposing switches for easy user activation of desired functions. IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

**BATTERY:** (3) "AA" alkaline  
**SIZE:** 7" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)  
**WEIGHT:** 6.8 oz. (193g)  
**COLOR:** Yellow or Black

	LED	LASER
<b>LUMENS:</b>	150	<5mW output
<b>CANDELA:</b>	7,700	--
<b>DISTANCE:</b>	175m	--
<b>RUN TIME:</b>	17h	70h



Class I, II, Div. 1,  
Grps. A, B, C, D, E, F, G;  
Class III, T-Code: T4



Permissible Flashlight  
App. No. 20-A160001-0  
Tested for use in methane-air  
mixtures only

ITEM #	DESCRIPTION
68760	Dualie 3AA Laser - Includes "AA" alkaline batteries - Yellow
68762	Dualie 3AA Laser - Includes "AA" alkaline batteries - Black

**DUALIE® 3AA COLOR-RITE®**

The Dualie® 3AA Color-Rite® is an intrinsically safe, high performance, 3 “AA” battery powered flashlight that produces a bright, white light to see ahead of you. The flood beam uses a high output CRI LED for true color recognition. It has opposing switches for easy user activation of desired function.

Body features a superior grip texture to provide a comfortable but slip resistant feel and is constructed of an engineered polymer resin that is virtually indestructible, shock resistant, non-conductive and light weight. The integrated, non-protruding spring loaded belt clip is contained within the body outline. So much power and technology in one place!

IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

**BATTERY:** (3) “AA” alkaline or lithium  
**SIZE:** 7" x 1.52" x 1.06" (17.78 x 3.86 x 2.69 cm)  
**WEIGHT:** 6.6 oz. (187g)  
**COLOR:** Yellow



Class I, II; Div. I  
 Grps. A, B, C, D, E, F, G  
 Class III, T-Code: T4

	SPOT (COOL WHITE)	FLOOD (WARM WHITE)	COMBO
<b>LUMENS:</b>	225	175	320
<b>CANDELA:</b>	8,000	380	7,000
<b>DISTANCE:</b>	179m	39m	167m
<b>RUN TIME:</b>	8h	8.5h	5h


FLOOD/WARM WHITE COLOR TEMPERATURE: 4,000K



**Color-  
Rite®**

**DUAL BEAM DESIGN:**

The Dualie design produces either a spot beam with a cool white LED or a flood beam that uses a CRI LED for true color recognition.



ITEM #	DESCRIPTION
68910	Dualie 3AA Color-Rite - Includes (3) "AA" alkaline batteries

**DUALIE® 2AA**

The Dualie 2AA is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The flashlight features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. The flashlight has opposing switches for easy user activation of desired function(s). Includes removable, reversible clip and integrated magnet. IPX4-rated; water-resistant.



Integrated magnet for hands-free use

	SPOT	FLOOD	COMBO
<b>LUMENS:</b>	115	115	175
<b>CANDELA:</b>	3,100	75	-
<b>DISTANCE:</b>	111m	17m	-
<b>RUN TIME:</b>	24h	24h	15h

**BATTERY:** (2) “AA” alkaline  
**SIZE:** 6.10" x 1.34" x 0.87" (15.5 x 3.4 x 2.2 cm)  
**WEIGHT:** 3.9 oz. (111g)  
**COLOR:** Yellow or Black

ITEM #	DESCRIPTION
67751	Dualie 2AA - Includes Alkaline batteries - Box - Yellow
67752	Dualie 2AA - Includes Alkaline batteries - Clam - Black



Class I, II, Div. 1,  
 Grps. A, B, C, D, E, F, G;  
 Class III, T-Code: T4

## 2AAA PROPOLYMER® HAZ-LO®

**LUMENS:** 60  
**CANDELA:** 800  
**DISTANCE:** 57m  
**RUN TIME:** 16h



Class I, II, Div. 1,  
 Grps. A, B, C, D, E, F, G;  
 Class III; CL I, ZN O, IIC;  
 T-Class: T4A



The 2AAA ProPolymer HAZ-LO is an extremely durable, alkaline battery-powered, intrinsically safe flashlight. This light features a push-button tailswitch for momentary on or on-off operation and integrated pocket clip. IPX4-rated; water-resistant; 1m impact resistance tested.

**BATTERY:** (2) "AAA" alkaline  
**SIZE:** 5.40" x 1" x 0.66" (13.7 x 2.5 x 1.7 cm)  
**WEIGHT:** 1.9 oz. (54g)  
**COLOR:** Yellow

ITEM #	DESCRIPTION
66500	2AAA ProPolymer HAZ-LO - Includes alkaline batteries - Clam
66505	2AAA ProPolymer HAZ-LO - Includes alkaline batteries - Box

## 2AA PROPOLYMER® HAZ-LO®

**LUMENS:** 65  
**CANDELA:** 2,300  
**DISTANCE:** 96m  
**RUN TIME:** 24h



Permissible Flashlight.  
 Approval No. 20-A140002-D.  
 Tested for Intrinsic Safety in  
 Methane-Air mixtures only.



Class I, II, Div. 1,  
 Grps. A, B, C, D, E, F, G;  
 Class III; T-Class: T4



This virtually indestructible safety-rated flashlight is long on run time and small enough to fit in a pocket or strap onto a helmet. Provides a focused beam with optimum peripheral illumination. O-ring sealed construction. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) "AA" alkaline  
**SIZE:** 6.4" x 1.32" x 0.89" (16.26 x 3.35 x 2.26 cm)  
**WEIGHT:** 3.6 oz. (100g)  
**COLOR:** Yellow or Black

ITEM #	DESCRIPTION
67100	2AA ProPolymer HAZ-LO - Includes alkaline batteries - Clam - Black
67101	2AA ProPolymer HAZ-LO - Includes alkaline batteries - Clam - Yellow

## STYLUS PRO® HAZ-LO®

The Stylus Pro HAZ-LO is an intrinsically safe and extremely durable alkaline battery-powered penlight. It features a tail cap switch with momentary and "constant on" operation, a replaceable metal pocket clip, and amazing brightness for a light of its size. Impact and chemical-resistant engineered polymer resin construction; non-conductive. Unbreakable polycarbonate lens. IPX7-rated; waterproof to 1m for 30 minutes, 2 meter impact resistance tested.

**LUMENS:** 105  
**CANDELA:** 380  
**DISTANCE:** 39m  
**RUN TIME:** 2.25h



**BATTERY:** (2) "AAA" alkaline  
**SIZE:** 5.92" x 0.78" x 0.63" (15 x 2 x 1.6 cm)  
**WEIGHT:** 1.9 oz. (54g)  
**COLOR:** Yellow



Class I, II, Div. 1,  
 Grps. A, B, C, D, E, F, G;  
 Class III; T-Class: T3/T4

ITEM #	DESCRIPTION
66300	Stylus Pro HAZ-LO - Includes alkaline batteries



# STREAMLIGHT PROPOLYMER SERIES



## 4AA PROPOLYMER® LED

Its soft, diffused light is perfect for up close work, and with 155 hrs. of run time, this safety-rated light is always ready. Contains seven ultra-bright LEDs. IP65-rated; waterproof, dust-resistant. Unbreakable, scratch-resistant lens.

**BATTERY:** (4) "AA" alkaline  
**SIZE:** 6.5" x 1.63" x 1.34" (16.51 x 4.14 x 3.4 cm)  
**WEIGHT:** 6.3 oz. (178.6g)  
**COLOR:** Yellow or Black

**LUMENS:** 67  
**RUN TIME:** 155h



YELLOW	BLACK	DESCRIPTION
68200	68300	4AA ProPolymer LED - without alkaline batteries - Box
68201	68301	4AA ProPolymer LED - Includes alkaline batteries - Box
68202	68302	4AA ProPolymer LED - Includes alkaline batteries - Clam



Class I, Div. 1, Grps. C, D;  
 Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G;  
 Class III, T-Code: T3C



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G;  
 Class III, T-Code: T3C



Permissible Flashlight  
 App. No. 10C-658-0  
 Tested for use in  
 methane-air mixtures only

## 4AA PROPOLYMER® LUX

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1 meter for 30 minutes. 1 meter impact-resistance tested. Corrosion-proof.

**BATTERY:** (4) "AA" alkaline  
**SIZE:** 7" x 1.48" x 1.69" (17.8 x 3.76 x 4.29 cm)  
**WEIGHT:** 7.6 oz. (216g)  
**COLOR:** Yellow or Black

**LUMENS:** 200  
**CANDELA:** 12,000  
**DISTANCE:** 219m  
**RUN TIME:** 6h



Class I, II, Div. 1, Grps. C, D, F, G;  
 Class I, Div. 2, Grps. A, B, C, D;  
 Class III, T-Code: T4



Class I, II, Div. 1, Grps. C, D, F, G;  
 Class I, Div. 2, Grps. A, B, C, D  
 Class III, T-Code: T4

YELLOW	BLACK	DESCRIPTION
68244	68344	4AA ProPolymer Lux Div. 2 - Includes alkaline batteries
68602	68702	4AA ProPolymer Lux Div. 1 - Includes alkaline batteries



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G;  
 Class III, T-Code: T3C



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G;  
 Class III, T-Code: T3C

## POLY MOUNT KIT



The Streamlight Poly Mount kit conveniently attaches a variety of Streamlight flashlights to a hardhat for hands-free use. It's a "no tools required" method to quickly and easily attach your flashlight to your hardhat and it's adjustable so you can aim the beam where you need it.

### Poly Mount Kit includes:

Adhesive base to attach to side of hard hat  
Mounting base that slides into the slot of hard hat

Bands for Dualie® 2AA  
Dualie® 3AA Series  
Dualie® Rechargeable

2AA ProPolymer® HAZ-LO®  
4AA ProPolymer® Lux  
PolyTac® & PolyTac® X

## DUALIE/PROPOLYMER ACCESSORIES

DESCRIPTION	PART #	GOES WITH
 Helmet Mount	68085	Dualie 3AA Series, Dualie Rechargeable
 Poly Mount Kit	68089	Dualie 2AA, Dualie 3AA/3AA Laser, Dualie Rechargeable, 2AA ProPolymer HAZ-LO
 Rubber Helmet Band	99075	2AA ProPolymer HAZ-LO, 4AA ProPolymer LED, 4AA ProPolymer Lux
 Nylon Holster	66029	2AAA ProPolymer HAZ-LO, Stylus Pro HAZ-LO
 Safety Wand- Red Safety Wand- Yellow Safety Wand- Glow in the Dark	74903 74904 74913	2AA ProPolymer HAZ-LO
 Charger	68790	Dualie Rechargeable
 Bank Charger	68789	Dualie Rechargeable
 120V USB Charge Cord	22071	Dualie Rechargeable
 DC1 Charge Cord	22080	Dualie Rechargeable
 Lithium-ion battery	68792	Dualie Rechargeable

# WEAPON-MOUNTED SERIES //

## **WEAPON-MOUNTED LIGHTING SPECIALISTS**

**WE BUILD A RANGE OF LIGHTS FOR LONG GUN,  
FULL-FRAME, COMPACT & SUBCOMPACT PISTOLS**

Streamlight proudly builds our full line of weapon-mounted lights with features and performance levels to fill the needs of military, law enforcement, concealed carry and sportsmen. From IR to high-lumen to laser, Streamlight TLRs lead the industry.

PROTAC® 2.0 RAIL MOUNT HP



TL-RACKER®



TLR-7® HL-X



TLR-1 HL®-X



## LIGHT ONLY

### COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-1 HL®

TLR-1 HL®-X

TLR-1® //  
TLR-1s

TLR-3®

TLR-7® X

TLR-7® X  
CONTOUR REMOTE

TLR-7® HL-X

TLR-9®

### SUBCOMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-6®  
NON-LASER

TLR-7® X

TLR-7® HL-X

TLR-7® X sub

TLR-7® HL-X SUB

### LONG GUN/AR SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®

TLR® RM 1

TLR® RM 1 HL-X

TLR® RM 2



PROTAC®  
RAIL MOUNT 1

PROTAC®  
RAIL MOUNT 2

PROTAC® RAIL  
MOUNT HL-X

PROTAC® RAIL  
MOUNT HL-X PRO

PROTAC® RAIL  
MOUNT HP-X PRO

PROTAC® 2.0  
RAIL MOUNT

PROTAC® 2.0  
RAIL MOUNT HP



TLR-1 HL®  
[Long Gun Kit]



TLR-1 HPL®  
[Long Gun Kit]

## LIGHT/LASER COMBO

### COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-2® // TLR-2<sup>s</sup>



TLR-2 HL®



TLR-2<sup>G</sup> // TLR-2 HL<sup>G</sup>



TLR-8<sup>X</sup>



TLR-8<sup>X</sup> G



TLR-10<sup>®</sup> // TLR-10<sup>G</sup>

### SUBCOMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-4<sup>®</sup> // TLR-4<sup>G</sup>



TLR-6<sup>®</sup>



TLR-6 HL<sup>®</sup> //  
TLR-6 HL<sup>G</sup>



TLR-8<sup>X</sup> //  
TLR-8<sup>X</sup> G



TLR-8<sup>X</sup> SUB //  
TLR-8<sup>X</sup> G SUB



TLR-8<sup>HL-X</sup> //  
TLR-8<sup>HL-X</sup> G



TLR-8<sup>HL-X</sup> SUB //  
TLR-8<sup>HL-X</sup> G SUB

### LONG GUN/AR RAIL MOUNT MODELS



TLR-2<sup>®</sup> // TLR-2<sup>s</sup>



TLR-2 HL<sup>®</sup>



TLR-2 HL<sup>G</sup>



TLR<sup>®</sup> RM 1 LASER  
RED // GREEN



TLR<sup>®</sup> RM 2 LASER  
RED // GREEN



PROTAC<sup>®</sup> RAIL MOUNT  
HL-XLASER

### SPECIALTY/IR LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR<sup>®</sup> II



It can be difficult to choose the right weapon-mounted light for your specific gun and application. We want to make the process easier. That's why we designed the TLR Fit Guide to make it easy for you to select the right light for your weapon.

SCAN OR CLICK THE QR CODE TO VIEW OUR TLR FIT GUIDE

**Beam Patterns Explained**

Choosing the best gun light means pairing the right beam with your needs. Streamlight's range of gun lights offers Traditional, High Lumen, and High Candela options, each designed with features tailored to different tactical applications. Whether you need wide area visibility, a powerful pinpoint beam, or a mix of both, Streamlight has a solution to keep you ready for any challenge.



**Traditional Beam Pattern:** Designed for versatile, multi-purpose use, these lights offer exceptional value across a wide range of lighting needs.

Performance Characteristics	Traditional Product
<ul style="list-style-type: none"> <li>• Optimal balance of candela and lumens - the beam pattern most people expect out of a quality flashlight</li> <li>• Very good all-around use, broadest range of lighting applications</li> <li>• Good focus and arc/periphery light</li> <li>• Longest regulated run times</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1® and TLR-1® s</li> <li>• TLR-2® and TLR-2® s</li> <li>• TLR-3®</li> <li>• TLR-4®</li> <li>• TLR-6®</li> <li>• TLR-7® X Series</li> <li>• TLR-8® X Series</li> <li>• TLR-9®</li> <li>• TLR-10® Series</li> <li>• ProTac® Rail Mount 1</li> <li>• ProTac® Rail Mount 2</li> </ul>

**High Lumen Beam Pattern:** Delivers maximum brightness with a wide beam pattern, ensuring full situational awareness. Perfect for illuminating smaller spaces where intense light is essential without requiring long-range reach.

Performance Characteristics	High Lumen Product
<ul style="list-style-type: none"> <li>• High lumen beam</li> <li>• Maximum illumination - a broader beam pattern with a wider center spot</li> <li>• Shorter regulated run time</li> <li>• More glare/bounce back</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1 HL®</li> <li>• TLR-1 HL®-X</li> <li>• TLR-2 HL® Series</li> <li>• TLR-6 HL® Series</li> <li>• ProTac® Rail Mount HL-X Series</li> <li>• ProTac® 2.0 Rail Mount</li> </ul>

**High Candela Beam Pattern:** Delivers powerful, long-distance beams with high-lumen output - perfect for down-range applications requiring precision and clarity.

Performance Characteristics	High Candela Product
<ul style="list-style-type: none"> <li>• High-candela beam</li> <li>• Casts a wide, bright beam with a tight, focused center spot for greater down-range light</li> <li>• More light on your target at a distance</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1 HPL®</li> <li>• TLR-7® HL-X Series</li> <li>• TLR-8® HL-X Series</li> <li>• TLR® RM 1 Series</li> <li>• TLR® RM 2 Series</li> <li>• ProTac® 2.0 Rail Mount HP</li> <li>• ProTac® Rail Mount HP-X</li> </ul>



**TLR-1 HL®**  
WHITE LIGHT ILLUMINATOR



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)  
**WEIGHT:** 4.32 oz. (122.5g)  
**COLORS:** Black, Flat Dark Earth or Brown

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h

**[(STROBE)]**  
Double tap  
switch to activate



Available in Black,  
Flat Dark Earth and  
Flat Dark Earth Brown

ITEM #	DESCRIPTION
69260	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Black
69266	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Flat Dark Earth
69267	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Flat Dark Earth Brown
69262	TLR-1 HL - Long Gun Kit Includes Safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries – Black
69888	TLR-1 HL - Long Gun Kit Includes safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries – Flat Dark Earth
69889	TLR-1 HL - Dual Remote Kit Includes dual remote pressure switch, "safe off" door switch, mounting clips and lithium batteries – Black



TLR-1 HL Long Gun Kit



TLR-1 HL Dual Remote Kit



## TLR-1 HL<sup>®</sup>-X

### WHITE LIGHT ILLUMINATOR

The multi-fuel TLR-1 HL-X produces a powerful 1,500 lumen beam. It uses two SL-B9 USB rechargeable protected lithium-ion battery backs; also accepts CR123A batteries. Front loading batteries for easy, fast battery replacement without removing the light from the firearm. User interchangeable switches. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) SL-B9 battery packs or (2) CR123A lithium  
**SIZE:** 3.45" x 1.44" x 1.44" (8.76 x 3.66 x 3.66 cm)  
**WEIGHT:** SL-B9: 5.19 oz. (147g) // CR123A: 4.94 oz. (140g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69500	TLR-1 HL-X - Includes rail locating keys and (2) CR123A lithium batteries
69501	TLR-1 HL-X USB - Includes rail locating keys, (2) SL-B9 battery packs and USB-C cord

SL-B9	
<b>LUMENS:</b>	1,500
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1h
CR123A	
<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	15,000
<b>DISTANCE:</b>	245m
<b>RUN TIME:</b>	1.5h



### MULTI-FUEL DESIGN:

Runs on SL-B9 battery packs or CR123A batteries



Front-loading batteries; rapid battery replacement without removing the light from the firearm

**TLR-1® // TLR-1®s**  
WHITE LIGHT ILLUMINATOR

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated; waterproof to 1 meter for 30 minutes. Impact resistant. Strobe mode (TLR-1s only) can be disabled.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)  
**WEIGHT:** 4.18 oz. (118.6g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69110	TLR-1 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries
69210	TLR-1s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries



**[[STROBE]]**

Double tap switch to activate

**LUMENS:** 300  
**CANDELA:** 12,000  
**RUN TIME:** 2.5h

**TLR-2 HL®**  
WHITE LIGHT ILLUMINATOR / RED LASER



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 640-660nm red laser.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.88 oz. (138.4g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69261	TLR-2 HL - Includes Rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries



**1,000 LUMENS**



**[[STROBE]]**

Double tap switch to activate

**LUMENS:** 1,000  
**CANDELA:** 20,000  
**DISTANCE:** 283m  
**RUN TIME:** 1.5h  
LASER MODE: RUNS 45 HOURS

**TLR-2 HL® G**  
WHITE LIGHT ILLUMINATOR / GREEN LASER



Features a highly visible (even in daylight) green laser that assists in target acquisition. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 510-530nm green laser.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.88 oz. (138.4g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69265	TLR-2 HL G - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries



**1,000 LUMENS**



**[[STROBE]]**

Double tap switch to activate

**LUMENS:** 1,000  
**CANDELA:** 20,000  
**DISTANCE:** 283m  
**RUN TIME:** 1.25h  
LASER MODE: RUNS 17 HOURS

# STREAMLIGHT TLR SERIES



## TLR-2® // TLR-2s®

WHITE LIGHT ILLUMINATOR / RED LASER

Intensely bright, durable, tactical light securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Features an integrated 650-660nm red laser. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Impact resistant. Strobe mode (TLR-2s only) can be disabled.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.72 oz. (133.8g)  
**COLOR:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2.5h
LASER MODE: RUNS 48 HOURS	



**[(STROBE)]**  
 Double tap  
 switch to activate

ITEM #	DESCRIPTION
69120	TLR-2 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries
69230	TLR-2s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries

## TLR-2® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

Features a highly visible (even in daylight) 510-530nm green laser that assists in target acquisition. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Strobe can be disabled.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.72 oz. (133.8g)  
**COLOR:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2.5h
LASER MODE: RUNS 17 HOURS	



**[(STROBE)]**  
 Double tap  
 switch to activate

ITEM #	DESCRIPTION
69250	TLR-2 G – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries

**TLR-3<sup>®</sup>**

**WHITE LIGHT ILLUMINATOR**

Lightweight and powerful, this light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. Impact-resistant polymer construction with durable anodized aluminum facecap. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR2 lithium  
**SIZE:** 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)  
**WEIGHT:** 2.32 oz. (65.8g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69220	TLR-3 - Includes rail locating keys and CR2 lithium battery
69221	TLR-3 H&K USP Compact - Includes CR2 lithium battery
69222	TLR-3 H&K USP Full-Size - Includes CR2 lithium battery

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1.5h



**TLR-4<sup>®</sup>**

**WHITE LIGHT ILLUMINATOR / RED LASER**

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 640-660nm red aiming laser. Operates in extreme temperatures. Impact-resistant polymer body; anodized aluminum facecap. IPX4-rated; water-resistant.

**BATTERY:** (1) CR2 lithium  
**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)  
**WEIGHT:** 2.81 oz. (79.7g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69240	TLR-4 - Includes rail locating keys for use with Picatinny or Glock <sup>®</sup> style rails and CR2 lithium battery
69241	TLR-4 H&K USP Compact - Includes CR2 lithium battery
69242	TLR-4 H&K USP Full-Size - Includes CR2 lithium battery

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 15 HOURS	



**TLR-4<sup>®</sup> G**

**WHITE LIGHT ILLUMINATOR / GREEN LASER**

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 510-530nm green laser that can be seen even in daylight. Impact-resistant polymer body; anodized aluminum face cap. IPX4-rated; water-resistant.

**BATTERY:** (1) CR2 lithium  
**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)  
**WEIGHT:** 2.81 oz. (79.7g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69245	TLR-4 G - Includes rail locating keys for use with Picatinny or Glock <sup>®</sup> style rails and CR2 lithium battery
69246	TLR-4 G H&K USP Compact - Includes CR2 lithium battery
69247	TLR-4 G H&K USP Full-Size - Includes CR2 lithium battery

<b>LUMENS:</b>	160
<b>CANDELA:</b>	3,200
<b>DISTANCE:</b>	113m
<b>RUN TIME:</b>	1.75h LED ONLY
<b>RUN TIME:</b>	1.25h LED + LASER
LASER MODE: RUNS 4 HOURS	





# TLR-6<sup>®</sup>

## ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS

### TLR-6<sup>®</sup> RAIL MOUNT

Designed to securely attach to the rail and the trigger guard of GLOCK<sup>®</sup> compact railed handguns, SIG SAUER<sup>®</sup>, Smith and Wesson<sup>®</sup> M&P<sup>®</sup> standard and compact railed handguns. The compact TLR-6 rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal of the weapon or the need to re-sight the laser. The light provides one hour of regulated runtime when in dual light/laser mode. Durable, Impact-resistant polymer construction.

**BATTERY:** (2) CR-1/3 N lithium  
**SIZE:** 2.20" x 1.20" x 1.47" (5.58 x 3.04 x 3.73 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.16 oz. (33g)  
**COLOR:** Black

**LUMENS:** 100  
**CANDELA:** 2,000  
**DISTANCE:** 89m  
**RUN TIME:** 1h  
 LASER MODE: RUNS 11 HOURS



**Red Laser #69290**  
GLOCK<sup>®</sup> 17/19/21



**Red Laser #69291**  
SA XD



**Red Laser #69293**  
M&P<sup>®</sup> Shield<sup>™</sup> 40/9

ITEM #	DESCRIPTION
69290	TLR-6 (GLOCK <sup>®</sup> 17/19/21) White LED/red laser – Includes (2) CR 1/3N lithium batteries
69291	TLR-6 (SA XD <sup>®</sup> ) White LED/red laser – Includes (2) CR 1/3N lithium batteries
69293	TLR-6 (S&W M&P <sup>®</sup> ) White LED/red laser – Includes (2) CR 1/3N lithium batteries

**TLR-6® FOR SUBCOMPACT HANDGUNS**

An industry first, the ultra-compact TLR-6 weapon light with white LED and integrated 640/660nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes - Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction.

**BATTERY:** (2) 3V CR-1/3 N lithium

**SIZE:** 2.30" x 0.85" x 1.42" (5.84 x 2.16 x 3.61 cm)

Size & Weight vary by model

**WEIGHT:** 1.27 oz. (36g)

**COLORS:** Black or Flat Dark Earth

**LUMENS:** 100  
**CANDELA:** 2,000  
**DISTANCE:** 89m  
**RUN TIME:** 1h  
 LASER MODE: RUNS 11 HOURS

**Universal Kit #69277**



Universal Kit includes one LED/laser Aiming module and the following shells: GLOCK 42, GLOCK 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)

ITEM #	DESCRIPTION
69270	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69272	TLR-6 (GLOCK® 26/27/33) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69277	TLR-6 Universal Kit – Includes LED/laser module and select TLR-6 body housings – Black
69273	TLR-6 (M&P® Shield™ 40/9) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69278	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Flat Dark Earth
69284	TLR-6 (SIG SAUER® P365®/XL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69286	TLR-6 (GLOCK® 43X/48 MOS and GLOCK® 43X/48 RAIL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69287	TLR-6 (SA Hellcat®) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black
69288	TLR-6 (Taurus GX4™) White LED/red laser - Includes (2) CR 1/3N lithium batteries - Black
<b>NON-LASER MODELS</b>	
69280	TLR-6 (GLOCK® 42/43) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black
69282	TLR-6 (GLOCK® 26/27/33) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black
69283	TLR-6 (M&P® Shield™) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black
69285	TLR-6 (SIG SAUER® P365®/XL) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black

All rights reserved. GLOCK®, Smith & Wesson® and M&P SHIELD®, Kahr®, SIG SAUER®, Kimber®, Springfield Armory®, Taurus®, Colt®, and Remington® are registered trademarks of Glock, Inc., Smith & Wesson Inc., Saeilo Enterprises, Inc., SIG Sauer, Inc., Kimber IP, LLC, Springfield, Inc., Taurus Armas S.A., Colt's Manufacturing IP Holding Company LLC, and Ammunition Operations, LLC, respectively. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

**Red Laser #69270**  
GLOCK® 42/43



**Red Laser #69278**  
GLOCK® 42/43



**Red Laser #69272**  
GLOCK® 26/27/33



**Red Laser #69273**  
M&P® Shield™ 40/9



**Red Laser #69284**  
SIG SAUER® P365®/XL



**Red Laser #69286**  
GLOCK® 43X/48MOS  
GLOCK® 43X/48Rail



**Red Laser #69288**  
Taurus GX4™



**Non Laser #69280**  
GLOCK® 42/43



**Non Laser #69282**  
GLOCK® 26/27/33



**Non Laser #69283**  
M&P® Shield™ 40/9



**Non Laser #69285**  
SIG SAUER® P365®/XL



**Red Laser #69287**  
SA Hellcat®





# TLR-6 HL<sup>®</sup>

## RECHARGEABLE LIGHTS FOR COMPACT, SUBCOMPACT & CONCEALED CARRY WEAPONS

### TLR-6 HL<sup>®</sup> // TLR-6 HL<sup>®</sup> G RAIL MOUNT

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, Impact-resistant polymer construction. Designed to securely attach to the rail and the trigger guard of GLOCK<sup>®</sup> compact railed handguns, standard and compact railed handguns.

**BATTERY:** (1) SL-B2<sup>®</sup> rechargeable battery  
**SIZE:** 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.12 oz. (31.8g)  
**COLORS:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	4,250
<b>DISTANCE:</b>	130m
<b>RUN TIME:</b>	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	



**Red Laser #69343**  
GLOCK<sup>®</sup> Rail Mount



**Green Laser #69353**  
GLOCK<sup>®</sup> Rail Mount

ITEM #	DESCRIPTION
69343	TLR-6 HL (GLOCK <sup>®</sup> Rail Mount) White LED/red laser – Includes (3) SL-B2 batteries and charger
69353	TLR-6 HL G (GLOCK <sup>®</sup> Rail Mount) White LED/green laser – Includes (3) SL-B2 batteries and charger

**TLR-6 HL® FOR SUBCOMPACT HANDGUNS**

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, Impact-resistant polymer construction. Designed to securely attach to the trigger guard/rail of select handguns.

**BATTERY:** (1) SL-B2® rechargeable battery  
**SIZE:** 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.12 oz. (31.8g)  
**COLORS:** Black or Flat Dark Earth

<b>LUMENS:</b>	300
<b>CANDELA:</b>	4,250
<b>DISTANCE:</b>	130m
<b>RUN TIME:</b>	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	

**SL-B2® charging case**

Charges batteries using USB-C cord  
 Features charge status indicator



**Red Laser #69340**  
GLOCK® 42/43/49



**Red Laser #69341**  
GLOCK® 42/43/49



**Red Laser #69342**  
M&P® Shield™ 40/9



**Red Laser #69344**  
SIG SAUER® P365®/XL



**Green Laser #69350**  
GLOCK® 42/43/49



**Green Laser #69351**  
GLOCK® 42/43/49



**Green Laser #69352**  
M&P® Shield™ 40/9



**Green Laser #69354**  
SIG SAUER® P365®/XL



ITEM #	DESCRIPTION
<b>TLR-6 HL</b>	
69340	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black
69341	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth
69342	TLR-6 HL (M&P® Shield™ 40/9) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black
69344	TLR-6 HL (SIG SAUER® P365®/XL) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black
<b>TLR-6 HL G</b>	
69350	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black
69351	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth
69352	TLR-6 HL G (M&P® Shield™ 40/9) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black
69354	TLR-6 HL G (SIG SAUER® P365®/XL) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black

All rights reserved. GLOCK® is a registered trademark of Glock, Inc. SIG SAUER® and P365® are registered trademarks of SIG Sauer, Inc. M&P® Shield™ is a trademark of Smith & Wesson Inc. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

**TLR-7<sup>®</sup> X RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR

The TLR series is going rechargeable! The TLR-7 X multi-fuel rail-mounted light accepts either our new SL-B9<sup>®</sup> USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style.

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery  
**SIZE:** 2.58" x 1.18" x 1.27" (6.55 x 2.98 x 3.23 cm)  
**WEIGHT:** SL-B9: 2.64 oz. (74.8g) // CR123A: 2.48 oz. (70.3g)  
**COLOR:** Black or FDE

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h



**[(STROBE)]**  
Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69424	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – Black
69429	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – FDE
69455	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – Black
69456	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – FDE

**MULTI-FUEL DESIGN:**  
Runs on SL-B9 battery pack or CR123A battery



Interchangeable paddle switches easy to swap out with multi-tool (included)

**TLR-7<sup>®</sup> X CONTOUR REMOTE RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR

The TLR-7 X Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 4.6" x 1.16" x 1.79" (11.68 x 2.95 x 4.55 cm)  
**WEIGHT:** SL-B9: 2.85 oz. (80.7g) // CR123A: 2.69 oz. (76.3g)  
**COLOR:** Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69428	TLR-7 X Contour Remote - for GLOCK <sup>®</sup> Gen 4 or Gen 5 models, CR123A lithium battery
69480	TLR-7 X Contour Remote - for SIG SAUER <sup>®</sup> P320 <sup>®</sup> XCARRY frame, CR123A lithium battery

Securely fits GLOCK<sup>®</sup> Gen 4 or Gen 5 models with rails or SIG SAUER<sup>®</sup> P320<sup>®</sup> XCARRY frame. Designed to fit snugly around the trigger guard.



**Note:** Cannot be retrofitted with existing TLR-7 X products

## TLR-7<sup>®</sup> HL-X SUB RAIL MOUNTED LIGHT

### WHITE LIGHT ILLUMINATOR

The TLR-7 HL-X sub USB provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9<sup>®</sup> battery pack or one disposable CR123A lithium battery.

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery

**SIZE:** 1.16" x 1.24" x 2.51" (2.95 x 3.15 x 6.38 cm)

**WEIGHT:** SL-B9: 2.49 oz. (70.6g) // CR123A: 2.39 oz. (67.8g)

**COLOR:** Black

ITEM #	DESCRIPTION
69503	TLR-7 HL-X sub USB (GLOCK <sup>®</sup> 43X/48 MOS   43X/48 Rail) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69504	TLR-7 HL-X sub USB (SIG SAUER <sup>®</sup> P365 <sup>®</sup> /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 <sup>®</sup> XMACRO
69505	TLR-7 HL-X sub USB (1913 short) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69506	TLR-7 HL-X sub USB (Springfield Armory <sup>®</sup> Hellcat <sup>®</sup> ) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord

SL-B9	DEFAULT	PROGRAMMABLE
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	10,000	5,000
<b>DISTANCE:</b>	200m	141m
<b>RUN TIME:</b>	30 min	1h

<b>CR123A</b>	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME:</b>	1.5h

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

## TLR-7<sup>®</sup> X SUB RAIL MOUNTED LIGHT

### WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-7 X sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 X sub fits on select railed subcompact pistols. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (1) CR123A lithium

**SIZE:** 1.16" x 1.24" x 2.51" (2.95 x 3.15 x 6.38 cm)

**WEIGHT:** 2.39 oz. (67.8g)

**COLOR:** Black

ITEM #	DESCRIPTION
69400	TLR-7 X sub (for GLOCK <sup>®</sup> 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery
69401	TLR-7 X sub (for Sig Sauer <sup>®</sup> P365 <sup>®</sup> /XL closed rail systems) – Includes mounting kit with key and CR123A lithium battery
69402	TLR-7 X sub (for 1913 short models) – Includes mounting kit with keys and CR123A lithium battery
69404	TLR-7 X sub (for Hellcat <sup>®</sup> ) - Includes mounting kit with keys and CR123A lithium battery

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME:</b>	1.5h

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)



**TLR-7® HL-X RAIL MOUNTED LIGHT**  
 WHITE LIGHT ILLUMINATOR

The TLR-7 HL-X, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. IPX7-rated; waterproof to 1m for 30 minutes.



Interchangeable paddle switches easy to swap out with multi-tool (included)

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery  
**SIZE:** 2.9" x 1.18" x 1.27" (7.37 x 2.98 x 3.23 cm)  
**WEIGHT:** SL-B9: 2.88 oz. (81.6g) // CR123A: 2.8 oz. (79.4g)  
**COLOR:** Black or Flat Dark Earth (FDE)

ITEM #	DESCRIPTION
69458	TLR-7 HL-X – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – Black
69459	TLR-7 HL-X – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – FDE



**1,000 LUMENS**

<b>SL-B9</b>	
<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	30 min
<b>CR123A</b>	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h



**22,000 cd**

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

**MULTI-FUEL DESIGN:**  
 Runs on SL-B9 battery pack or CR123A battery

**TLR-8® HL-X RAIL MOUNTED LIGHT** // **NEW**  
WHITE LIGHT ILLUMINATOR / RED LASER

The TLR-8 HL-X with red laser, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. Water-resistant.

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery  
**SIZE:** 2.9" x 1.18" x 1.5" (7.37 x 2.98 x 3.81 cm)  
**WEIGHT:** SL-B9: 3.14 oz. (89g) // CR123A: 3.04 oz. (86.2g)  
**COLOR:** Black

**MULTI-FUEL DESIGN:**  
Runs on SL-B9 battery pack or CR123A battery

ITEM #	DESCRIPTION	COO	TAA
69465	TLR-8 HL-X USB – Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES

SL-B9	DEFAULT	PROGRAMMABLE
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	22,000	11,000
<b>DISTANCE:</b>	297m	210m
<b>RUN TIME:</b>	30 min	1h

CR123A	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h

LASER MODE: RUNS 29 HOURS

**[[STROBE]]**  
Double tap switch to activate



**1,000 LUMENS**

Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

**TLR-8® HL-X G RAIL MOUNTED LIGHT** // **NEW**  
WHITE LIGHT ILLUMINATOR / GREEN LASER

The TLR-8 HL-X G with green laser, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. Water-resistant.

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery  
**SIZE:** 2.9" x 1.18" x 1.5" (7.37 x 2.98 x 3.81 cm)  
**WEIGHT:** SL-B9: 3.14 oz. (89g) // CR123A: 3.04 oz. (86.2g)  
**COLOR:** Black

**1,000 LUMENS**

**MULTI-FUEL DESIGN:**  
Runs on SL-B9 battery pack or CR123A battery

ITEM #	DESCRIPTION	COO	TAA
69475	TLR-8 HL-X G USB – Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES

SL-B9	DEFAULT	PROGRAMMABLE
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	22,000	11,000
<b>DISTANCE:</b>	297m	210m
<b>RUN TIME:</b>	30 min	1h

CR123A	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h

LASER MODE: RUNS 10 HOURS

**[[STROBE]]**  
Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

**TLR-8<sup>®</sup> HL-X SUB RAIL MOUNTED LIGHT** **NEW**

WHITE LIGHT ILLUMINATOR / RED LASER

The TLR-8 HL-X sub provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9<sup>®</sup> battery pack or one disposable CR123A lithium battery.

**BATTERY:** (1) SL-B9 rechargeable battery or (1) CR123A battery lithium battery

**SIZE:** 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)

**WEIGHT:** 2.74 oz. (77.7g)

**COLOR:** Black

SL-B9	DEFAULT	PROGRAMMABLE
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	10,000	5,000
<b>DISTANCE:</b>	200m	141m
<b>RUN TIME:</b>	30 min	1h

CR123A	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME:</b>	1.5h

LASER MODE: RUNS 29 HOURS

**[(STROBE)]**

Double tap switch to activate

ITEM #	DESCRIPTION
69466	TLR-8 HL-X sub USB (GLOCK <sup>®</sup> 43X/48 MOS   43X/48 Rail) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69467	TLR-8 HL-X sub USB (SIG SAUER <sup>®</sup> P365 <sup>®</sup> /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 <sup>®</sup> XMACRO
69468	TLR-8 HL-X sub USB (1913 short model) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69469	TLR-8 HL-X sub USB (Springfield Armory <sup>®</sup> Hellcat <sup>®</sup> ) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

**TLR-8<sup>®</sup> HL-X G SUB RAIL MOUNTED LIGHT** **NEW**

WHITE LIGHT ILLUMINATOR / GREEN LASER

The TLR-8 HL-X G sub provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9<sup>®</sup> battery pack or one disposable CR123A lithium battery.

**BATTERY:** (1) SL-B9 rechargeable battery or (1) CR123A battery lithium battery

**SIZE:** 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)

**WEIGHT:** 2.74 oz. (77.7g)

**COLOR:** Black

SL-B9	DEFAULT	PROGRAMMABLE
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	10,000	5,000
<b>DISTANCE:</b>	200m	141m
<b>RUN TIME:</b>	30 min	1h

CR123A	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME:</b>	1.5h

LASER MODE: RUNS 10 HOURS

**[(STROBE)]**

Double tap switch to activate

ITEM #	DESCRIPTION
69476	TLR-8 HL-X G sub USB (GLOCK <sup>®</sup> 43X/48 MOS   43X/48 Rail) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69477	TLR-8 HL-X G sub USB (SIG SAUER <sup>®</sup> P365 <sup>®</sup> /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 <sup>®</sup> XMACRO
69478	TLR-8 HL-X G sub USB (1913 short model) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69478	TLR-8 HL-X G sub USB (Springfield Armory <sup>®</sup> Hellcat <sup>®</sup> ) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord



Safe Off feature prevents accidental activation; saves batteries

**TLR-8® X SUB RAIL MOUNTED LIGHT** // **NEW**

WHITE LIGHT ILLUMINATOR / **RED LASER**

Optimize your firearm's performance with interchangeable rear paddle switches, letting you tailor the TLR-8 X sub to your shooting preferences. Engineered for increased visibility and precision, it is designed to fit select railed subcompact pistols. Water-resistant.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h
LASER MODE: RUNS 60 HOURS	

**[[STROBE]]**  
Double tap  
switch to activate



Safe Off feature prevents accidental activation; saves batteries

**BATTERY:** (1) CR123A lithium or (1) SL-B9 rechargeable battery pack  
**SIZE:** 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)  
**WEIGHT:** CR123A: 2.77 oz. (78.53g) // SL-B9: 2.87 oz. (81.4g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69411	TLR-8 X sub (for GLOCK® 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key and CR123A lithium battery
69417	TLR-8 X sub (for SIG SAUER® P365®/XL closed rail systems) – Includes mounting kit with key and CR123A lithium battery
69418	TLR-8 X sub (for 1913 short models) – Includes mounting kit with keys and CR123A lithium battery
69419	TLR-8 X sub (for SA® Hellcat®) - Includes mounting kit with keys and CR123A lithium battery

**TLR-8® X G SUB RAIL MOUNTED LIGHT** // **NEW**

WHITE LIGHT ILLUMINATOR / **GREEN LASER**

TLR-8 X G sub is multi-fuel, powered by either CR123A or SL-B9 lithium-ion rechargeable battery pack. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact TLR-8 X G sub fits on select railed subcompact pistols. Water-resistant.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h
LASER MODE: RUNS 11 HOURS	

**[[STROBE]]**  
Double tap  
switch to activate



Safe Off feature prevents accidental activation; saves batteries

**BATTERY:** (1) CR123A lithium or (1) SL-B9 rechargeable battery pack  
**SIZE:** 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)  
**WEIGHT:** CR123A: 2.77 oz. (78.53g) // SL-B9: 2.87 oz. (81.4g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69431	TLR-8 X G sub (for GLOCK® 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key and CR123A lithium battery
69437	TLR-8 X G sub (for SIG SAUER® P365®/XL closed rail systems) – Includes mounting kit with key and CR123A lithium battery
69438	TLR-8 X G sub (for 1913 short models) – Includes mounting kit with keys and CR123A lithium battery
69439	TLR-8 X G sub (for SA® Hellcat®) - Includes mounting kit with keys and CR123A lithium battery

**TLR-8<sup>®</sup> X RAIL MOUNTED LIGHT**  
WHITE LIGHT ILLUMINATOR / RED LASER



The TLR-8 X features an integrated 640-660nm red laser and interchangeable paddle switches. It is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

**TLR-8<sup>®</sup> X G RAIL MOUNTED LIGHT**  
WHITE LIGHT ILLUMINATOR / GREEN LASER



The TLR-8 X G features an integrated 510-530nm green laser and interchangeable paddle switches. It is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h
LASER MODE: RUNS 60 HOURS	



**MULTI-FUEL DESIGN:**

Runs on SL-B9 battery pack or CR123A battery

Safe Off feature prevents accidental activation; saves batteries

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h
LASER MODE: RUNS 11 HOURS	



**MULTI-FUEL DESIGN:**

Runs on SL-B9 battery pack or CR123A battery

Safe Off feature prevents accidental activation; saves batteries

**BATTERY:** (1) CR123A lithium or (1) SL-B9 battery pack  
**SIZE:** 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)  
**WEIGHT:** CR123A: 2.64 oz. (75g) // SL-B9: 2.74 oz. (77.7g)  
**COLOR:** Black

**BATTERY:** (1) CR123A lithium or (1) SL-B9 battery pack  
**SIZE:** 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)  
**WEIGHT:** CR123A: 2.64 oz. (75g) // SL-B9: 2.74 oz. (77.7g)  
**COLOR:** Black

ITEM #	DESCRIPTION
69414	TLR-8 X – Includes high switch mounted on light plus low switch in package, lithium battery and key kit

ITEM #	DESCRIPTION
69434	TLR-8 X G – Includes high switch mounted on light plus low switch in package, lithium battery and key kit

**TLR-9<sup>®</sup> RAIL MOUNTED LIGHT**  
WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-9 to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.27" (9.82 x 2.98 x 3.22 cm)  
**WEIGHT:** 4.26 oz. (120.9g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
STROBE: RUNS 3 HOURS	



**[(STROBE)]**  
Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69464	TLR-9 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit

**TLR-10<sup>®</sup> RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **RED LASER**

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 with an integrated 640-660nm red laser to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)  
**WEIGHT:** 4.62 oz. (131g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 60 HOURS	



High Switch



Low Switch

ITEM #	DESCRIPTION
69470	TLR-10 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit



**1,000  
LUMENS**

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

**TLR-10<sup>®</sup> G RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **GREEN LASER**

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 G with an integrated 510-530nm green laser to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)  
**WEIGHT:** 4.62 oz. (131g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 11 HOURS	



High Switch



Low Switch

ITEM #	DESCRIPTION
69473	TLR-10 G – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit



**1,000  
LUMENS**

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



**TLR-VIR® II**

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR & IR LASER COMBO

<b>LUMENS:</b>	300
<b>CANDELA:</b>	5,000
<b>IR OUTPUT:</b>	600mW/sr
<b>VISIBLE RUN TIME:</b>	1.5h
<b>IR RUN TIME:</b>	12h

Designed to be used with a pistol or long gun. Features a White LED Illuminator and Combo IR Illuminator/IR Laser. Has a seamless design so you can easily switch from white light to IR all while keeping your eyes on the target or the threat. Class 1 eye safe IR Laser, 850nm, output power less than 0.8mW, with 3 mrad adjustment increment markings and tactile indicator on housing identifying IR Illumination position. IPX7-rated; waterproof to 1 meter for 30 minutes.



**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.3" x 1.45" x 1.4" (8.39 x 3.69 x 3.56cm)  
**WEIGHT:** 3.82 oz. (108g) with batteries  
**COLORS:** Coyote or Black

**[(STROBE)]**  
 Double tap  
 switch to activate



ITEM #	DESCRIPTION
69191	TLR-VIR II - visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Coyote
69192	TLR-VIR II - visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Black

# SL-B9<sup>®</sup> BATTERY PACK

## TURN YOUR TLRs into RECHARGEABLE SYSTEMS



You know how you make the best performing gun lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B9<sup>®</sup> Protected Lithium-ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional bank charger. Flexibility for however and wherever you use your light.

### SL-B9<sup>®</sup> PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery pack that transforms multi-fuel, high-performance gun lights into rechargeable systems. USB rechargeable - features USB-C input and charge status indicators; charges in 2.5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

**BATTERY CAPACITY:** 850mAh SL-B9 protected Li-Ion USB rechargeable battery pack  
**BATTERY SIZE:** 1.36" x 0.67" (3.45 x 1.7 cm)  
**BATTERY WEIGHT:** 0.72 oz. (20.4g)

ITEM #	DESCRIPTION
20237	SL-B9 Li-Ion USB rechargeable battery pack - 2pk
20238	SL-B9 Li-Ion USB rechargeable battery pack - 8pk
20239	SL-B9 Li-Ion USB rechargeable battery pack - 100pk
20230	SL-B9 8-Unit Bank Charger - 12V - batteries not included
20231	SL-B9 8-Unit Bank Charger - 12V - Includes (8) SL-B9 batteries
20233	SL-B9 8-Unit Bank Charger - 120V - batteries not included
20234	SL-B9 8-Unit Bank Charger - 120V - Includes (8) SL-B9 batteries
22084	22" (55.88 cm) USB-C Cord



Features integrated USB port.  
Charge status LEDs:

Red = charging

Green = charged



**CHARGING**



**CHARGED**

Lithium-Ion Battery Pack — Charges in 2.5 hours.

**STREAMLIGHT**

# SPEEDLOCKER®

PERSONAL, PORTABLE STORAGE | AIR  
TRAVEL SUITABLE WITH SUPPLIED PADLOCK |  
CONVENIENT CARRY HANDLE



[STREAMLIGHT.COM/SPEEDLOCKER](https://streamlight.com/speedlocker)  
© 2024 STREAMLIGHT, INC. ALL RIGHTS RESERVED

**STREAMLIGHT**

**SPEEDLOCKER®**

The SpeedLocker is a portable, locking storage container that provides you with swift and direct access. A patented mechanical keypad with one-handed entry keeps your personal items secure at home or at work. Rugged, water-resistant construction with convenient carry handle is designed for travel making it an ideal companion wherever you go.

The SpeedLocker accommodates various firearm sizes. It's important to note that the SpeedLocker is not a gun safe; however, it effectively limits unauthorized access while ensuring your essentials remain within easy reach.

**EXTERNAL:** 12.4" x 8.2" x 2.78" (31.5 x 20.8 x 7.1 cm)

**INTERNAL:** 8" x 7.1" (20.3 x 18 cm)

**WEIGHT:** 2.6 lbs. (1.2 kg)

**COLOR:** Black

ITEM #	DESCRIPTION
59000	SpeedLocker - Includes padlock with keys, Allen key and security cable
59001	Padlock with 3 keys
59002	3' (91.44 cm) Security Cable

The SpeedLocker® is not an approved firearm safe. It is the user responsibility to determine the suitability to the specific situation and need.



Patented mechanical keypad with 31 user selectable combinations - requires no batteries



Fits various compact firearm models



Air travel suitable with supplied padlock

# TLR<sup>®</sup> RM 1 HL-X **NEW**

COMPACT RAIL MOUNTED LIGHTING SYSTEM

Lightweight and compact, the multi-fuel TLR RM 1 HL-X produces 1,000 lumens and 22,000 candela. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. System is packaged as a kit offering everything you need to mount to your long gun.

	SL-B9	CR123A
<b>LUMENS:</b>	1,000	500
<b>CANDELA:</b>	22,000	11,000
<b>DISTANCE:</b>	297m	210m
<b>RUN TIME:</b>	30 min	1.5h

**BATTERY:** (1) SL-B9 rechargeable battery or (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** SL-B9: 3.12 oz. (88.5g) // CR123A: 3.02 oz. (85.6g)  
**COLOR:** Black

ITEM #	DESCRIPTION	COO	TAA
69483	TLR RM 1 HL-X USB - System - Includes straight momentary pressure switch, key kit, USB-C cord and (2) SL-B9 battery packs	US	YES
69484	TLR RM 1 HL-X USB - Light Only - Includes key kit, USB-C cord and (2) SL-B9 battery packs	US	YES

**[(STROBE)]**  
 Double tap switch to activate



# TLR<sup>®</sup> RM 1

COMPACT RAIL MOUNTED LIGHTING SYSTEM

The low-profile TLR RM 1 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS	

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.02 oz. (85.6g)  
**COLOR:** Black

ITEM #	DESCRIPTION	COO	TAA
69440	TLR RM 1 - System - Includes remote door switch, remote pressure switch, mounting clips and CR123A lithium battery	US	YES
69441	TLR RM 1 - Light Only - Includes key kit & (1) CR123A lithium battery	US	YES
69442	TLR RM 1 - with Dual Remote Switch	US	YES



# TLR<sup>®</sup> RM 2


## COMPACT RAIL MOUNTED LIGHTING SYSTEM

The low-profile TLR RM 2 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS	



Optional M-LOK<sup>®</sup> mount sold separately



**HIGH CANDELA**  
BEAM PATTERN



**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.5" x 1.18" (12.6 x 3.81 x 3 cm)  
**WEIGHT:** 4.68 oz. (132.7g)  
**COLOR:** Black



TLR RM 2 with Remote Pressure Switch: #69450

ITEM #	DESCRIPTION	COO	TAA
69450	TLR RM 2 - System - Includes remote door switch, remote pressure switch, mounting clips, & (2) CR123A lithium batteries	US	YES
69451	TLR RM 2 - Light Only - Includes Key Kit and (2) CR123A lithium batteries	US	YES



# STREAMLIGHT LONG GUN LIGHT SERIES


## TLR<sup>®</sup> RM 1 LASER COMPACT, HIGH CANDELA, RAIL MOUNTED LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.



11,000 cd



HIGH CANDELA  
BEAM PATTERN



[(STROBE)]  
Double tap  
switch to activate

Safe Off feature prevents  
accidental activation;  
saves batteries



Optional M-LOK<sup>®</sup> mount  
sold separately

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.24 oz. (91.9g)  
**COLOR:** Black

**LUMENS:** 500  
**CANDELA:** 11,000  
**DISTANCE:** 210m  
**RUN TIME:** 1.5h  
STROBE RUNS 3 HOURS  
LASER RUNS 60 HOURS

ITEM #	DESCRIPTION	COO	TAA
69445	TLR RM 1 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (1) CR123A lithium battery	US	YES
69446	TLR RM 1 Laser - Light Only - Includes key kit and (1) CR123A lithium battery	US	YES



TLR RM 1 Laser with Remote  
Pressure Switch: #69445


## TLR<sup>®</sup> RM 2 LASER COMPACT, HIGH CANDELA, RAIL MOUNTED LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.



22,000 cd



HIGH CANDELA  
BEAM PATTERN



[(STROBE)]  
Double tap  
switch to activate

Safe Off feature prevents  
accidental activation;  
saves batteries



Optional M-LOK<sup>®</sup> mount  
sold separately

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)  
**WEIGHT:** 5.11 oz. (144.7g)  
**COLOR:** Black

**LUMENS:** 1,000  
**CANDELA:** 22,000  
**DISTANCE:** 297m  
**RUN TIME:** 1.5h  
STROBE RUNS 3 HOURS  
LASER RUNS 60 HOURS

ITEM #	DESCRIPTION	COO	TAA
69447	TLR RM 2 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (2) CR123A lithium batteries	US	YES
69448	TLR RM 2 Laser - Light Only - Includes key kit and (2) CR123A lithium batteries	US	YES



TLR RM 2 Laser with Remote  
Pressure Switch: #69447

**TLR<sup>®</sup> RM 1 LASER-G COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM**

WHITE LIGHT ILLUMINATOR / GREEN LASER


The low-profile TLR RM 1 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.24 oz. (91.9g)  
**COLOR:** Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	



Optional M-LOK<sup>®</sup> mount sold separately



HIGH CANDELA BEAM PATTERN



11,000 cd

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION	COO	TAA
69443	TLR RM 1 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & CR123A lithium battery	US	YES
69444	TLR RM 1 Laser-G - Light Only - Includes key kit & (1) CR123A	US	YES



Remote pressure switch attaches with retaining clips

**TLR<sup>®</sup> RM 2 LASER-G COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM**

WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 2 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.


**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)  
**WEIGHT:** 5.11 oz. (144.7g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	

Remote switch exits port at 90° providing improved wire routing to preserve rail space



Ergonomic push-button switch



HIGH CANDELA BEAM PATTERN



22,000 cd

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Optional M-LOK<sup>®</sup> mount sold separately

ITEM #	DESCRIPTION	COO	TAA
69453	TLR RM 2 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & (2) CR123A lithium batteries	US	YES
69454	TLR RM 2 Laser-G - Light Only - Includes Key Kit & (2) CR123A lithium batteries	US	YES



Mode selector toggle switch for Laser only Light only or Light/Laser combo

**STREAMLIGHT  
LONG GUN LIGHT SERIES**



**TLR-1 HPL<sup>®</sup>**  
**HIGH-LUMEN + LONG-DISTANCE**  
**SEE EVERYWHERE**

**TLR-1 HPL<sup>®</sup>**  
 WHITE LIGHT ILLUMINATOR

This high lumen, long-range, rail-mounted tactical light produces an intensely bright, far-reaching wide beam that illuminates your target downrange along with everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. IPX7-rated; waterproof to 1 meter for 30 minutes. Impact-resistant. Easy, fast battery replacement.

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	60,000
<b>DISTANCE:</b>	490m
<b>RUN TIME:</b>	1.5h

**TLR-1 HPL**  
**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.83" x 1.44" x 2.2"  
 (12.27 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.6 oz. (158.8g)  
**COLOR:** Black

**W/REMOTE**  
**BATTERY:** (2) CR123A lithium  
**SIZE:** 5.25" x 1.44" x 2.2"  
 (13.34 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.9 oz. (167.3g)  
**COLOR:** Black

**[(STROBE)]**  
 Double tap  
 switch to activate



ITEM #	DESCRIPTION
69215	TLR-1 HPL Standard Switch - Includes Rail Locating Keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW and Beretta <sup>®</sup> 90-TWO - Lithium batteries
69216	TLR-1 HPL Remote Switch - Includes Rail Locating Keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW and Beretta <sup>®</sup> 90-TWO - Remote switch - Lithium batteries
69219	TLR-1 HPL Long Gun Kit - Includes Safe Off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries



**TL-RACKER®**

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. Its customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated; waterproof to 1 meter for 30 minutes.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 8" x 1.95" x 2.64" (20.32 x 4.95 x 6.71 cm)  
**WEIGHT:** 12.1 oz. (343g)  
**COLOR:** Black or Orange

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h



Mossberg 590®  
Shockwave model



Models available for  
Mossberg 500®/590®  
and Remington 870™

ITEM #	DESCRIPTION
69600	TL Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Black
69601	TL Racker - Remington 870 - Includes (2) CR123A lithium batteries - Black
69602	TL Racker - Mossberg 590 Shockwave with strap - Includes (2) CR123A lithium batteries - Black
69610	TL Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Orange
69611	TL Racker - Remington 870 - Includes (2) CR123A lithium batteries - Orange
69603	TL-Racker Forend Wrench 

**TLR SERIES ACCESSORIES**

	TLR-1 HL-X	TLR-1 HL/ TLR-2 HL	TLR-2 G/ TLR-2 HL G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-VIR II	TLR-6	TLR-6 HL/ TLR-6 HL G	TLR-7 X USB	TLR-7 HL-X USB
Remington 870 Mount 	69906	69906	69906	69906	69906	—	—	—	69906	69906
TLR 12 ga. Mag Mount Mag Tube/Mossberg Rail 	69901	69901	69901	69901	69901	—	—	—	69901	69901
Ambidextrous Vert. Grip w/Rail 	69114	69114	69114	69114	69114	—	—	—	—	—
TLR-1/TLR-2 Key Kit 	—	69175	69175	69175	69175	—	—	—	—	—
TLR-7 X/TLR-8 X/TLR-9/TLR-10 Key Kit 	—	—	—	—	—	—	—	—	69177	69177
TLR M-LOK® Mount 	88301	88301	88301	88301	88301	—	—	—	—	—
Contour Remote - GLOCK® - M&P® - SIG SAUER® P320® 	—	69300 69310 69481	69300 69310 69481	69300 69310 69481	69300 69310 69481	—	—	—	—	—
TLR-1/TLR-2 Remote Door Switch 	—	69130	69130	69130	69130	—	—	—	—	—
Door Switch w/Safe Off 	—	69161	69161	69161	69161	—	—	—	—	—
Tail Switch Kit - TLR-7 X/TLR-9 	—	—	—	—	—	—	—	—	69490	69490
Tail Switch Kit TLR-8 X/TLR-8 X G/TLR-10/TLR-10 G 	—	—	—	—	—	—	—	—	—	—
Tail Switch Kit TLR-7 X sub 	—	—	—	—	—	—	—	—	—	—
Tail Switch Kit TLR-8 X sub/TLR-8 X G sub 	—	—	—	—	—	—	—	—	—	—
Tape Switch 	—	69132	69132	69132	69132	—	—	—	—	—
Coil Pressure Switch 	—	69134	69134	69134	69134	—	—	—	—	—
Straight Momentary Pressure Switch 	—	69135	69135	69135	69135	—	—	—	—	—
Straight Latching Pressure Switch 	—	89008	89008	89008	89008	—	—	—	—	—
Dual Remote Switch 	—	69138	69138	69138	69138	—	—	—	—	—
Remote Retaining Clips 	—	88178	88178	88178	88178	88178	—	—	—	—
Red Flip Lens 	69115	69115	69115	69115	69115	69115	—	—	—	—
Blue Flip Lens	69116	69116	69116	69116	69116	69116	—	—	—	—
Green Flip Lens	69117	69117	69117	69117	69117	69117	—	—	—	—
IR Flip Lens	69118	69118	69118	69118	69118	69118	—	—	—	—
Opaque Flip Lens	69124	69124	69124	69124	69124	69124	—	—	—	—
CR123A Batteries 	2pk // 85175		6pk // 85180	12 Pk // 85177	400pk // 85179	—	—	—	85175 - 2pk // 85180 - 6pk 85177 - 12pk // 85179 - 400pk	
CR1/3N Batteries 	—	—	—	—	—	—	69271 - 2pk 69281 - 12pk	—	—	—
SL-B9® Battery Pack (see pg 99 for bank charger information) 	—	—	—	—	—	—	—	—	20237 - 2pk // 20238 - 8pk 20239 - 100pk	
SL-B2® Battery - 2pk 	—	—	—	—	—	—	—	22121	—	—
SL-B2® Charging Case 	—	—	—	—	—	—	—	22120	—	—

TLR-8 HL-X TLR-8 HL-X G	TLR-8 X TLR-8 X G	TLR-7 X SUB	TLR-8 X SUB TLR-8 X G SUB	TLR-7 HL-X SUB TLR-8 HL-X SUB TLR-8 HL-X G SUB	TLR-7 X CONTOUR REMOTE	TLR-9	TLR-10 TLR-10 G	TLR® RM 1 HL-X USB	TLR RM 1 SERIES	TLR RM 2 SERIES	TLR-1 HPL
—	69906	—	—	—	—	69906	69906	—	—	—	69906
—	69901	—	—	—	—	69901	69901	—	—	—	69901
—	—	—	—	—	—	—	—	—	—	—	69114
—	—	—	—	—	—	—	—	—	—	—	69175
—	69177	—	—	—	—	69177	69177	69177	69177	69177	—
—	—	—	—	—	—	—	—	88301	88301	88301	88301
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	69130
—	—	—	—	—	—	—	—	—	—	—	69161
—	—	—	—	—	—	69490	—	—	—	—	—
—	69491	—	—	—	—	—	69491	—	—	—	—
—	—	69492	—	—	—	—	—	—	—	—	—
69493	—	—	69493	69493	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	69132
—	—	—	—	—	—	—	—	—	—	—	69134
—	—	—	—	—	—	—	—	69135	69135	69135	69135
—	—	—	—	—	—	—	—	89008	89008	89008	89008
—	—	—	—	—	—	—	—	69138	69138	69138	69138
—	—	—	—	—	—	88178	88178	88178	88178	88178	88178
—	—	—	—	—	—	—	—	—	—	—	—
2pk // 85175   6pk // 85180   12 Pk // 85177   400pk // 85179											
—	—	—	—	—	—	—	—	—	—	—	—
2 Pk // 20237   8 Pk // 20238   100 Pk // 20239								20237 - 2pk 20238 - 8pk 20239 - 100pk	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—



# THE PROTAC RAIL MOUNT LIGHTS SHATTER THE DARK WITHOUT BREAKING THE BANK

## PROTAC® RAIL MOUNT 1 LONG GUN LIGHT

This 350 lumen light features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find Alkaline battery, both included. IPX7-rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4-rated with the remote pressure switch installed.

CR123A	HIGH	LOW
<b>LUMENS:</b>	350	40
<b>CANDELA:</b>	12,000	1,380
<b>DISTANCE:</b>	219m	19m
<b>RUN TIME:</b>	1.75h	14.5h
STROBE RUNS 2.75 HOURS		

ALKALINE	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	4,950	1,380
<b>DISTANCE:</b>	141m	19m
<b>RUN TIME:</b>	1.5h	8h
STROBE RUNS 2.75 HOURS		



**BATTERY:** (1) CR123A lithium or (1) "AA" Alkaline  
**SIZE:** 4.25" x 1.5" x 1.2" (10.8 x 3.81 x 3.04 cm)  
**WEIGHT:** CR123A: 4.3 oz. (121.9g) // Alkaline: 4.5 oz. (127.57g)  
**COLOR:** Black

**[[STROBE]]**  
 Double tap  
 switch to activate

**MULTI-FUEL DESIGN:**  
 Runs on alkaline or  
 CR123A lithium battery

**TEN-TAP®** Programmable -  
 choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

ITEM #	DESCRIPTION
88058	ProTac Rail Mount 1 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount and (1) lithium & (1) "AA" battery

**PROTAC® RAIL MOUNT 2 LONG GUN LIGHT**

This bright, lightweight, light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IP54-rated with the remote pressure switch installed.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 5" x 1.5" x 1.2" (12.7 x 3.81 x 3.04 cm)  
**WEIGHT:** 5 oz. (141.7g)  
**COLOR:** Black

CR123A	HIGH	LOW
<b>LUMENS:</b>	625	60
<b>CANDELA:</b>	22,000	2,000
<b>DISTANCE:</b>	297m	89m
<b>RUN TIME:</b>	2h	21h
STROBE RUNS 2.75 HOURS		



ITEM #	DESCRIPTION
88059	ProTac Rail Mount 2 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount and (2) CR123A lithium batteries

**[(STROBE)]**  
 Double tap  
 switch to activate

**TEN-TAP®** Programmable -  
 choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

**PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT**

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	50,000	3,100
<b>DISTANCE:</b>	447m	111m
<b>RUN TIME [CR123A]:</b>	1.25h	21h
<b>RUN TIME [SL-B26]:</b>	1.75h	24h
STROBE RUNS 2.5 HOURS [CR123A]; 3.5 HOURS [SL-B26]		



**[(STROBE)]**  
 Double tap  
 switch to activate

The ProTac Rail Mount HL-X features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IP54-rated with the remote pressure switch installed.

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)  
**WEIGHT:** CR123A: 6.4 oz. (181.4g) // SL-B26: 6.9 oz. (195.6g)  
**COLOR:** Black



**MULTI-FUEL DESIGN:**  
 Runs on CR123A or  
 SL-B26 battery pack

**TEN-TAP®** Programmable -  
 choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

ITEM #	DESCRIPTION
88066	ProTac Rail Mount HL-X - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount and lithium batteries
88071	ProTac Rail Mount HL-X USB - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount, SL-B26 battery pack and USB cord

**PROTAC® RAIL MOUNT HL-X PRO LONG GUN LIGHT**

The ProTac series expands its weapon-mounted lights with this 50,000 candela light with a 447m beam distance. It features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button switch. Easily replace batteries by unplugging the remote and removing tail cap - no connected wires. IP67-rated without the remote pressure switch installed; waterproof to 1 meter for 30 minutes. IP54-rated with the remote pressure switch installed.

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	50,000	3,100
<b>DISTANCE:</b>	447m	111m
<b>RUN TIME (CR123A):</b>	1.25h	21h
<b>RUN TIME (SL-B26):</b>	1.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)		

**[[STROBE]]**

Double tap switch to activate

The Jack-Cap® tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



**MULTI-FUEL DESIGN:**  
Runs on CR123A or SL-B26 batteries



50,000 cd



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe
- high only
- low/high

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)  
**WEIGHT:** 6.6 oz. (187.1g) w/CR123A // 7.2 oz. (204.1g) w/SL-B26  
**COLOR:** Black



**1,000 LUMENS**

ITEM #	DESCRIPTION
88126	ProTac Rail Mount HL-X Pro - Includes Jack-Cap®, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount and lithium batteries
88127	ProTac Rail Mount HL-X Pro USB - Includes Jack-Cap®, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount, SL-B26 battery pack and USB cord
88128	ProTac Rail Mount HL-X Pro - Light only - Includes Jack-Cap®, M-LOK mount and lithium batteries
88129	ProTac Rail Mount HL-X Pro USB - Light only - Includes Jack-Cap®, M-LOK mount, SL-B26 battery pack and USB cord

**PROTAC® RAIL MOUNT HL-X LASER LONG GUN LIGHT**

The ProTac Rail Mount HL-X Laser features integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches: push button tailcap or remote pressure switch. Multi-fuel options: the USB rechargeable system includes our SL-B26® protected Li-Ion USB rechargeable battery pack; the lithium battery version includes two CR123A lithium batteries. Each model includes all that you need to mount to your long gun.

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	18,200	1,100
<b>DISTANCE:</b>	270m	66m
<b>RUN TIME (CR123A):</b>	1.25h	20h
<b>RUN TIME (SL-B26):</b>	1.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)		

**[(STROBE)]**  
Double tap  
switch to activate

**1,000  
LUMENS**

**MULTI-FUEL DESIGN:**  
Runs on CR123A or  
SL-B26 batteries



**TEN-TAP®** Programmable -  
choose from three programs:  
• high/strobe  
• high only  
• low/high

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 6.56" x 1.47" x 1.76 (16.7 x 3.73 x 4.47 cm)  
**WEIGHT:** SL-B26: 10.8 oz. (306g) // CR123A: 10.3 oz. (292g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88089	ProTac Rail Mount HL X Laser - Includes remote switch, tail switch, remote retaining clips, mounting hardware and (2) CR123A lithium batteries
88090	ProTac Rail Mount HL-X Laser USB - Includes remote switch, tail switch, remote retaining clips, mounting hardware, SL-B26 battery pack & USB cord



**PROTAC® 2.0 RAIL MOUNT**

	HIGH	LOW
<b>LUMENS:</b>	2,000	250
<b>CANDELA:</b>	17,700	2,150
<b>DISTANCE:</b>	266m	93m
<b>RUN TIME:</b>	2.5h	11h
STROBE RUNS 4.5 HOURS		

**[(STROBE)]**  
Double tap  
switch to activate

  
**2,000  
LUMENS**

The high performance ProTac 2.0 Rail Mount produces 2,000 lumens without sacrificing run time. Powered by our proprietary SL-B50® protected Li-Ion rechargeable battery pack that charges using a USB-C cord outside of the light or inside – no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tailcap switch and M-LOK® mount and mounting hardware. Tactical tailcap switch provides momentary & “constant on” operation. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe
- high only
- low/high



Tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



Powered by SL-B50 Li-Ion USB rechargeable battery pack. Recharges in 6 hours.



**BATTERY:** (1) SL-B50 protected Li-Ion USB rechargeable battery pack  
**SIZE:** 6.3" x 1.46" 1.02" (16 x 3.7 x 2.6 cm)  
**WEIGHT:** 9.06 oz. (257g)  
**COLOR:** Black



Slide sleeve back to access USB-C port; charges via USB-C cord

ITEM #	DESCRIPTION
89009	ProTac 2.0 Rail Mount - System - Includes straight momentary pressure switch, SL-B50 battery pack, mounting hardware, USB-C cord, M-LOK mount
88003	ProTac 2.0 Rail Mount - Light Only - Includes SL-B50 battery pack, USB-C cord and M-LOK mount

**PROTAC RAIL MOUNT ACCESSORIES**

DESCRIPTION	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85177 85179 85180	ProTac Rail Mount 1, ProTac Rail Mount 2, ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B26 Li-Ion USB Battery Pack Charge Cradle <i>(Includes (2) SL-B26 battery packs and USB cord)</i>	22010 <i>See pgs 132-133 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
8-Unit SL-B26 Bank Charger - 12V DC	20220 <i>See pgs 132-133 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
120V AC USB Charge Cord	22071	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B26 Battery Packs - 1pk SL-B26 Battery Packs - 2pk SL-B26 Battery Packs - 8pk	22101 22102 22105	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B50 Battery Packs - 1pk SL-B50 Battery Packs - 2pk	22111 22112	ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
22" (55.88 cm) USB-C Cord	22084	ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
M-LOK® Mount	88300	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro , ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
Remote Retaining Clips	88178	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro
Filters	69115 (red) 69116 (blue) 69117 (green) 69118 (IR) 69124 (opaque)	ProTac Rail Mount 1 ProTac Rail Mount 2
Jack-Cap®	88130	ProTac Rail Mount HL-X Pro, ProTac Rail Mount HP-X Pro
Remote Switch	88098	ProTac Rail Mount 1, ProTac Rail Mount 2
Remote Switch	88125	ProTac Rail Mount HL-X Laser
Straight Momentary Pressure Switch	69135	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro
Straight Latching Switch	89008	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro



## PROTAC® RAIL MOUNT HP-X PRO // NEW

	HIGH	LOW
<b>LUMENS:</b>	800	55
<b>CANDELA:</b>	105,000	7,600
<b>DISTANCE:</b>	648m	174m
<b>RUN TIME (SL-B26):</b>	2h	26h
<b>RUN TIME (CR123A):</b>	1.5h	18h
STROBE RUNS 2.5 HOURS (CR123A) 3.5 HOURS (SL-B26)		



Get extreme beam reach with 105,000 candela! This multi-fuel light shines far and bright, penetrating smoke, fog, and photonic barriers. Its Jack-Cap® tail cap switch offers operational switch redundancy with both push-button operation or remote pressure switch operation. IPX7-rated without remote pressure switch; waterproof to 1m for 30 minutes. IPX4-rated with remote pressure switch.



ITEM #	DESCRIPTION
89015	ProTac Rail Mount HP-X Pro - System - Includes Jack-Cap tail cap switch, M-LOK mount, mounting hardware, Allen wrench, straight momentary pressure switch, and (2) CR123A lithium batteries
89016	ProTac Rail Mount HP-X Pro USB - System - Includes Jack-Cap tail cap switch, M-LOK mount, mounting hardware, Allen wrench, straight momentary pressure switch, (1) SL-B26 rechargeable battery pack, and USB cord
89017	ProTac Rail Mount HP-X Pro - Light Only - Includes Jack-Cap tail cap switch, M-LOK mount, Allen wrench, and (2) CR123A lithium batteries
89018	ProTac Rail Mount HP-X Pro USB - Light Only - Includes Jack-Cap tail cap switch, M-LOK mount, Allen wrench, (1) SL-B26 rechargeable battery pack, and USB cord

Jack-Cap® tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries

**BATTERY:** (1) SL-B26 protected Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries

**SIZE:** 5.63" x 1.38" x 1.72" (14.3 x 3.5 x 4.4 cm)

**WEIGHT:** CR123A: 6.4 oz. (181g) // SL-B26: 7 oz. (198g)

**COLOR:** Black

## PROTAC® 2.0 RAIL MOUNT HP NEW

The ProTac 2.0 Rail Mount HP long gun light offers the perfect blend of power. It features a tail cap switch for momentary or constant on operation and a port for an optional remote pressure switch. Powered by our SL-B50® battery pack that charges via an integrated USB-C port inside or outside of the light. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

**BATTERY:** (1) SL-B50 protected Li-Ion USB rechargeable battery pack  
**SIZE:** 6.3" x 1.46" x 1.02" (16 x 3.7 x 2.6 cm)  
**WEIGHT:** 9.06 oz. (257g)  
**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	2,000	250
<b>CANDELA:</b>	85,000	11,500
<b>DISTANCE:</b>	583m	214m
<b>RUN TIME:</b>	2.5h	11h
STROBE RUNS 4.5 HOURS		

ITEM #	DESCRIPTION
89014	ProTac 2.0 Rail Mount HP - System - Includes straight momentary pressure switch, (1) SL-B50 battery pack, mounting hardware, USB-C cord and M-LOK mount
89013	ProTac 2.0 Rail Mount HP - Light Only - Includes (1) SL-B50 battery pack, USB-C cord and M-LOK mount



# HIGH-CANDELA WITHOUT SACRIFICING LUMEN OUTPUT

# TACTICAL SERIES //

**TACTICAL LIGHTING SPECIALISTS**  
FROM EVERYDAY CARRY TO SPECIALIZED HANDS-FREE  
LIGHTING. GO TACTICAL WITH STREAMLIGHT

It takes more than a Matte Black or Flat Dark Earth finish to call yourself tactical at Streamlight. We build a complete series of lights dedicated to providing you with the optimal performance for the task at hand. Choose from a full family of ProTac or PolyTac lights with high-lumen, long runtime or multi-fuel options and of course the most versatile military light in the world... the Sidewinder.



WEDGE®



PROTAC® 2.0



POLYTAC® X USB



SIDEWINDER STALK®



PROTAC® 1L-1AA

# STREAMLIGHT WEDGE SERIES



## WEDGE®

	THRO	CONSTANT ON
<b>LUMENS:</b>	1,000	300
<b>CANDELA:</b>	3,000	1,200
<b>DISTANCE:</b>	110m	69m
<b>RUN TIME:</b>	35sec	3h



The Wedge is a compact, high-performance EDC light designed for clean pocket carry with two new colors, orange and lime green. Now you have your choice of six colors, making it easier to find when you put it in that particular spot you thought you wouldn't forget. All colors made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance, now with a splash of color.

**BATTERY:** Lithium Polymer  
**SIZE:** 5.46" x 0.6" x 1" (13.87 x 1.52 x 2.54 cm)  
**WEIGHT:** 3.3 oz. (93.5g)  
**COLOR:** Black, Coyote, Red, Blue, Purple, Orange, or Lime Green



Battery charge indicator located in the on/off switch as seen in the image to the right.

Charge indication:  
 Red – Charging // Green – Charged



ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord and lanyard - Black
88811	Wedge - Includes USB-C cord and lanyard - Coyote
88814	Wedge - Includes USB-C cord and lanyard - Red
88817	Wedge - Includes USB-C cord and lanyard - Blue
88818	Wedge - Includes USB-C cord and lanyard - Purple
88820	Wedge - Includes USB-C cord and lanyard - Orange
88821	Wedge - Includes USB-C cord and lanyard - Lime Green
22084	USB-C Cord - 22" (58.8 cm)



Outfitted with intuitive rotating thumb switch providing tactile control over constant-on and THRO modes

## WEDGE® XT


The Wedge XT is an ultra-compact, high-performance EDC light engineered with a push-button tail switch for one-handed use.

The Wedge XT features a FIVE-TAP® Lockout system, which prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum features a built-in waterproof USB-C port for use in virtually any weather condition.

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



Push-button tactical tail switch features constant on or momentary operation and Lockout mode



Another great addition to your EDC kit



**TEN-TAP®** Programmable - choose from two programs:  
 • high/low  
 • low/high



Proven waterproof USB-C port with charge indication LED:  
 Red - Charging; Green - Charged  
 Lithium-polymer battery charges in 6 hours



Comfortable, deep pocket carry

**BATTERY:** Lithium Polymer  
**SIZE:** 4.25" x 0.6" x 1" (10.8 x 1.52 x 2.54 cm)  
**WEIGHT:** 2.62 oz. (74.3g)  
**COLOR:** Black, Coyote or Silver

ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C cord and lanyard - Black
88813	Wedge XT - Includes USB-C cord and lanyard - Coyote
88819	Wedge XT - Includes USB-C cord and lanyard - Silver
22084	USB-C Cord - 22" (58.8 cm)





## PROTAC® 1L-1AA

The ProTac 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7-rated; waterproof to 1m for 30 minutes; 2 meter impact-resistance tested.

CR123A	HIGH	LOW	AA	HIGH	LOW
<b>LUMENS:</b>	350	40	<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	6,400	720	<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	160m	53m	<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	1.5h	14h	<b>RUN TIME (ALK):</b>	1.25h	7.5h
STROBE RUNS 3 HOURS			<b>RUN TIME (LITH):</b> 4.25h 14h		
			STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)		

### MULTI-FUEL DESIGN:

Runs on AA alkaline/lithium batteries or CR123A lithium batteries



**[(STROBE)]**

Double tap switch to activate

### TEN-TAP® Programmable -

- choose from three programs:
- high/strobe/low
  - high only
  - low/high

**BATTERY:** (1) CR123A lithium or (1) "AA" alkaline/lithium

**SIZE:** 4.25" x 0.95" x 0.85" (10.8 x 2.41 x 2.16 cm)

**WEIGHT W/CR123A:** 2.5 oz. (71g)

**WEIGHT W/AA:** Alkaline: 2.8 oz. (79g) // Lithium: 2.4 oz. (68g)

**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88061	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Black
88073	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Coyote

## PROTAC® 2.0

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by our SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord. TEN-TAP® Programmable. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

**BATTERY:** (1) SL-B50 protected Li-Ion USB rechargeable battery pack

**SIZE:** 6.1" x 1.46" x 1.02" (15.5 x 3.7 x 2.6 cm)

**WEIGHT:** 8.25 oz. (234g)

**COLOR:** Black

ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord and nylon holster

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	570	100
<b>CANDELA:</b>	17,300	5,000	890
<b>DISTANCE:</b>	262m	142m	60m
<b>RUN TIME:</b>	2.5h	4.5h	25h
STROBE RUNS 4 HOURS 25 MIN			



**2,000  
LUMENS**

**[(STROBE)]**

Double tap switch to activate

THE PROTAC SERIES...

# A COMPLETE FAMILY OF TACTICAL LIGHTS

## PROTAC® 2L

The ProTac 2L is compact and lightweight, yet powerful and bright with long run times and important features. TEN-TAP® programming for user selection of mode programs. IPX7-rated; waterproof to 1m for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

	HIGH	LOW
<b>LUMENS:</b>	350	30
<b>CANDELA:</b>	6,300	600
<b>DISTANCE:</b>	159m	49m
<b>RUN TIME:</b>	3.25h	35h

STROBE RUNS 6 HOURS



[(STROBE)]  
Double tap  
switch to activate

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

**BATTERY:** (2) CR123A lithium

**SIZE:** 4.77" x 0.9" x 0.77" (12.12 x 2.29 x 1.96 cm)

**WEIGHT:** 2.8 oz. (79g)

**COLOR:** Black

ITEM #	DESCRIPTION
88031	ProTac 2L - Includes (2) lithium batteries and holster

## PROTAC HL®

This tactical flashlight has a far reaching beam to light up areas with 750 lumens of light. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 30 minutes. 1 meter impact-resistance tested.

	HIGH	LOW
<b>LUMENS:</b>	750	35
<b>CANDELA:</b>	18,300	900
<b>DISTANCE:</b>	270m	60m
<b>RUN TIME:</b>	1.25h	18h

STROBE RUNS 2.5 HOURS



[(STROBE)]  
Double tap  
switch to activate

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

**BATTERY:** (2) CR123A lithium

**SIZE:** 5.4" x 1.375" x 1" (13.72 x 3.49 x 2.54 cm)

**WEIGHT:** 5.6 oz. (158g)

**COLOR:** Black

ITEM #	DESCRIPTION
88040	ProTac HL - Includes (2) lithium batteries & holster



## PROTAC® 2AA-X

The ProTac 2AA-X is a multi-fuel tactical light that can use either a proprietary Streamlight protected lithium polymer USB rechargeable battery pack (included) or two "AA" alkaline disposable batteries. It features a tactical tail cap switch for momentary or constant on operation and three different user selectable programs. Knurled body for a sure grip. Packaged with a removable pocket clip and holster.

LI-PO	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	10,250	740
<b>DISTANCE:</b>	203m	54m
<b>RUN TIME:</b>	2.25h	16h

STROBE RUNS 4.5 HOURS

AA	HIGH	LOW
<b>LUMENS:</b>	270	18
<b>CANDELA:</b>	5,000	400
<b>DISTANCE:</b>	141m	40m
<b>RUN TIME:</b>	2.5h	48h

STROBE RUNS 5 HOURS

[[STROBE]]

Double tap switch to activate



**MULTI-FUEL DESIGN:**  
Runs on lithium polymer battery pack or alkaline batteries

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

**BATTERY:** Lithium polymer USB rechargeable battery pack or (2) "AA" alkaline

**SIZE:** 6" x 0.9" x 0.7" (15.3 x 2.3 x 1.8 cm)

**WEIGHT:** 3.5 oz. (99g)

**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88135	ProTac 2AA-X USB - Includes lithium polymer battery pack, USB-C cord and holster - Black
88137	ProTac 2AA-X USB - Includes lithium polymer battery pack, USB-C cord and holster - Coyote
88033	ProTac 2AA-X - Includes (2) "AA" alkaline batteries and holster - Black
88072	ProTac 2AA-X - Includes (2) "AA" alkaline batteries and holster - Coyote
88136	Protected lithium polymer USB-C rechargeable battery pack

## PROTAC® 2L-X

The ProTac 2L-X is a multi-fuel tactical light that comes in two versions. The ProTac 2L-X USB is a rechargeable system that uses one SL-B26 protected Li-Ion USB rechargeable battery pack. The ProTac 2L-X includes CR123A lithium batteries.

Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7-rated; waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries

	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME (CR123A):</b>	2.75h	30h
<b>RUN TIME (SL-B26):</b>	3.25h	30h

STROBE RUNS 3.25 HOURS (CR123A);  
4.5 HOURS (SL-B26)



[[STROBE]]

Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

**SIZE:** 5.14" x 1.06" x 0.94" (13 x 2.7 x 2.4 cm)

**WEIGHT:** SL-B26: 4.4 oz. (125g) // CR123A: 3.9 oz. (111g)

**COLOR:** Black

ITEM #	DESCRIPTION
88062	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Clam
88063	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Box
88082	ProTac 2L-X USB - Includes SL-B26 battery pack, micro USB cord & holster - Clam
88083	ProTac 2L-X USB - Includes SL-B26 battery pack, micro USB cord & holster - Box

## PROTAC® HL-X

The ProTac HL-X is a multi-fuel tactical light that comes in two versions. The ProTac HL-X USB is a rechargeable system that uses our Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X includes CR123A batteries.

Multi-battery versatility means the user can use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68-rated; dust tight and waterproof to 2 meters.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME (CR123A):</b>	1.25h	3h	20h
<b>RUN TIME (SL-B26):</b>	1.5h	3.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)			

**HL**



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries

**TEN-TAP®** Programmable - choose from three programs:  
• high/strobe/low  
• high only  
• low/medium/high

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

**SIZE:** 5.43" x 1.44" x 1" (13.8 x 3.7 x 2.54 cm)

**WEIGHT:** SL-B26: 6.2 oz. (176g) // CR123A: 5.7 oz. (162g)

**COLOR:** Black

ITEM #	DESCRIPTION
95313	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Box
88064	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Clam
88065	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Box
95314	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord & holster - Box
88084	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord & holster - Clam
88085	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord & holster - Box

## PROTAC® 90X

The multi-fuel ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use. IPX7-rated; waterproof to 1m for 30 minutes; 2m impact-resistance tested.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	300	65
<b>CANDELA:</b>	7,350	2,060	450
<b>DISTANCE:</b>	171m	91m	42m
<b>RUN TIME (CR123A):</b>	2.5h	4h	21h
<b>RUN TIME (SL-B26):</b>	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)			



**[(STROBE)]**  
Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:  
• high/strobe/low  
• high only  
• low/medium/high



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

**SIZE:** 4.39" x 1.14" x 0.94" (11.1 x 2.9 x 2.4 cm)

**WEIGHT:** SL-B26: 4.9 oz. (139g) // CR123A: 4.4 oz. (125g)

**COLOR:** Black

ITEM #	DESCRIPTION
88094	ProTac 90X - Includes (2) CR123A lithium batteries and holster
88095	ProTac 90X USB - Includes SL-B26 battery pack, USB cord and holster



**PROTAC HL® 6**

The ProTac HL-6 is a high-powered, multi-fuel tactical light that produces 5,300 lumens for two hours. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a "sure grip rubber sleeve" and includes a lanyard.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	1,500	450
<b>CANDELA:</b>	80,000	23,000	6,700
<b>DISTANCE:</b>	566m	303m	164m
<b>RUN TIME:</b>	2h	3.75h	12.5h
STROBE RUNS 4 HOURS			

**BATTERY:** (2) SL-B48 Li-Ion USB rechargeable battery packs  
**SIZE:** 10.5" x 2.35" x 1.25" (26.6 x 6 x 3.2 cm)  
**WEIGHT:** 1.3 lbs. (590g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88131	ProTac HL 6 - 120V AC Adapter - Includes (2) SL-B48 rechargeable batteries, "Y" USB-C cord and wrist lanyard
88132	ProTac HL 6 - Includes (2) SL-B48 rechargeable batteries "Y" USB-C cord and wrist lanyard

**PROTAC HL® 5-X**

The ProTac HL 5-X is a high-powered, multi-fuel tactical light available in two configurations. The ProTac HL 5-X USB is a rechargeable system that uses two SL-B26 protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X includes four CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a "sure grip rubber sleeve" and includes a lanyard.

**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery packs or (4) CR123A lithium  
**SIZE:** 9.53" x 2.35" x 1.24" (23.65 x 5.97 x 3.15 cm)  
**WEIGHT:** SL-B26: 1 lb. 3.4 oz. (550g) // CR123A: 1 lb. 2.4 oz. (522g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88074	ProTac HL 5-X - Includes (4) lithium batteries & wrist lanyard - Clam
88075	ProTac HL 5-X - Includes (4) lithium batteries & wrist lanyard - Box
88080	ProTac HL 5-X USB - Includes (2) SL-B26 battery packs, "Y" USB cord and lanyard - Clam
88081	ProTac HL 5-X USB - Includes (2) SL-B26 battery packs, "Y" USB cord and lanyard - Box



**[(STROBE)]**  
 Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe/low  
 • high only  
 • low/medium/high



**[(STROBE)]**  
 Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe/low  
 • high only  
 • low/medium/high

**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A lithium batteries

SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	3,500	1,000	250
<b>CANDELA:</b>	51,000	14,100	3,620
<b>DISTANCE:</b>	452m	237m	120m
<b>RUN TIME:</b>	1.25h	3h	11.5h
STROBE RUNS 1.25 HOURS			
CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,500	1,000	250
<b>CANDELA:</b>	37,000	14,100	3,620
<b>DISTANCE:</b>	385m	237m	120m
<b>RUN TIME:</b>	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS			

## PROTAC® HPL USB

A versatile USB rechargeable tactical light designed for down range applications. Multi-battery versatility means you can use disposable batteries to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4-rated; water-resistant .

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	14,100	2,250
<b>DISTANCE:</b>	374m	237m	95m
<b>RUN TIME:</b>	1.5h	3.5h	24h
STROBE RUNS 3 HOURS			



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

**BATTERY:** Lithium-ion (included), SL-B26 battery pack or (2) CR123A lithium  
**SIZE:** 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)  
**WEIGHT:** 9.24 oz. (262g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88076	ProTac HPL USB - Includes micro USB cord and holster - Clam
88077	ProTac HPL USB - Includes micro USB cord and holster - Box

## PROTAC HL® USB

The ProTac HL USB features multiple power source capability; it includes a rechargeable lithium-ion battery; also accepts Streamlight SL-B26 rechargeable lithium-ion battery or two CR123A batteries. An anti-rattle battery compartment keeps batteries securely and quietly in place without using a separate battery carrier. TEN-TAP programming lets you choose the selection of operating modes. IPX4-rated; water-resistant.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	380	65
<b>CANDELA:</b>	12,000	4,420	700
<b>DISTANCE:</b>	219m	133m	53m
<b>RUN TIME:</b>	1.5h	3.5h	23h
STROBE RUNS 1.5 HOURS			



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

**BATTERY:** Lithium-ion (included), SL-B26 battery pack or (2) CR123A lithium  
**SIZE:** 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)  
**WEIGHT:** 7.2 oz. (204g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88052	ProTac HL USB - Includes micro USB cord and holster - Clam
88054	ProTac HL USB - 120V AC/12V DC and holster - Clam

**PROTAC // POLYTAC ACCESSORIES**

ITEM	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk 	85175 85180 85177 85179	ProTac 1L-1AA, ProTac 2L, ProTac 2L-X, ProTac HL, ProTac HL-X, ProTac HL USB, ProTac HPL USB, ProTac HL 5-X, PolyTac X
SL-B26 Battery Pack 	See page 134 for more information	ProTac HL USB, ProTac HPL USB, ProTac HL-X, ProTac 2L-X, ProTac HL 5-X, PolyTac X
SL-B50 Battery Pack - 1pk SL-B50 Battery Pack - 2pk 	22111 22112	ProTac 2.0
Lithium Polymer Battery Pack	88136	ProTac 2AA-X USB
22" (55.88 cm) USB-C Cord 	22084	ProTac 2AA-X USB, ProTac 2.0, Wedge, Wedge XT
"Y" Micro USB Cord 	22082	ProTac HL 5-X USB
Nylon Holster 	88037 88036	ProTac 1L-1AA ProTac 2L
Nylon Holster 	88038 88043 88086	ProTac 2AA, ProTac 2AA-X USB ProTac HL ProTac 2.0
Nylon Holster 	85905	PolyTac X
Nylon Holster 	85909	PolyTac X
Tactical Holster 	88051	ProTac HL, ProTac HL USB
Flip Lens - Red Flip Lens - Blue Flip Lens - Green Flip Lens - IR 	85115 85116 85117 74039	PolyTac X
Safety Wand 	88057	ProTac HL, ProTac HL-X, ProTac 2.0
Helmet Mount 	68085	PolyTac
Rubber Helmet Strap 	99075	PolyTac X

STREAMLIGHT  
PROTAC SERIES



**POLYTAC® X**

This multi-fuel tactical light allows the user to use disposable batteries to power the light if the rechargeable battery pack is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 60 minutes. Maximum light output throughout battery life.

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

**SIZE:** 5.46" x 1.25" x 1" (13.87 x 3.18 x 2.54 cm)

**WEIGHT:** SL-B26: 4.9 oz. (139g) // CR123A: 4.4 oz. (125g)

**COLOR:** Black, Yellow or Coyote

CLAM	BOX	DESCRIPTION
88600	88603	PolyTac X - Includes (2) CR123A lithium batteries - Black
88601	88604	PolyTac X - Includes (2) CR123A lithium batteries - Yellow
88602	88605	PolyTac X - Includes (2) CR123A lithium batteries - Coyote
88610	88613	PolyTac X USB - Includes SL-B26 battery pack & USB cord - Black
88611	88614	PolyTac X USB - Includes SL-B26 battery pack & USB cord - Yellow
88612	88615	PolyTac X USB - Includes SL-B26 battery pack & USB cord - Coyote

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME (CR123A):</b>	2.75h	5.5h	34h
<b>RUN TIME (SL-B26):</b>	3.5h	5.75h	36h

STROBE RUNS 5.5 HOURS (CR123A);  
8 HOURS (SL-B26)

**NFPA**  
Meets requirements of  
1971-8.6 (2018);  
500° heat resistance test

**TEN-TAP®** Programmable -  
choose from three programs:


- high/strobe/low
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack  
or CR123A lithium  
batteries

**[[STROBE]]**

Double tap  
switch to activate



## POLYTAC 90<sup>®</sup> X

Rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Features a switch with built in battery life indicator that will let you know when it is time to recharge your battery or replace them. The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123A batteries.

**BATTERY:** (1) SL-B26 battery pack or (2) CR123A lithium  
**SIZE:** 4.43" x 1.3" x 1.11" (11.25 x 3.3 x 2.82 cm)  
**WEIGHT:** SL-B26: 4.8 oz. (136g) // CR123A: 4.3 oz. (122g)  
**COLOR:** Orange, Yellow or Black

**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A lithium batteries

ORANGE	YELLOW	BLACK	DESCRIPTION
88834	88831	88830	PolyTac 90 X - Includes (2) CR123A lithium batteries
88832	--	--	PolyTac 90 X - Includes (2) CR123A lithium batteries and Gear Keeper
88838	88836	88835	PolyTac 90 X USB - Includes SL-B26 Battery Pack & USB cord
88837	--	--	PolyTac 90 X USB - Includes SL-B26 Battery Pack & USB cord

	HIGH	LOW
<b>LUMENS:</b>	500	85
<b>CANDELA:</b>	7,000	1,050
<b>DISTANCE:</b>	167m	64m
<b>RUN TIME (CR123A):</b>	2.5h	12h
<b>RUN TIME (SL-B26):</b>	3.75h	19h



**NFPA**

Meets requirements of 1971-8.6 (2018)

## POLYTAC<sup>®</sup>

Rugged housing, superior brightness and extended run times make the PolyTac ideal for the broadest range of lighting applications at the best value. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP<sup>®</sup> programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 30 minutes. Maximum light output throughout battery life.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 5.34" x 1.25" x 1" (13.56 x 3.18 x 2.54 cm)  
**WEIGHT:** 4.2 oz. (121g)  
**COLOR:** Black, Coyote or Yellow

ITEM #	DESCRIPTION
88850	PolyTac - Includes lithium batteries - Black
88851	PolyTac - Includes lithium batteries - Coyote
88853	PolyTac - Includes lithium batteries - Yellow

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,500	4,900	675
<b>DISTANCE:</b>	214m	140m	52m
<b>RUN TIME:</b>	2.75h	5.5h	34h

STROBE RUNS 5.5 HOURS



**NFPA**

Meets requirements of NFPA 1971-8.6 (2018)

**TEN-TAP<sup>®</sup>** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

**[(STROBE)]**

Double tap switch to activate

# SL-B26<sup>®</sup> BATTERY PACK

## THE BATTERY THAT REINVENTS RECHARGEABILITY



### TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B26<sup>®</sup> Protected Lithium-ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.


### SL-B26<sup>®</sup> PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

- BATTERY CAPACITY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
- BATTERY SIZE:** 2.75" x 0.744" (7 x 1.89 cm)
- BATTERY WEIGHT:** 1.7 oz. (48g)
- CRADLE SIZE:** 4.5" (11.4 cm)
- CRADLE WEIGHT:** 2.4 oz. (68g)



Features integrated USB-C port  
Charge status LEDs:



ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB rechargeable battery pack - 1pk
22102	SL-B26 Li-Ion USB rechargeable battery pack - 2pk
22104	SL-B26 Li-Ion USB rechargeable battery pack - 2pk - Box
22105	SL-B26 Li-Ion USB rechargeable battery pack - 8pk
22100	Li-Ion Charge Cradle
22010	Li-ion Rechargeable Battery Kit - Includes USB cord and (2) SL-B26 battery pack
22011	Li-ion Rechargeable Battery Kit - 120V AC - Includes (2) SL-B26 battery packs
22070	40" (101 cm) Micro-USB Cord
22081	22" (55.88 cm) Micro-USB Cord



Charger temperature safety circuit prevents damage to batteries while charging.

# MULTI-FUEL LIGHTING SYSTEMS



Vantage®  
180 X USB



ProTac®  
HL-X USB



ProTac®  
90X USB



PolyTac  
90° X USB



PolyTac® X USB



ProTac®  
2L-X USB



ProTac  
HL® 5-X USB



Survivor® X USB



Survivor Pivot® USB

## ALSO WORKS WITH:

SL-B26 battery pack sold separately. available as system that includes lithium-ion battery #74175 (also used in Strion series).



ProTac® HL USB Headlamp



ProTac HL® USB



ProTac® HPL USB

# ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

## EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area. Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries. Charges in 5.25 hours.

### Charge indicators located over each battery:

- Red = charging
- Green = charged

### BATTERY CAPACITY: 8

**SIZE:** 10.45" x 4.75" x 1" (26.54 x 12.06 x 2.54 cm)

**WEIGHT WITHOUT BATTERIES:** 7.61 oz. (216g)

**WEIGHT WITH BATTERIES:** 20.88 oz. (592g)



**NFPA**

Meets requirements of NFPA 1900-11.1.11.2 (2024); mounted in upright position

ITEM #	DESCRIPTION
20221	8-Unit Li-Ion Bank Charger - 120V AC
20220	8-Unit Li-Ion Bank Charger - 12V DC
20224	8-Unit Bank Charger - Includes (8) SL-B26 battery packs - 120V AC
20223	8-Unit Bank Charger - Includes (8) SL-B26 battery packs - 12V DC
44909	120V AC Charge Cord
44923	12V DC Cord



120V AC Charge Cord



12V DC Charge Cord

STREAMLIGHT  
PROTAC SERIES



## SL-B50<sup>®</sup> PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The Streamlight proprietary SL-B50 protected Li-Ion rechargeable battery pack, with on-board safety control circuit, is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

**BATTERY CAPACITY:** 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack  
**BATTERY SIZE:** 3.26" x 0.905" (8.28 x 2.3 cm)  
**BATTERY WEIGHT:** 3 oz. (85g)



USB-C Cord



Features integrated USB port.  
 Charge status LEDs:



CHARGING

CHARGED

USB Rechargeable 4900mAh SL-B50  
 Lithium-ion Battery — Charges in 6 hours

ITEM #	DESCRIPTION
22111	SL-B50 Li-Ion USB rechargeable battery pack - 1pk
22112	SL-B50 Li-Ion USB rechargeable battery pack - 2pk
22084	22" (55.88 cm) USB-C Cord

## WORKS WITH:



ProTac<sup>®</sup> 2.0  
 Headlamp



ProTac<sup>®</sup> 2.0  
 Rail Mount



ProTac<sup>®</sup> 2.0



ProTac<sup>®</sup> 2.0  
 Rail Mount HP

# SIDEWINDER... THE MOST VERSATILE MILITARY LIGHTS IN THE WORLD

## SIDEWINDER STALK®

Designed to minimize the number of illuminators and beacons an operator must carry, the low-profile Sidewinder Stalk provides ultimate maneuverability. Put light where you need it with multiple mounting options and a flexible stalk to aim the beam.

Features white, multi-colored and IR LEDs along with an IR/IFF beacon.

**BATTERIES:** (1) CR123A, (1) "AA" alkaline or (1) "AA" lithium

**SIZE:** 5.51" x 0.86" x 1.81" (14 x 2.18 x 4.60 cm)

**WEIGHT:** 3.20 oz. (90.72g) with CR123A battery and Hook and loop adapter // 2.88 oz. (81.65g) with AA battery and Hook and loop adapter

**COLOR:** Coyote or Black




White, red, green, blue and IR LEDs

Thumb Screw to lock into ARC rail slot

Uses "AA" alkaline battery or CR123A lithium (both included)

Also accepts "AA" lithium batteries for extended operation in extreme temperatures

Sidewinder Stalk does not need to be removed from mounted position in order to change batteries



Flexible stalk to aim the beam

Rotary mode selector switch (White, red, green, blue and IR)

IR/IFF beacon

Push-button switch for on/off and intensity control

IR/IFF beacon switch

ITEM #	DESCRIPTION
14300	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Mailer
14310	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Black – Mailer
14301	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Coyote – Mailer
14311	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Black – Mailer
14302	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Mailer
14306	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Retail Box
14307	Sidewinder Stalk - Includes arc rail mount & assembly, CR123A & "AA" alkaline batteries – Coyote – Retail Box
14308	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Retail Box

HIGH (100%) OUTPUT - CR123A						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
<b>LUMENS:</b>	76	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
<b>DISTANCE:</b>	28m	---	7m	8m	12m	---
<b>RUN TIME:</b>	5.6h	32h	19h	13h	13h	21h

HIGH (100%) OUTPUT - AA LITHIUM/ALKALINE						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
<b>LUMENS:</b>	57	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
<b>DISTANCE:</b>	23m	---	7m	8m	12m	---
<b>RUN TIME:</b>	6h [lith] 3.8h [alk]	33h [lith] 20h [alk]	19h [lith] 10h [alk]	13h [lith] 6h [alk]	13h [lith] 5h [alk]	32h [lith] 19h [alk]



SIDEWINDER STALK BATTERY RUN TIME				
CR123A LITHIUM BATTERY				
LED	LOW	MEDIUM	HIGH	STROBE
WHITE	95 hrs	15 hrs	5.6 hrs	11 hrs
RED	112 hrs	36 hrs	19 hrs	34 hrs
GREEN	80 hrs	27 hrs	13 hrs	25 hrs
BLUE	80 hrs	27 hrs	13 hrs	25 hrs
IR	174 hrs	57 hrs	32 hrs	61 hrs
IR W/ IFF BEACON	150 hrs	40 hrs	21 hrs	43 hrs
"AA" LITHIUM / ALKALINE BATTERY				
WHITE	79 hrs [lith] 66 hrs [alk]	16 hrs [lith] 8 hrs [alk]	6 hrs [lith] 3.8 hrs [alk]	11 hrs [lith] 5.5 hrs [alk]
RED	109 hrs [lith] 85 hrs [alk]	36 hrs [lith] 24 hrs [alk]	19 hrs [lith] 10 hrs [alk]	36 hrs [lith] 25 hrs [alk]
GREEN	84 hrs [lith] 55 hrs [alk]	26 hrs [lith] 15 hrs [alk]	13 hrs [lith] 5 hrs [alk]	23 hrs [lith] 17 hrs [alk]
BLUE	77 hrs [lith] 61 hrs [alk]	25 hrs [lith] 16 hrs [alk]	13 hrs [lith] 6 hrs [alk]	25 hrs [lith] 18 hrs [alk]
IR	173 hrs [lith] 145 hrs [alk]	55 hrs [lith] 39 hrs [alk]	33 hrs [lith] 20 hrs [alk]	60 hrs [lith] 41 hrs [alk]
IR W/ IFF BEACON	187 hrs [lith] 115 hrs [alk]	51 hrs [lith] 38 hrs [alk]	32 hrs [lith] 19 hrs [alk]	47 hrs [lith] 35 hrs [alk]

**STREAMLIGHT**  
**SIDEWINDER SERIES**



**The Sidewinder Stalk can be configured to mount on any type of combat, vehicle crew or aviation helmet system and/or MOLLE vest platform, or be directly attached to the brim of a patrol cap.**

#14303 - Sidewinder Stalk Helmet Clip  
Durable belt/clothing clip with integral helmet mount features



#14304 - Sidewinder Stalk Arc Rail Clip  
ARC Rail™ Clip



#14305 - Sidewinder Stalk Arc Rail Mount  
Hook and loop adapter plate



Securely attaches to MOLLE



# STREAMLIGHT SIDEWINDER SERIES

## SIDEWINDER® X **NEW**

The Sidewinder® X high-output, right-angle, multi-fuel light is designed to meet the demanding needs of the user while providing unmatched versatility. It features a 185° tilting head and gear clip to allow for ideal positioning of the light, along with various colored LEDs operable at varying outputs and run times. A “survival mode” provides low-level lighting for 100+ hours. UC Model allows user to select two of three color options. Meets MIL-STD-810F, METHOD 512.4.



Push button on/off switch and rotary selector knob

Gear clip with integral helmet mount features

WHITE LED	HIGH	MEDIUM 2	MEDIUM 1	LOW
<b>LUMENS:</b>	275	80	35	5
<b>CANDELA:</b>	3,200	900	400	50
<b>DISTANCE:</b>	113m	60m	40m	14m
<b>RUN TIME: AA</b>	4.75h	13h	30h	150+h
<b>RUN TIME: CR123A</b>	2.75h	8h	19h	100+h
STROBE RUNS 10.5 HOURS (AA); 5.75 HOURS (CR123A)				

### MILITARY MODEL



### AVIATION MODEL



### USER CONFIGURABLE MODEL



(user chooses between red, green, or blue)



Multiple mounting options for your helmet

**BATTERY:** (2) “AA” alkaline or (1) CR123A lithium for extended operation in extreme temperatures (-40°F to +150°F)

**SIZE:** 2.4" x 1.2" x 4.6" (6.1 x 3 x 11.7 cm)

**WEIGHT:** CR123A: 3.3 oz. (93.6g) // Alkaline: 4.4 oz. (124.7g)

**COLOR:** Coyote

ITEM #	DESCRIPTION	COO	TAA
14803	Sidewinder X - UC (User Configurable) Model - Includes (2) “AA” alkaline batterie - Coyote	US	YES
<b>MILITARY MODEL [WHITE, RED, BLUE, IR LEADS]</b>		US	YES
14800	Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes E-Mount and (2) “AA” alkaline batteries - Coyote	US	YES
14801	Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes(2) “AA” alkaline batteries - Coyote	US	YES
<b>AVIATION MODEL [WHITE, GREEN, BLUE, IR LEADS]</b>		US	YES
14802	Sidewinder X Aviation Model -White, Green, Blue, IR LEDs - Includes MOLLE retainer and (2) “AA” alkaline batteries - Coyote	US	YES

IR & Color LEDs					
		IR	RED	BLUE	GREEN
<b>HIGH MODE</b>	<b>LUMENS</b>	12mW	6.5	2.0	8.0
	<b>CANDELA</b>	---	40	12	83
	<b>DISTANCE</b>	---	13m	7m	18m
	<b>RUN TIME Alkaline</b>	40 hrs	50 hrs		
	<b>RUN TIME CR123A</b>	20 hrs	30 hrs		
<b>LOWER MODE RUN TIMES</b>	<b>MED 2 (60%)</b>	130 hrs (AA) 65 hrs (CR123A)	100 hrs (AA) // 70 hrs (CR123A)		
	<b>MED 1 (25%)</b>	330 (AA) 170 hrs (CR123A)	250 hrs (AA) // 150 hrs (CR123A)		
	<b>LOW (5%)</b>	600+ hrs (AA) 300+ hrs (CR123A)	300+ hrs (AA) // 200+ hrs (CR123A)		
	<b>STROBE</b>		100+ hrs (AA) // 50+ hrs (CR123A)		

## SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated; waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

**BATTERY:** (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)

**SIZE:** 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)

**WEIGHT:** 4.38 oz. (124g) w/lithium // 5.02 oz. (142g) w/alkaline

**COLOR:** Coyote

ITEM #	DESCRIPTION
<b>MILITARY MODEL [WHITE, RED, BLUE, IR LEDES]</b>	
14000	Sidewinder Military - Includes (2) "AA" alkaline batteries - Clam
14032	Sidewinder Military - Includes (2) "AA" alkaline batteries - Box
14027	Sidewinder Military - Includes helmet mount & (2) "AA" alkaline batteries - Clam
14031	Sidewinder Military - Includes E-mount & (2) "AA" alkaline batteries - Clam
14072	Sidewinder Military - Includes paracord & (2) "AA" alkaline batteries - Clam
<b>AVIATION MODEL [WHITE, GREEN, BLUE, IR LEDES]</b>	
14008	Sidewinder Aviation - Includes (2) "AA" alkaline batteries - Clam
14024	Sidewinder Aviation - Includes MOLLE retainer & (2) "AA" alkaline batteries - Box



	HIGH
<b>LUMENS:</b>	55
<b>CANDELA:</b>	1,175
<b>DISTANCE:</b>	69m
<b>RUN TIME:</b>	5.5h



SIDEWINDER LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 hrs+	45 hrs	11 hrs	5.5 hrs	10 hrs
IR	25mW/sr [min] radiant intensity	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Red	1 Lumen	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Blue	1.8 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs
Green	4.5 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs

All run time to 10% of initial output level. Illumination output electronically regulated.

## SIDEWINDER® RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline batteries or two "AA" lithium batteries for maximum versatility in the field. IPX7-rated; waterproof to 1 meter for 30 minutes.

**BATTERY:** (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)

**SIZE:** 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)

**WEIGHT:** 4.38 oz. (124g) w/lithium // 5.02 oz. (142g) w/alkaline

**COLOR:** Coyote

ITEM #	DESCRIPTION
<b>RESCUE MODEL [WHITE, GREEN, BLUE, IR LEDES WITH DIFFUSER]</b>	
14065	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord & (2) "AA" alkaline batteries - Box
14069	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord & (2) "AA" alkaline batteries - Clam
14066	Sidewinder Rescue - Includes (2) "AA" alkaline batteries - Box
14067	Sidewinder Rescue - Includes (2) "AA" alkaline batteries - Clam
14068	Sidewinder Rescue - Includes E-mount & (2) "AA" alkaline batteries - Box



"Slide-in-Place" diffuser can be used with any LED color for omni-directional light

Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

Cord attachment for paracord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

Securely attaches to MOLLE or other straps using MOLLE retainer

**SIDEWINDER COMPACT® II**

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated; waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

**BATTERY:** (1) "CR123A" lithium, (1) "AA" alkaline, or (1) "AA" lithium  
**SIZE:** 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)  
**WEIGHT:** 2.4 oz. (68g) // 3.3 oz. (94g) w/Helmet Mount  
**COLOR:** Coyote

	HIGH CR123A	HIGH "AA" LITHIUM	HIGH "AA" ALKALINE
<b>LUMENS:</b>	55	47	47
<b>CANDELA:</b>	1,175	1,000	1,000
<b>DISTANCE:</b>	69m	63m	63m
<b>RUN TIME:</b>	6h	6h	2h

ITEM #	DESCRIPTION
<b>MILITARY MODEL [WHITE, RED, BLUE, IR LEADS]</b>	
14512	Sidewinder Compact II Military - Includes helmet mount, headstrap and (1) CR123A lithium battery - Clam
14513	Sidewinder Compact II Military - Includes E-mount, headstrap and (1) CR123A lithium battery - Box
14515	Sidewinder Compact II Military - Includes NVG mount (works w/ DoD, NATO & ISAF combat helmets) and (1) CR123A battery - Box
<b>AVIATION MODEL [WHITE, GREEN, BLUE, IR LEADS]</b>	
14531	Sidewinder Compact II Aviation - Includes rail mount, headstrap and (1) CR123A lithium battery - Clam
14533	Sidewinder Compact II Aviation - NVG mount (works with HGU-84 rotary wing aircrew helmet) and (1) "AA" alkaline battery - Box
<b>RESCUE MODEL [WHITE, GREEN, BLUE, IR LEADS WITH DIFFUSER]</b>	
14534	Sidewinder Compact II Rescue - Includes (1) "AA" alkaline & CR123A battery - Box



**Military Model**



**Aviation Model**



**Rescue Model**

**SIDEWINDER BOOT®**

	HIGH	LOW
<b>LUMENS:</b>	55	7
<b>CANDELA:</b>	1,000	140
<b>DISTANCE:</b>	63m	24m
<b>RUN TIME:</b>	8h	90h

The Sidewinder Boot is the new standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. It's IPX7-rated; 1m drop tested and includes an integrated red filter that slides into place when needed.

**BATTERY:** (2) "AA" Alkaline; also accepts "AA" lithium  
**SIZE:** 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.9 cm)  
**WEIGHT:** Alkaline: 3.52 oz. (100g) // Lithium: 2.88 oz. (82g)  
**COLOR:** Coyote



"Slide-in-Place"  
Red Filter



Durable Belt/  
Clothing clip with  
integral helmet  
mount features

Battery polarity  
indicator for easy  
replacement in  
the dark

ITEM #	DESCRIPTION
14975	Sidewinder Boot - Includes (2) "AA" alkaline batteries

## SIDEWINDER ACCESSORIES

DESCRIPTION	SIDEWINDER X	SIDEWINDER	SIDEWINDER COMPACT II	SIDEWINDER STALK	SIDEWINDER BOOT
Helmet Clip - Black 	-	-	-	14303	-
Arc Rail Clip - Coyote 	-	-	-	14304	-
Hook and Loop Adapter Plate - Coyote 	-	-	-	14305	-
Helmet Mount - Coyote 	14055	14055	14055	14055	14055
Rail Mount for Helmet - Coyote 	14057	14057	14057	14057	14057
Hook and Loop Mount 	14073	14073	14073	14073	14073
Contour Arc Rail Mount 	14073	14073	14114	14114	14114
Sidewinder High Offset ARC Mount 	14115	14115	14115	14115	14115
Night Vision Goggle Mount - Tactical (works with DoD, NATO, & ISAF combat helmets) 	14115	14115	14155	14155	14155
Night Vision Goggle Mount - Aviation (works with HGU-84 rotary wing aircrew helmets) 	14135	14135	14135	14135	14135
Safety Wand - Glow in the dark 	14902	14902	14902	-	-
Elastic Headstrap 	-	-	14059	-	14059
E-Mount (ACH, ECH, MICH, LWH compatible) 	14136	14136	14136	14136	14136
E-Mount (Includes E-Mount, MOLLE Retainer and paracord) 	14137	14137	14137	-	14137
Paracord 	14138	14138	14138	-	14138
Sidewinder Rescue Kit (Includes MOLLE Retainer and paracord) 	14139	14139	14139	-	14139
Helmet Mount Kit - Helmet Mount, Headstrap, and MOLLE plate 	14112	14112	14112	-	14112
Rail Mount Kit - Includes Rail Mount, Headstrap and MOLLE plate 	14113	14113	14113	-	14113
MOLLE Retainer Replacement 	14030	14030	-	-	-
CR123A Batteries 					
			2pk - 85175 // 6pk - 85180 12pk - 85177 // 400pk - 85179		-

# HEADLAMP SERIES //

**HANDS-FREE LIGHTING SPECIALISTS**  
BECAUSE WORK IS TOUGH ENOUGH WITHOUT  
HAVING TO WORRY ABOUT YOUR LIGHTING

Streamlight headlamps are available in a complete line suited to fill the needs of everyone from heavy industrial use to casual hiker. We build features into our lights that help you light your way exactly how and where you need. Spot beams for distance or flood beams for area lighting, and USB or multi-fuel options allowing you to chose the perfect light for your needs.

PROTAC® 2.0 HEADLAMP



ENDURO® PRO USB



ENDURO® PRO HAZ-LO®



BANDIT® PRO






# STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a work site. Our choices of beam types, light output and run time ensures you'll be able to find exactly the light you need.

## SPOT / FLOOD

### MODELS

**KEY ATTRIBUTES:**  
Multi-Function  
Task Lighting  
General Use  
Multi-Purpose



#### RECHARGEABLE

USB HAZ-LO Headlamp  
Double Clutch USB  
Twin-Task USB Headlamp  
Enduro Pro USB

#### NON - RECHARGEABLE

Double Clutch Alkaline  
Trident - Div. 2  
Enduro Pro  
Enduro Pro HAZ-LO

## FLOOD

### MODELS

**KEY ATTRIBUTES:**  
Arm's Length  
Task Lighting  
Wide, Smooth  
Light



#### RECHARGEABLE

Bandit  
ProTac HL USB Headlamp  
ProTac 2.0 Headlamp


#### NON - RECHARGEABLE

Bandit Pro  
Septor - Div. 2  
ProTac HL Headlamp

## SPOT

### MODELS

**KEY ATTRIBUTES:**  
Down Range  
Long Distance



#### RECHARGEABLE

#### NON - RECHARGEABLE

Argo - Div. 2  
3AA HAZ-LO Headlamp  
Enduro

## SPECIALTY / COLOR LEDS

### MODELS

**KEY ATTRIBUTES:**  
Preserve Night Vision  
Won't Spook Game

#### RECHARGEABLE

Bandit  
Bandit Pro

#### NON - RECHARGEABLE

Enduro Pro  
Green Trident

# PROTAC HL HEADLAMPS

## DELIVERING HIGH-LUMEN PERFORMANCE AND LONG-RANGE LIGHTING

### PROTAC® 2.0 HEADLAMP

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	650	110
<b>CANDELA:</b>	14,500	4,200	750
<b>DISTANCE:</b>	241m	130m	55m
<b>RUN TIME:</b>	2.25h	4.5h	25h

**TEN-TAP®** Programmable - choose from three programs:

- high/med/low
- high only
- low/high



Metal sleeve protects the USB-C port. Slide to the right to access.

SL-B50 charges in the light directly via USB-C port battery pack. Charges in 6 hours

The high-performance ProTac 2.0 Headlamp produces 2,000 lumens without sacrificing run time. Powered by an SL-B50® protected Li-Ion rechargeable battery pack with onboard safety control circuit that charges inside the light using a USB-C cord. TEN-TAP® Programmable switch. IP64-rated; dust-tight and water resistant.

**BATTERY:** SL-B50 protected Li-Ion USB battery pack

**SIZE:** 4.92" x 1.46" x 2.56" (12.5 x 3.7 x 6.5 cm)

**WEIGHT:** 10.48 oz. (297g)

**COLOR:** Black



ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps
22111	SL-B50 battery pack - 1pk
22112	SL-B50 battery pack - 2pk
22084	USB-C Cord



## PROTAC HL® USB HEADLAMP

This is the perfect rechargeable headlamp for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP Programming lets you choose from three operating modes. IPX4-rated; water-resistant; 1m impact-resistance tested. Multi-fuel capability: accepts rechargeable lithium-ion battery *uses the same battery (#74175) as the Strion® series* or SL-B26 USB battery pack.

**BATTERY:** Uses rechargeable lithium-ion battery (included); also accepts SL-B26 Li-Ion USB battery pack  
**SIZE:** 4.03" x 1.20" x 3.12" (10.24 x 3.05 x 7.92 cm)  
**WEIGHT:** 8.1 oz. (230g)  
**COLOR:** Black



ITEM #	DESCRIPTION
61305	ProTac HL USB Headlamp - Clam
61307	ProTac HL USB Headlamp - Box
61306	ProTac HL USB Headlamp 120V AC - Clam

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	13,500	5,400	900
<b>DISTANCE:</b>	232m	147m	60m
<b>RUN TIME:</b>	1.5h	2.75h	20h

**MULTI-FUEL DESIGN:**  
Runs on lithium-ion battery or SL-B26 battery pack

**TEN-TAP®** Programmable - choose from three programs:  
 • high/med/low  
 • high only  
 • low/medium/high



Includes a rubber hard hat strap



## PROTAC HL® HEADLAMP

The perfect light for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP programming lets you choose the order of operating modes. IPX4 rated; water resistance; 1 meter impact-resistance tested. Maximum light output throughout battery life.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.66" x 1.2" x 2.6" (2.54 x 3.05 x 6.6 cm)  
**WEIGHT:** 6.6 oz. (187g)  
**COLOR:** Black

ITEM #	DESCRIPTION
61304	ProTac HL Headlamp - Includes CR123A lithium batteries, rubber and elastic straps

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	635	105	20
<b>CANDELA:</b>	8,500	1,450	280
<b>DISTANCE:</b>	184m	76m	33m
<b>RUN TIME:</b>	1.75h	8h	36h

**TEN-TAP®** Programmable - choose from three programs:  
 • high/med/low  
 • high only  
 • low/medium/high



Includes a rubber hard hat strap



**BANDIT®**

Ultra lightweight, weather-resistant headlamp provides 180 lumens of widespread light. It features a large button for easy actuation, and a lithium polymer USB rechargeable battery. A hat clip adapter lets you attach the light on the brim of your hat or to add additional downward adjustability.

**BATTERY:** Rechargeable lithium polymer  
**SIZE:** 2.7" x 0.75" x 1.13" (6.85 x 1.9 x 2.87cm)  
**WEIGHT:** 1.3 oz. (36.8g)  
**COLOR:** Yellow, Black or Coyote

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	2h	9.5h
EMERGENCY FLASH - 180 LUMENS		

Yellow & Black Models: White LED



Coyote Models: White/Red LED  
White/Green LED

GREEN LED	HIGH	LOW
<b>LUMENS:</b>	135	25
<b>RUN TIME:</b>	3h	13.5h

RED LED	HIGH	LOW
<b>LUMENS:</b>	45	10
<b>RUN TIME:</b>	2.5h	10h



ITEM #	DESCRIPTION
61700	Bandit - Includes micro-USB cord - Yellow
61702	Bandit - Includes micro-USB cord - Black
61706	Bandit - Includes micro-USB cord - Coyote with Red LED
61707	Bandit - Includes micro-USB cord - Coyote with Green LED
61703	Bandit - Includes elastic headstrap, rubber hard hat strap, 3M® Dual Lock® and USB cord - Yellow - Box
61437	Hard Hat Clips for 1" Straps

3M® and Dual Lock® are registered Trademarks of the 3M Company.



Includes a snap-in hat clip adapter to attach the light on the brim of a baseball hat or to add additional downward adjustability when using the headband.

**Industrial Mode for both Bandit Models:  
Two hardhat mounting options:**

Rubber strap

3M® Dual Lock® for strapless mounting



**BANDIT® PRO**

The Bandit Pro is an ultra-lightweight, weather-resistant, personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a snap-in clip adapter to attach the light to the visor on a hat and it also adds additional downward adjustability. High, low and emergency flash modes. Battery life indicator: with approx. 5 minutes of remaining run time, light enters a sequence of blinking three times and remaining on for 30 seconds until it shuts off.

**BATTERY:** Rechargeable lithium polymer  
**SIZE:** 2.7" x 0.97" x 1.13" (6.85 x 2.46 x 2.87cm)  
**WEIGHT:** 1.6 oz. (45.4g)  
**COLOR:** Yellow or Black

	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		

Attaches to visor



Multi-function push-button switch with charge indicator shines red when charging and green when charged

ITEM #	DESCRIPTION
61710	Bandit Pro - Includes USB cord - Yellow - Clam
61714	Bandit Pro - Includes USB cord - Black - Clam
61716	Bandit Pro - Includes elastic headstrap, rubber hard hat strap, 3M® Dual Lock® and USB cord - Yellow - Box
61437	Hard Hat Clips for 1" Straps

3M® and Dual Lock® are registered Trademarks of the 3M Company.





## ENDURO® PRO USB

Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with Spot and Flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and Flood gives you soft, area illumination that won't tire your eyes on a long job.

**BATTERY:** Lithium polymer cell

**SIZE:** 1.85" x 2.19" x 1.7" (4.7 x 5.56 x 4.32 cm)

**WEIGHT:** 3.6 oz. (102g)

**COLOR:** Yellow

ITEM #	DESCRIPTION
61435	Enduro Pro USB - Includes micro-USB cord, elastic head strap
61436	Enduro Pro USB - Includes micro-USB cord, elastic head strap, rubber hard hat strap, 3M® Dual Lock®
61437	Hard Hat Clips for 1" Straps 

3M® and Dual Lock® are registered Trademarks of the 3M Company.

SPOT	HIGH	MEDIUM	LOW	FLOOD	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	90	25	<b>LUMENS:</b>	145	50	15
<b>CANDELA:</b>	2,080	890	250	<b>CANDELA:</b>	220	80	30
<b>DISTANCE:</b>	91m	60m	32m	<b>DISTANCE:</b>	30m	18m	11m
<b>RUN TIME:</b>	6.25h	19h	48h	<b>RUN TIME:</b>	7h	21h	48h



### Industrial Model: Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting



## ENDURO® PRO

This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. 45° tilting head design. IPX4-rated; water-resistant.

### Industrial model:

#### Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting



**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.85" x 2.19" x 1.45" (4.7 x 5.56 x 3.68 cm)

**WEIGHT:** 3.4 oz. (96.38g)

**COLOR:** Yellow or Coyote

ITEM #	DESCRIPTION
61420	Enduro Pro - Includes AAA batteries, elastic headstrap - Clam - Yellow
61421	Enduro Pro - Includes AAA batteries, elastic headstrap - Box - Yellow
61425	Enduro Pro - Includes AAA batteries, elastic headstrap - Clam - Coyote
61422	Enduro Pro Industrial - Includes AAA batteries, rubber hard hat strap, elastic head strap, 3M® Dual Lock® - Box - Yellow
61437	Hard Hat Clips for 1" Straps

3M® and Dual Lock® are registered Trademarks of the 3M Company.



## ENDURO®

The Enduro is a lightweight and super comfortable headlamp. It features an integrated rubber/elastic head strap for versatility. Unbreakable polycarbonate lens. IPX7-rated; waterproof; 2m impact resistance tested. Maximum light output throughout battery life.

**BATTERY:** (2) "AAA" alkaline

**SIZE:** 1.3" x 2.25" x 1.6" (3.25 x 5.7 x 4 cm)

**WEIGHT:** 2.75 oz. (78.5g)

**COLOR:** Black

ITEM #	DESCRIPTION
61400	Enduro - Includes (2) AAA batteries, visor clip and elastic strap

SPOT	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	75	25
<b>CANDELA:</b>	2,250	825	300
<b>DISTANCE:</b>	95m	57m	35m
<b>RUN TIME:</b>	6h	14h	38h

FLOOD	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	135	45	15
<b>CANDELA:</b>	210	80	20
<b>DISTANCE:</b>	29m	18m	9m
<b>RUN TIME:</b>	6h	14h	38h

### Yellow Model:

White /Red LED



**Coyote Model:**  
White /Green LED



	HIGH	LOW
<b>LUMENS:</b>	50	10
<b>CANDELA:</b>	1,100	285
<b>DISTANCE:</b>	66m	33m
<b>RUN TIME:</b>	5.5h	25h



Visor clip attaches to the brim of your hat, coat, or car visor.



## ENDURO® PRO HAZ-LO®

This intrinsically safe, low-profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; dust tight and waterproof to 1m for 30 minutes.

	SPOT	FLOOD	COMBO
<b>LUMENS:</b>	160	160	235
<b>CANDELA:</b>	1,320	100	-
<b>DISTANCE:</b>	73m	20m	-
<b>RUN TIME:</b>	5h	5h	4.75h



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G;  
Class III, Class I, Zn O, Grps. IIC, Exia  
T-Code: T4



Permissible Portable Headlamp Assembly  
App. No. 20-AD70001-0  
Tested for use in methane-air mixtures only


**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 2" x 2.19" x 1.5" (5.08 x 5.68 x 3.81 cm)  
**WEIGHT:** 3.5 oz. (99.2g)  
**COLOR:** Yellow



Low-profile design

ITEM #	DESCRIPTION
61424	Enduro Pro HAZ-LO - Includes alkaline batteries, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®
61437	Hard Hat Clips for 1" Straps

3M® and Dual Lock® are registered Trademarks of the 3M Company.



Spot

Flood

Combo

### Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting



# RECHARGEABLE HEADLAMP WITH CLASS I, DIV 1 SAFETY RATINGS



## USB HAZ-LO® HEADLAMP

Rechargeable Class I, Div. 1 headlamp! Multiple modes cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; dust-tight and waterproof to 1m for 30 minutes. Charge status indicator in bezel: red = charging, green = charged.

**BATTERY:** Lithium-ion  
**SIZE:** 1.72" x 3.25" x 1.75" (4.36 x 8.25 x 4.45 cm)  
**WEIGHT:** 4.1 oz. (116.2g)  
**COLOR:** Yellow

	SPOT	FLOOD	COMBO
<b>LUMENS:</b>	190	120	250
<b>CANDELA:</b>	2,000	90	-
<b>DISTANCE:</b>	89m	19m	-
<b>RUN TIME:</b>	7.5h	13h	7h



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G  
 Class III, Class I, Zn O, Group IIC, Exia  
 T-Code: T4



ITEM #	DESCRIPTION
61460	USB HAZ-LO headlamp - Includes 120V AC cord, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®
61463	USB HAZ-LO Headlamp - Includes 120V AC charge cradle, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®
61465	Charge Cradle
61469	120V AC Bank Charger
61437	Hard Hat Clips for 1" Straps 

3M® and Dual Lock® are registered Trademarks of the 3M Company.

### Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting



CHARGING



CHARGED



5-unit bank charger



Charge cradle

**3AA HAZ-LO® HEADLAMP**

This compact, long-running, high-performance headlamp meets the stringent requirements of Div. 1 hazardous locations. Exceptional light output with a long run time to get you through your shift. Unbreakable, O-ring sealed lens. Easy operation even when wearing heavy gloves. Impact-resistant housing – 1 meter drop-test verified. Intrinsically safe.

**BATTERY:** (3) "AA" alkaline  
**SIZE:** 1.88" x 2.5" x 3.08" (4.76 x 6.35 x 7.82 cm)  
**WEIGHT:** 7.1 oz. (201.28g)  
**COLOR:** Yellow

<b>LUMENS:</b>	270
<b>CANDELA:</b>	5,600
<b>DISTANCE:</b>	150m
<b>RUN TIME:</b>	8h



Includes a rubber head strap that ensures a non-slip grip for hard hats.



Class I, Div. 1, Grps. A, B, C, D;  
 Class II, Div. 1, Grps. E, F, G  
 Class III, T-Code: T4

ITEM #	DESCRIPTION
61200	3AA HAZ-LO Headlamp - Includes alkaline batteries, rubber & elastic straps

**SEPTOR®**

The Septor headlamp is your ideal choice when you need a hands-free flood light for close-up tasks or tasks at arm's length. It gives you 120 lumens of a soft, wide beam to illuminate your work area.

**ARGO®**

Featuring an intense, long-distance beam for down range illumination with 3 levels of output.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	120	45	13
<b>CANDELA:</b>	900	375	100
<b>DISTANCE:</b>	60m	35m	20m
<b>RUN TIME:</b>	3.5h	10h	55h

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	150	100	45
<b>CANDELA:</b>	9,250	6,375	2,750
<b>DISTANCE:</b>	190m	160m	103m
<b>RUN TIME:</b>	3h	4.5h	30h



Includes a rubber head strap that ensures a non-slip grip for hard hats.



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G,  
 Class III, T-Code: T5

**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)  
**WEIGHT:** 5.5 oz. (156g)  
**COLOR:** Yellow

ITEM #	DESCRIPTION
61052	Septor - Includes alkaline batteries, rubber & elastic straps



Class I, Div. 2, Grps. A, B, C, D;  
 Class II, Div. 2, Grps. F, G,  
 Class III, T-Code: T5



Includes a rubber head strap that ensures a non-slip grip for hard hats.

**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)  
**WEIGHT:** 5.4 oz. (153g)  
**COLOR:** Yellow

ITEM #	DESCRIPTION
61301	Argo - Includes alkaline batteries, rubber & elastic straps

**TRIDENT®**

The Trident multi-purpose headlamp offers the versatility of switching between either a bright light to illuminate objects at a distance (126 meters) or a soft flood light for tasks at arm's length.



Class I, Div. 2, Grps. A, B, C, D;  
Class II, Div. 2, Grps. F, G  
Class III, T-Code: T5

**BATTERY:** (3) "AAA" alkaline  
**SIZE:** 1.75" x 2.7" x 2.4" (4.45 x 6.85 x 6.09 cm)  
**WEIGHT:** 5.5 oz. (156g)  
**COLOR:** Yellow or Green

ITEM #	DESCRIPTION
61050	Trident - White LEDs - Includes alkaline batteries, rubber & elastic straps - Yellow
61051	Trident - White and Green LEDs - Includes alkaline batteries, rubber & elastic straps - Green

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	80	35	11
<b>CANDELA:</b>	4,000	385	120
<b>DISTANCE:</b>	126m	39m	22m
<b>RUN TIME:</b>	5h	10h	53h

GREEN MODEL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	80	25	6
<b>CANDELA:</b>	4,000	275	55
<b>DISTANCE:</b>	126m	39m	15m
<b>RUN TIME:</b>	5h	19.5h	63h



Includes a rubber hard hat strap



## DOUBLE CLUTCH® USB

This dual-power, dual-function, dual-output headlamp gives you the flexibility of using either a USB-rechargeable battery or three AAA alkaline batteries. It also lets you choose either a spot or a flood beam, both with high and low mode. It's lightweight and long-running with a 60° tilting head. Unbreakable lens. IPX4-rated; water-resistant. 2 meter impact resistance tested.

**BATTERY:** Rechargeable Lithium Polymer pack or (3) "AAA" alkaline or lithium batteries  
**SIZE:** 1.75" x 2.50" x 1.66" (4.44 x 6.35 x 4.22 cm)  
**WEIGHT:** 3.7 oz. (105g)  
**COLOR:** Yellow or Black

	HIGH	LOW
<b>LUMENS:</b>	125	30
<b>SPOT CANDELA:</b>	1,700	400
<b>SPOT DISTANCE:</b>	82m	40m
<b>FLOOD CANDELA:</b>	250	70
<b>FLOOD DISTANCE:</b>	31m	4m
<b>RUN TIME: LITH POLYMER</b>	3.5h	10h
<b>RUN TIME: ALKALINE</b>	6h	18h



Includes a rubber hard hat strap

YELLOW	BLACK	DESCRIPTION
61602	61603	Double Clutch USB - 120V AC
61600	61601	Double Clutch USB - with micro-USB Cord (only)
61607	61608	Double Clutch - Alkaline Model
61604		Lithium polymer battery



### SHIFT BEAMS //

- **SHIFTS EASILY TO SPOT OR FLOOD MODES WITH THE TURN OF THE WRIST**



- **GLOVE-FRIENDLY**
- **FACECAP ROTATION**

### SHIFT BATTERIES //

- **USB RECHARGEABLE LITHIUM POLYMER OR "AAA" BATTERIES**



### SHIFT BRIGHTNESS //

- **DOUBLE SHIFT FOR HIGH TO LOW IN SPOT OR FLOOD MODES**
- **125 LUMENS ON HIGH 30 LUMENS ON LOW**



## HEADLAMP ACCESSORIES

DESCRIPTION	PART #	GOES WITH
Li-ion Battery Stick	74175	ProTac HL USB Headlamp, Twin-Task USB Headlamp
CR123A Lithium Batteries - 2pk	85175	ProTac HL Headlamp
CR123A Lithium Batteries - 6pk	85177	
CR123A Lithium Batteries - 12pk	85179	
SL-B26 Li-Ion USB Battery Pack Charge Cradle (batteries & cord sold separately)	22100 22010 22011	ProTac HL USB Headlamp
120V AC USB Charge Cord	22071	ProTac HL USB Headlamp, Double Clutch USB, Twin-Task USB Headlamp
SL-B26 Battery Packs	22101 - 1pk 22102 - 2pk 22105 - 8pk	ProTac HL USB Headlamp
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord	22070 22081	ProTac HL USB Headlamp, Double Clutch USB, Bandit, Bandit Pro, Enduro Pro USB, USB HAZ-LO Headlamp, Twin-Task USB Headlamp



## TWIN-TASK® USB HEADLAMP

This is a multi-use USB rechargeable headlamp that provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused illumination to fill your work area with light. 120° tilting head reduces neck fatigue. IPX4 water-resistant. Ergonomically designed for maximum comfort.

**BATTERY:** Rechargeable Lithium-ion- uses the same battery (#74175) as the Strion® series

**SIZE:** 1.35" x 2.125" x 2.67" (3.43 x 5.4 x 6.78 cm)

**WEIGHT:** 6.1 oz. (173g)

**COLOR:** Red

SPOT	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	175	50
<b>CANDELA:</b>	3,650	1,850	440
<b>DISTANCE:</b>	121m	86m	42m
<b>RUN TIME:</b>	4.75h	8.5h	20h



Low-profile, ergonomically balanced design; contoured battery pack for comfort.

ITEM #	DESCRIPTION
51063	Twin-Task USB Headlamp - Includes USB cord & elastic head strap - Clam
51064	Twin-Task USB Headlamp - Includes USB cord & elastic head strap - Box

FLOOD	HIGH	LOW
<b>LUMENS:</b>	250	125
<b>CANDELA:</b>	160	80
<b>DISTANCE:</b>	25m	18m
<b>RUN TIME:</b>	5h	9h



# STYLUS & SPECIALTY SERIES //

## **REDEFINING PORTABLE LIGHTING**

**YOUR JOB HAS CHANGED, BUT THE NEED FOR SMALL,  
VERSATILE AND EFFECTIVE LIGHTING HASN'T.**

We pride ourselves on identifying a need and building a product to suit it. Our Stylus is exactly one of those products. Small, compact, a long runtime and easily stowed. It's been seen just about everywhere from garages to TSA lanes. It's evolved into a full family of Stylus products with unique attributes that make them extra functional and suited for a variety of tasks.

STYLUS®



STYLUS PRO®



MEGASTREAM® USB



STREAMLIGHT JR. F-STOP®



NANO LIGHT® II



# STREAMLIGHT MICROSTREAM/MACROSTREAM/MEGASTREAM SERIES

## MICROSTREAM®

The MicroStream is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

**BATTERY:** (1) "AAA" alkaline  
**SIZE:** 3.6" x 0.6" (9.14 x 1.5 cm)  
**WEIGHT:** 1.10 oz. (31.2g)  
**COLOR:** Black or Red

<b>LUMENS:</b>	45
<b>CANDELA:</b>	420
<b>DISTANCE:</b>	41m
<b>RUN TIME:</b>	2.25h



ITEM #	DESCRIPTION
66318	MicroStream - Includes alkaline batteries & lanyard - Black
66323	MicroStream - Includes alkaline batteries & lanyard - Red



## STREAMLIGHT® MICROSTREAM® USB



## MICROSTREAM® USB

The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source. To charge it, slide the head cover forward to expose the micro-USB port.

**BATTERY:** Lithium-ion  
**SIZE:** 3.87" x 0.61" (9.83 x 1.56 cm)  
**WEIGHT:** 1.2 oz. (34.1g)  
**COLOR:** Black, Red, Blue or Coyote



ITEM #	DESCRIPTION
66601	MicroStream USB - Includes USB cord & lanyard - Clam - Black
66604	MicroStream USB - Includes USB cord & lanyard - Box - Black
66602	MicroStream USB - Includes USB cord & lanyard - Clam - Red
66605	MicroStream USB - Includes USB cord & lanyard - Box - Red
66603	MicroStream USB - Includes USB cord & lanyard - Clam - Blue
66606	MicroStream USB - Includes USB cord & lanyard - Box - Blue
66608	MicroStream USB - Includes USB cord & lanyard - Clam - Coyote
66609	MicroStream USB - Includes USB cord & lanyard - Box - Coyote
66607	Lithium-ion battery
22070	40" (101.6 cm) USB cord
22071	120V AC USB cord

	HIGH	LOW
<b>LUMENS:</b>	250	50
<b>CANDELA:</b>	1,150	250
<b>DISTANCE:</b>	68m	31m
<b>RUN TIME:</b>	1.5h	3.5h



Sliding metal sleeve protects micro USB port

# MEGASTREAM<sup>®</sup> USB



EDC LIGHT OFFERING A POWERFUL MIX OF LUMENS, CANDELA AND VERSATILITY

## MEGASTREAM<sup>®</sup> USB // NEW

Ultra-bright, rechargeable light that combines intense brightness with long-distance beam reach, making it a “flame thrower” in your pocket. Powered by our new SL-B34<sup>®</sup> battery pack, it fully recharges in 5 hours. Hot-swappable battery - charge the battery pack inside or outside of the flashlight. Swap in a fully charged spare without missing a beat, ensuring you are never left in the dark. Durable aluminum construction; IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (1) SL-B34 rechargeable battery pack  
**SIZE:** 5.3" x 1.1" (13.4 x 2.8 cm)  
**WEIGHT:** 5.4 oz. (152g)  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,800	500	150
<b>CANDELA:</b>	26,000	7,200	2,100
<b>DISTANCE:</b>	322m	170m	92m
<b>RUN TIME:</b>	2h	3.5h	13h



ITEM #	DESCRIPTION
66210	MegaStream USB - Includes (1) SL-B34 battery pack, nylon holster and USB-C cord
22131	SL-B34 Lithium-ion Rechargeable Battery Pack

## MACROSTREAM<sup>®</sup> USB

High-powered ultra-compact lithium-ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

**BATTERY:** Lithium-ion  
**SIZE:** 4.50" x 0.83" (11.43 x 2.1 cm)  
**WEIGHT:** 2.2 oz. (62.4g)  
**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	500	50
<b>CANDELA:</b>	2,000	220
<b>DISTANCE:</b>	90m	30m
<b>RUN TIME:</b>	2h	8h



Clip onto brim of hat for hands-free use



Metal sleeve protects charge port; slide sleeve forward to reveal charge port

ITEM #	DESCRIPTION
66320	MacroStream USB - Includes micro USB cord
66321	Lithium-ion battery - MacroStream USB
22070	40" (101 cm) USB Cord
22071	120V AC USB cord

STREAMLIGHT  
**STYLUS SERIES**



THE STYLUS PRO SERIES  
**MORE OPTIONS**  
TO USE IN EVEN MORE  
**PLACES & WAYS!**



WHITE LED	HIGH	LOW
<b>LUMENS:</b>	350	90
<b>CANDELA:</b>	2,950	840
<b>DISTANCE:</b>	109m	58m
<b>RUN TIME:</b>	1.5h	3.5h



Sliding metal sleeve protects micro USB port

## STYLUS PRO® USB UV

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

**BATTERY:** Lithium-ion  
**SIZE:** 5.95" x 0.63" (15.1 x 1.6 cm)  
**WEIGHT:** 1.8 oz. (51g)  
**COLOR:** Black

ITEM #	DESCRIPTION
66148	Stylus Pro USB UV - 120V AC with holster
66149	Stylus Pro USB UV - Includes USB cord & holster

## STYLUS PRO® USB

The Stylus Pro USB has a new body style and is shining brighter! It features a slimmer profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. IPX4-rated; water-resistant.

**BATTERY:** Lithium-ion  
**SIZE:** 5.95" x 0.63" (15.1 x 1.6 cm)  
**WEIGHT:** 1.8 oz. (51g)  
**COLOR:** Black

ITEM #	DESCRIPTION
66133	Stylus Pro USB - 120V AC with holster
66134	Stylus Pro USB - Includes USB cord & holster
66029	Nylon Holster
22070	40" (101 cm) USB Cord
22071	120V AC USB cord

<b>400NM UV LED</b>	
<b>OUTPUT:</b>	250mW
<b>RUN TIME:</b>	2.5h



Sliding metal sleeve protects micro USB port

## STYLUS PRO®

Compact size, durable construction and optimum beam output make this an ideal light for multiple tasks. Unbreakable lens. O-ring sealed. IPX4-rated; water-resistant. 1m impact-resistance tested. Removable pocket clip.

**BATTERY:** (2) "AAA" alkaline  
**SIZE:** 5.3" x 0.6"(13.4 x 1.5 cm)  
**WEIGHT:** 1.64 oz. (46.9g)  
**COLOR:** Matte Black, Silver, Red, Blue, Lime Green, Orange



<b>LUMENS:</b>	100
<b>CANDELA:</b>	950
<b>DISTANCE:</b>	62m
<b>RUN TIME:</b>	8h

ITEM #	DESCRIPTION
66118	Stylus Pro - Includes alkaline batteries - Matte Black
66121	Stylus Pro - Includes alkaline batteries - Silver
66120	Stylus Pro - Includes alkaline batteries - Red
66122	Stylus Pro - Includes alkaline batteries - Blue
66129	Stylus Pro - Includes alkaline batteries - Lime Green
66128	Stylus Pro - Includes alkaline batteries - Orange

## STYLUS®

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4-rated; water-resistant. Removable pocket clip.



SAFETY RATED  
MODEL OFFERED



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Grps. A, B, C, D, T3C  
"Classified"



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Grps. A, B, C, D, T3C  
"Exia"

**BATTERY:** (3) "AAAA" alkaline  
**SIZE:** 6.21" x 0.375" (15.17 x 0.95 cm)  
**WEIGHT:** 1.1 oz. (31g)  
**COLOR:** Black, Gold, Silver, Red or Blue

ITEM #	DESCRIPTION
65006	Stylus - Black - Red LED
65012	Stylus - Silver - White LED
65018	Stylus - Black - White LED
65020	Stylus - Black - Green LED
65022	Stylus - Black - Blue LED
65024	Stylus - Gold - White LED
65035	Stylus - Red - White LED
65050	Stylus - Blue - White LED
65058	Stylus - UL Listed - Black White LED
65030	AAAA alkaline batteries - 6pk
65031	Glare Guard
65905	Nylon Holster
72024	Lanyard with push-button slide

## STYLUS REACH®

Twist and turn the flexible cable into any position to light the most out-of-the-way places.

	WHITE
<b>LUMENS:</b>	11
<b>CANDELA:</b>	140
<b>DISTANCE:</b>	24m
<b>RUN TIME:</b>	24h



SAFETY RATED  
MODEL OFFERED



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Grps. A, B, C, D, T3C  
"Classified"



Intrinsic Safety for Haz. Loc.  
Class I, Div. 1,  
Grps. A, B, C, D, T3C  
"Exia"

**BATTERY:** (3) "AAAA" alkaline  
**SIZE:** 14" x 0.375" (35.5 x 0.95 cm)  
**WEIGHT:** 1.7 oz. (48g)  
**COLOR:** Black or Silver

ITEM #	DESCRIPTION
65618	Stylus Reach - Black
65658	Stylus Reach - Black - UL Listed
65612	Stylus Reach - Silver
65030	AAAA alkaline batteries - 6pk



LED COLOR	WHITE	GREEN	BLUE	RED
<b>LUMENS:</b>	11	7	2	2
<b>CANDELA:</b>	140	59	110	53
<b>DISTANCE:</b>	24m	15m	21m	15m
<b>RUN TIME:</b>	24h	24h	24h	24h



SAFETY RATED MODEL OFFERED

## STYLUS REACH® 18

Features a white LED mounted on a 18" cable (providing 25" of reach) that allows you to see into the tightest spots. IPX4-rated; for water-resistance. Pocket clip.


	WHITE
<b>LUMENS:</b>	11
<b>CANDELA:</b>	140
<b>DISTANCE:</b>	24m
<b>RUN TIME:</b>	24h



A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.

**BATTERY:** (3) "AAAA" alkaline  
**SIZE:** 25.5" x 0.375" (64.77 x 0.95 cm)  
**WEIGHT:** 2.5 oz. (70g)  
**COLOR:** Black

ITEM #	DESCRIPTION
65418	Stylus Reach 18
65030	AAAA alkaline batteries - 6pk



## CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4-rated; water-resistant. 1 meter impact-resistance tested.



Flexible, extension cable targets the beam where you need it

WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
<b>LUMENS:</b>	70	10	<b>LUMENS:</b>	.5	.2
<b>CANDELA:</b>	500	50	<b>CANDELA:</b>	9	3
<b>DISTANCE:</b>	44m	14m	<b>DISTANCE:</b>	6m	3m
<b>RUN TIME:</b>	3.5h	24h	<b>RUN TIME:</b>	16h	65h

Dual LEDs:  
High-intensity white LED  
Night vision red LED



**BATTERY:** Lithium polymer cell  
**SIZE:** 3.20" x 1.39" x 0.65" (8.1 x 3.5 x 1.7 cm)  
**WEIGHT:** 1.9 oz. (53.8g)  
**COLOR:** Black

ITEM #	DESCRIPTION
61125	Clipmate USB - Light only
61126	Clipmate USB - 120V AC
22058	120V AC Wall Adapter
61128	Clipmate USB Battery





## STREAMLIGHT JR. F-STOP®

The Streamlight Jr. F-Stop is a work light that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.

**BATTERY:** (2) "AA" Alkaline or Lithium batteries  
**SIZE:** 6.5" x 1.12" x 0.75" (16.51 x 2.84 x 1.90 cm)  
**WEIGHT:** 4.4 oz. (125g)  
**COLOR:** Black

	FLOOD	SPOT
<b>LUMENS:</b>	250	220
<b>CANDELA:</b>	360	5,600
<b>DISTANCE:</b>	38m	150m
<b>RUN TIME ALK:</b>	6h	6h
<b>RUN TIME LITH:</b>	10h	10h



SPOT



FLOOD

CLAM	BOX	DESCRIPTION
71700	71701	Streamlight Jr. F-Stop - Includes alkaline batteries
	71503	Nylon Holster
	99075	Rubber Helmet Strap

# THE LIGHT SEEN IN EVERY TOOL BOX, IS THE LIGHT THAT CAN HELP YOU SEE ANYWHERE


## STREAMLIGHT JR.® LED

This is a classic personal light featuring a two AA-sized aluminum body with non-slip knurled grip. It's brighter than most traditional 2AA flashlights, and it also has good beam distance capability. It's small enough to fit easily on your belt or tuck into a tool box when you go out on inspections and perform

**BATTERY:** (2) "AA" alkaline or lithium  
**SIZE:** 6.5" x 1" x 0.73" (16.51 x 2.54 x 1.85 cm)  
**WEIGHT:** 4.1 oz. (117g)  
**COLOR:** Black

ITEM #	DESCRIPTION
71500	Streamlight Jr. LED with alkaline batteries
71510	Magnetic Clip Holder
71503	Nylon Holster
99075	Rubber Helmet Strap

<b>LUMENS:</b>	225
<b>CANDELA:</b>	2,700
<b>DISTANCE:</b>	104m
<b>RUN TIME ALK:</b>	6h
<b>RUN TIME LITH:</b>	10h



## STREAMLIGHT JR.® REACH LED

With its flexible cable and magnetic clip, you can put this handy light anywhere and see anything. Unbreakable lens. IPX4-rated; water-resistance. All openings O-ring sealed. 1 meter impact-resistance tested.

**BATTERY:** (2) "AA" alkaline  
**SIZE:** 20" x 0.8" x 0.73" (50.8 x 2.03 x 1.85 cm)  
**WEIGHT:** 6.1 oz. (173g)  
**COLOR:** Black

<b>LUMENS:</b>	115
<b>CANDELA:</b>	1,500
<b>DISTANCE:</b>	77m
<b>RUN TIME:</b>	7.5h



ITEM #	DESCRIPTION
71600	Streamlight Jr. Reach LED - Includes alkaline batteries
71510	Magnetic Clip Holder

## POCKET MATE® USB

The-USB rechargeable Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. Spring-loaded clip with carabiner shape hangs cleanly on key ring, zipper, etc. Recharges in four hours. IPX4-rated; weather-resistant.



	HIGH	LOW
<b>LUMENS:</b>	325	45
<b>CANDELA:</b>	1,450	200
<b>DISTANCE:</b>	76m	28m
<b>RUN TIME:</b>	20min	1h



Pocket clip attaches to visor for hands-free use

**BATTERY:** Lithium polymer  
**SIZE:** 2" x 0.5" (5.1 x 1.27 cm)  
**WEIGHT:** 0.5 oz. (14.2g)  
**COLOR:** Silver, Red, Blue, Pink



Multi-function push-button switch with charger indicator LED:  
 Red = charging; Green = charged

ITEM #	DESCRIPTION
73300	Pocket Mate - Includes USB cord - Silver
73301	Pocket Mate - Includes USB cord - Red
73302	Pocket Mate - Includes USB cord - Blue
73303	Pocket Mate - Includes USB cord - Pink

## NANO LIGHT® II NEW

The ultra-compact Nano Light II light provides steady, bright light for one hour of run time with a single AAAA alkaline battery. Easily attaches to key rings and zippers and fits in your pocket without taking up a lot of space.

**BATTERY:** (1) AAAA alkaline battery  
**SIZE:** 2.2" x 0.6" (5.7 x 1.4 cm)  
**WEIGHT:** 0.6 oz. (18g)  
**COLOR:** Black

<b>LUMENS:</b>	20
<b>CANDELA:</b>	120
<b>DISTANCE:</b>	22m
<b>RUN TIME:</b>	1h



ITEM #	DESCRIPTION
73020	Nano Light II - Includes (1) "AAAA" alkaline battery
65030	AAAA Batteries - 6 Pack



Streamlight, Inc.  
 30 Eagleville Road  
 Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com  
 (800) 523-7488 Toll-Free  
 (800) 220-7007 Fax  
 (610) 631-0600  
 (610) 631-0712 Fax



DISTRIBUTED BY:



The shape, style and appearance of the generally triangular feature on the head of the Stinger® Series is a trademark of Streamlight, Inc.



The silver band that encircles the head of the TLR® Series is a trademark of Streamlight, Inc.

