



STREAMLIGHT®



**ILLUMINATION TOOLS FOR INDUSTRIAL /
MRO UTILITY & SAFETY PROFESSIONALS**



This icon will be seen throughout the catalog. It is an indicator that there are retail packaging options available on select product. If you see this icon and would like to learn more about our retail packaged product, please contact your sales representative.



DUALIE® 3AA
COLOR-RITE® pg. 6



DUALIE®
RECHARGEABLE pg. 6



DUALIE® 2AA
pg. 7



USB HAZ-LO® HEADLAMP
pg. 12



3AA HAZ-LO®
pg. 13



ENDURO® PRO HAZ-LO®
pg. 13



QB®
pg. 16



TWIN-TASK® USB
HEADLAMP pg. 16



VANTAGE® II
pg. 17



FLIPMATE®
pg. 19



STRION
SWITCHBLADE® pg. 21



STINGER
SWITCHBLADE® pg. 21



STRION® 2020
pg. 25



SURVIVOR® PIVOT®
pg. 27



SURVIVOR® X // USB
pg. 28



VULCAN® 180 HAZ-LO®
pg. 30



VULCAN® 180
pg. 30



VULCAN CLUTCH®
pg. 31



WEDGE® XT
pg. 36



WEDGE®
pg. 37



MICROSTREAM®
pg. 38



MICROSTREAM®
USB pg. 38



MACROSTREAM®
USB pg. 39



STREAMLIGHT JR
F-STOP® pg. 39



PROTAC® 2AA-X USB
pg. 42



PROTAC® 2AA
pg. 43



PROTAC® 2.0
pg. 43



PROTAC HL® 6
pg. 43



PROTAC HL® USB
pg. 44



PROTAC® 2L-X
pg. 44



PROTAC® HL-X
pg. 44



DUALIE® 3AA
pg. 7



DUALIE® 3AA LASER
pg. 8



STYLUS PRO®
HAZ-LO® pg. 9



4AA PROPOLYMER®
LUX pg. 10



4AA PROPOLYMER®
LED pg. 10



2AA PROPOLYMER®
HAZ-LO® pg. 11



ENDURO® PRO
pg. 14



PROTAC 2.0®
HEADLAMP pg. 15



PROTAC HL® USB
HEADLAMP pg. 15



PROTAC HL®
HEADLAMP pg. 15



BANDIT® PRO
pg. 16



SYCLONE® JR.
pg. 22



SYCLONE®
pg. 22



BEARTRAP® 360
pg. 23



POLYSTINGER® LED
pg. 24



POLYSTINGER® LED
HAZ-LO® pg. 24



STINGER® 2020
pg. 25



PORTABLE SCENE LIGHT II
pg. 32



PORTABLE
SCENE LIGHT pg. 32



E-SPOT® LITEBOX®
pg. 33



WAYPOINT® 400
pg. 34



WAYPOINT®
pg. 34



THE SIEGE®
pg. 35



STYLUS PRO®
pg. 40



STYLUS PRO® USB / UV
pg. 40



POCKET MATE®
pg. 41



THE LOGO™
pg. 41



POLYTAC® X
pg. 45



POLYTAC 90® X
pg. 45



SL-B26® LI-ION BATTERY &
BANK CHARGER pg. 46

TO LEARN MORE TUNE INTO
[YOUTUBE.COM/STREAMLIGHTTV](https://www.youtube.com/streamlighttv)



YOUR SAFETY IS VERY IMPORTANT TO US



STYLUS PRO® HAZ-LO®

STREAMLIGHT® GIVES YOU MORE SAFETY-RATED LIGHTS FOR MORE OPTIONS IN HAZARDOUS LOCATIONS.

Streamlight flashlights are tested and certified by the world's leading independent laboratories — including Underwriters Laboratories, ATEX, Demko, and the Mine Safety and Health Administration (MSHA). This testing is your assurance that the Streamlight flashlight you choose will be safe in the environment(s) in which you'll be using it.



2AA PROPOLYMER® HAZ-LO®



4AA PROPOLYMER® LUX



4AA PROPOLYMER® LED



DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by "class" and "division." There are three classes:



CLASS I locations are made hazardous by the presence of flammable gases, liquids or vapors.



CLASS II locations are hazardous because combustible dusts are present.



CLASS III locations contain easily ignitable fibers or flyings.

The "Division" designation refers to the likelihood that ignitable concentrations of flammable materials are present. There are two divisions:




DIVISION 1 designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions, or where easily ignitable fibers and flyings are manufactured, handled or used.



DIVISION 2 locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by "groups" based on the physical properties of their combustible materials. These groups include (but are not limited to):



GROUP A Acetylene
GROUP B Hydrogen
GROUP C Ethylene, carbon monoxide
GROUP D Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane



GROUP E Metals including aluminum, magnesium (Div. 1 only)
GROUP F Carbonaceous dusts including coal, carbon black, coke
GROUP G Dusts not included in E and F including wood, plastics, flour, starch or grain dusts



DUALIE® 2AA



DUALIE® 3AA
COLOR-RITE®



DUALIE® 3AA



DUALIE®
RECHARGEABLE



DUALIE® 3AA LASER



POLYSTINGER® LED
HAZ-LO®



SURVIVOR PIVOT®



SURVIVOR® X



ENDURO® PRO HAZ-LO®



USB HAZ-LO® HEADLAMP



3AA HAZ-LO®

YOUR SAFETY IS OUR TOP PRIORITY

Since the most extreme hazardous conditions are often in dark places, Streamlight has developed a complete line of Class I, Division 1 safety-rated lighting tools approved for use in hazardous environments.

STREAMLIGHT'S HAZ-LO SERIES OF LIGHTING TOOLS PROVIDE PEACE OF MIND WITH A DIVISION 1 RATING.

When working in a Division 1 area, we expect combustible materials to be present. Streamlight's HAZ-LO product line is suitable for use in these locations. While outfitting your crew with Division 1 level tools, it is important to note Class, Group and Temperature code requirements to select the correct flashlight for specific applications.

WHY ARE SAFETY RATINGS IMPORTANT?

There are several types of locations in which it can be extremely dangerous to use flashlights that have not been specifically designed and approved for that environment. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts, or ignitable fibers or flyings. If you plan to use a flashlight in any potentially hazardous location, it is critical that your light be safety-rated for that specific environment.



Scan or click to watch our video:
"You Bet Your Light On It: Safety
Ratings Explained"



SEE AHEAD OF YOU AND RIGHT
IN FRONT OF YOU WITH THE
**INTRINSICALLY SAFE
DUALIE SERIES**

DUALIE® RECHARGEABLE

	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7.25h	13.5h	5.5h

SGS
US
Class I, II, Div. I
Grps. A, B, C, D, E, F, G
Class III, T-Code: T4



The Dualie Rechargeable's bright light shines both ahead of you and downward to help avoid slips, trips and falls. A magnetic clip features a hang hook for hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div.1. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.

Use with #68089 Poly Mount Kit for hands-free helmet lighting (see page 11).

BATTERY: Lithium-ion
SIZE: 7 in. (17.78 cm) // 7.5 in. (19.05 cm) w/Magnetic Clip Option
WEIGHT: 6.8 oz. (193g) // 7.09 oz. (201g) w/Magnetic Clip Option
COLOR: Yellow or Black

WITH MAGNET	W/O MAGNET	DESCRIPTION
68793	68732	Dualie Rechargeable - 120V/100V AC - Yellow
68794	68733	Dualie Rechargeable - 120V/100V AC - Black
68795	68734	Dualie Rechargeable - 12V DC - Yellow
68796	68735	Dualie Rechargeable - 12V DC - Black
68785	68730	Dualie Rechargeable - Light only - Yellow
68786	68731	Dualie Rechargeable - Light only - Black

DUALIE® 3AA COLOR-RITE®

The Dualie® 3AA Color-Rite® is an intrinsically safe, high performance, three "AA" battery powered flashlight that produces a bright, white light to see ahead of you. The flood beam uses a high output CRI LED for true color recognition. It has opposing switches for easy user activation of desired function. IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

BATTERY: (3) "AA" alkaline or lithium
SIZE: 7 in. (17.78 cm)
WEIGHT: 6.6 oz. (187g)
COLOR: Yellow

SGS
US
Class I, II, Div. I
Grps. A, B, C, D, E, F, G
Class III, T-Code: T4

	SPOT	FLOOD	COMBO
LUMENS:	225	175	320
CANDELA:	8,000	380	7,000
DISTANCE:	179m	39m	167m
RUN TIME:	8h	8.5h	5h

**Color-
Rite®**



ITEM #	DESCRIPTION
68910	Dualie 3AA Color-Rite – Includes (3) "AA" alkaline batteries

DUALIE® 2AA



See what's ahead of you and right at your feet with the intrinsically safe Dualie 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments. IPX4-rated; water-resistant.



Integrated magnet on tail end for hands-free use.

	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



Class I, II, Div. 1,
Grps. A, B, C, D, E, F, G;
Class III, T-Code: T4



BATTERY: (2) "AA" alkaline
SIZE: 6.1 in. (15.5 cm)
WEIGHT: 3.9 oz. (111g)
COLOR: Yellow or Black

Mount to your hardhat with #68089 PolyMount Kit. A lightweight and comfortable hands-free lighting option to get you through your shift.

See page 11 for more information

ITEM #	DESCRIPTION
67751	Dualie 2AA - Includes Alkaline batteries - Box - Yellow

DUALIE® 3AA



See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I, Div. 1. IP67-rated; waterproof to 1 meter for 30 minutes; 2m impact resistance tested. Use with #68089 Poly Mount Kit for hands-free lighting (see page 11 for more information).



Class I, II, Div. 1,
Grps. A, B, C, D, E, F, G;
Class III, T-Code: T4



Permissible Flashlight
App. No. 20-A160001-0
Tested for Intrinsic Safety in
Methane-Air mixtures only

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	8m	-
RUN TIME:	18h	18h	9h



BATTERY: (3) "AA" alkaline
SIZE: 7 in. (17.78 cm) // 7.5 in. (19.05 cm) w/Magnetic Clip Option
WEIGHT: 6.8 oz. (193g) // 7.1 oz. (201g) w/Magnetic Clip Option
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68751	Dualie 3AA - without batteries - Yellow
68753	Dualie 3AA - without batteries - Black
68780	Dualie 3AA Magnet - without batteries - Yellow
68781	Dualie 3AA Magnet - without batteries - Black
68782	Dualie 3AA Magnet - with batteries - Yellow
68783	Dualie 3AA Magnet - with batteries - Black

Magnetic clip with integrated hang hook for hands-free use.



Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use.

DUALIE® 3AA LASER

Intrinsically safe flashlight featuring a red laser pointer. With a focused spot beam, you can see what's ahead of you and illuminate your work area while using the laser to identify and pinpoint objects at a distance. IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

Use with #68089 Poly Mount Kit for hands-free lighting (see page 11 for more information).

	LED	LASER
LUMENS:	150	<5mW output
CANDELA:	7,700	--
DISTANCE:	175m	--
RUN TIME:	17h	70h



Simultaneous spot beam and laser pointer illuminate your work area and pinpoint out-of-reach objects.

BATTERY: (3) "AA" alkaline
SIZE: 7 in. (17.78 cm)
WEIGHT: 6.8 oz. (193g)
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68760	Dualie 3AA Laser - with alkaline batteries - Yellow
68762	Dualie 3AA Laser - with alkaline batteries - Black



Permissible Flashlight
 App. No. 20-A160001-0
 Tested for Intrinsic Safety in
 Methane-Air mixtures only



Class I, II, Div. 1,
 Grps. A, B, C, D, E, F, G;
 Class III, T-Code: T4

DUALIE/PROPOLYMER ACCESSORIES

DESCRIPTION	ITEM #	GOES WITH
 Helmet Mount	68085	4AA ProPolymer
 Poly Mount Kit	68089	Dualie 2AA, Dualie 3AA/3AA Laser, Dualie Rechargeable, 4AA ProPolymer Lux, 2AA ProPolymer HAZ-LO, PolyTac X
 Rubber Helmet Band	99075	2AA ProPolymer HAZ-LO, 4AA ProPolymer Lux
 Charger Holder <i>(cord not included)</i>	68790	Dualie Rechargeable
 AC Bank Charger	68789	Dualie Rechargeable
 120V AC USB Charge Cord	22071	Dualie Rechargeable
 12V DC Charge Cord	22080	Dualie Rechargeable



STYLUS PRO® HAZ-LO®

The Stylus Pro HAZ-LO is an intrinsically safe and extremely durable alkaline battery-powered penlight. It features a tail switch with momentary and constant on operation, a removeable metal pocket clip, and amazing brightness for a light of its size.

IPX7-rated; waterproof to 1m for 30 minutes; 2m impact resistance tested.

ITEM #	DESCRIPTION
66300	Stylus Pro HAZ-LO - Includes (2) "AAA" Alkaline batteries
66301	Stylus Pro HAZ-LO Pocket Clip

LUMENS:	105
CANDELA:	380
DISTANCE:	39m
RUN TIME:	2.25h



BATTERY: (2) "AAA" alkaline
SIZE: 5.92 in. (15 cm)
WEIGHT: 1.9 oz. (53.9g)
COLOR: Yellow

STREAMLIGHT PROPOLYMER SERIES



4AA PROPOLYMER® LUX

LUMENS:	200
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	6h



This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1 meter for 30 minutes. Corrosion-proof.

4AA Lux Div. 1  
 Class I, II, Div. 1, Grps. C, D, F, G;
 Class I, Div. 2, Grps. A, B, C, D;
 Class III, T-Code: T4

4AA Lux Div. 2  
 Class I, Div. 2, Grps. A, B, C, D;
 Class II, Div. 2, Grps. F, G;
 Class III, T-Code: T3C

BATTERY: (4) "AA" alkaline
SIZE: 7 in. (17.8 cm)
WEIGHT: 7.6 oz. (216g)
COLOR: Yellow

ITEM #	DESCRIPTION
68244	4AA ProPolymer LUX Div. 2 - Alkaline batteries
68602	4AA ProPolymer LUX Div. 1 - Alkaline batteries

4AA PROPOLYMER® LED

LUMENS:	67
RUN TIME:	155h



Features seven ultra-bright LEDs that produce soft, diffused light making it perfect for up close work. IP65-rated; waterproof, dust-resistant. Unbreakable, scratch-resistant lens.


 Class I, Div. 1, Grps. C, D;
 Class I, Div. 2, Grps. A, B, C, D;
 Class II, Div. 2, Grps. F, G;
 Class III, T-Code: T3C


 Class I, Div. 2, Grps. A, B, C, D;
 Class II, Div. 2, Grps. F, G;
 Class III, T-Code: T3C


 Permissible Flashlight
 App. No. 10C-658-0
 Tested for use in methane-
 air mixtures only

BATTERY: (4) "AA" alkaline
SIZE: 6.5 in. (16.51 cm)
WEIGHT: 6.3 oz. (178.6g)
COLOR: Yellow

ITEM #	DESCRIPTION
68201	4AA ProPolymer LED - Alkaline batteries - Box
68202	4AA ProPolymer LED - Alkaline batteries - Clam

2AA PROPOLYMER® HAZ-LO®

A great choice for operations crews who need a general purpose light. It's compact enough to fit in your pocket and has a durable, super-tough nylon housing that beats out most entry-level flashlights. IPX7-rated; waterproof to 1m for 30 minutes. Dust and water protected. 1m impact-resistance tested. Use with #68089 Poly Mount Kit for hands-free lighting.

BATTERY: (2) "AA" alkaline
SIZE: 6.4 in. (16.26 cm)
WEIGHT: 3.6 oz. (100g)
COLOR: Yellow or Black

LUMENS:	65
CANDELA:	2,300
DISTANCE:	96m
RUN TIME:	24h



ITEM #	DESCRIPTION
67101	2AA ProPolymer HAZ-LO - Includes Alkaline batteries - Yellow
67100	2AA ProPolymer HAZ-LO - Includes Alkaline batteries - Black



Permissible Flashlight.
 Approval No. 20-A140002-D.
 Tested for Intrinsic Safety in
 Methane-Air mixtures only.



Class I, II, Div. 1,
 Grps. A, B, C, D, E, F, G;
 Class III; T-Class: T4

POLY MOUNT KIT

The Streamlight Poly Mount Kit conveniently attaches to a variety of helmets and Streamlight flashlights for hands-free use. It's a "no tools required" method to quickly and easily attach your flashlight to your hardhat and it's adjustable so you can aim the beam where you need it.



Poly Mount Kit includes:

Adhesive base to attach to side of hard hat
 Mounting base that slides into the slot of hard hat

Bands for:

Dualie® 2AA	2AA ProPolymer® HAZ-LO®
Dualie® 3AA	4AA ProPolymer® Lux
Dualie® Rechargeable	PolyTac® / PolyTac® X

ITEM #	DESCRIPTION
68089	Poly Mount Kit



Shown with Dualie 2AA (not included) using adhesive base



Shown with Dualie 2AA (not included) using slot attachment

HAZ-LO® HEADLAMPS

With alkaline or rechargeable options, these safety-rated Class 1, Div. 1 headlamps provide long runtime with both spot and flood options in the same light. Work safely and avoid trip hazards with flexible hands-free lighting from Streamlight.



USB HAZ-LO® HEADLAMP

Rechargeable Class I, Div. 1 headlamp. Multiple modes cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; dust-tight and waterproof to 1m for 30 minutes. Charge status indicator in bezel: **red** = charging, **green** = charged.

	SPOT	FLOOD	COMBO
LUMENS:	190	120	250
CANDELA:	2,000	90	-
DISTANCE:	89m	19m	-
RUN TIME:	7.5h	13h	7h



BATTERY: Lithium-ion
WEIGHT: 4.1 oz. (116.2g)
COLOR: Yellow

ITEM #	DESCRIPTION
61460	USB HAZ-LO Headlamp - Includes 120V AC cord, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®
61463	USB HAZ-LO Headlamp - Includes 120V AC charge cradle, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®
61465	Charge Cradle (cord not included)
61469	120V AC Bank Charger
22071	120V AC USB Charge Cord



Class I, II, Div. 1,
Grps. A, B, C, D, E, F, G
Class III, CL, Zn D, IIC, T-Code: T4



Two hardhat mounting options:
Rubber strap

3M® Dual Lock®
for strapless mounting



3AA HAZ-LO® HEADLAMP

Juggling a light when you're trying to work can be a hassle. When you wear a headlamp such as the 3AA HAZ-LO, you can have both hands free and still have the light you need for the job. Engineered to meet the stringent requirements of Division 1 locations, it gives you exceptional light output and a long run time while remaining lightweight so that you'll barely know you are wearing it.

BATTERY: (3) "AAA" alkaline (included)
WEIGHT: 7.1 oz. (202g)
COLOR: Yellow

ITEM #	DESCRIPTION
61200	3AA HAZ-LO Headlamp - Includes Alkaline batteries

LUMENS:	270
CANDELA:	5,600
DISTANCE:	150m
RUN TIME:	8h



Class I, Div. 1, Grps A, B, C, D
 Class II, Div. 1, Grps E, F, G,
 Class III, T-Code: T4



ENDURO® PRO HAZ-LO®

This low profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flooded combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; waterproof.



Class I, Div. 1, Grps. A, B, C, D, E, F, G
 Class III, Class I, Zone O,
 Group IIC Exia; T-Code: T4



Permissible Flashlight,
 Approval No. 20-A190001-D.
 Tested for Intrinsic Safety in
 Methane-Air mixtures only.

BATTERY: (3) "AAA" alkaline (included)
WEIGHT: 3.5 oz. (99.2g)
COLOR: Yellow

ITEM #	DESCRIPTION
61424	Enduro Pro HAZ-LO - Includes Alkaline batteries, elastic headstrap, rubber hard hat strap and 3M® Dual Lock®

	SPOT	FLOOD	COMBO
LUMENS:	160	160	235
CANDELA:	1,320	100	-
DISTANCE:	73m	20m	-
RUN TIME:	5h	5h	4.75h



Two hardhat mounting options
 Rubber strap

3M® Dual Lock®
 for strapless mounting



ENDURO® PRO



This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4-rated; water-resistant.

BATTERY: (3) "AAA" alkaline (included) or lithium
WEIGHT: Alkaline: 3.4 oz. (96.38g) // Lithium: 3 oz. (85.04g)
COLOR: Yellow

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h



ITEM #	DESCRIPTION
61421	Enduro Pro - Includes alkaline battery & elastic head strap - Box
61422	Enduro Pro - Includes alkaline battery & elastic head strap, rubber hard hat strap and 3M® Dual Lock® - Box
61437	3 helmet clips



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h



PROTAC® 2.0 HEADLAMP

When your task requires extreme bright light, reach for the ProTac 2.0 Headlamp. With 2000 lumens, it produces double the output without sacrificing run time. Choose from high, medium or low using Streamlight's TEN-TAP® Programmable switch. You can use the rubber hard hat strap or adjustable elastic head strap.

BATTERY: SL-B50® Li-Ion USB rechargeable battery pack
WEIGHT: 10.48 oz. (297.1g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h



Charges directly in the flashlight via USB-C cord

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps

PROTAC HL® HEADLAMP **HL**

	HIGH	MEDIUM	LOW
LUMENS:	635	105	20
CANDELA:	8,500	1,450	280
DISTANCE:	184m	76m	33m
RUN TIME:	1.75h	8h	36h



Includes a rubber head strap that ensures a non-slip grip for hardhats.

When your task requires both hands and a bright light with a wide, flood beam, reach for the ProTac HL Headlamp. It produces 635 lumens of a bright, wide flood light. With a 90° tilting head to aim the beam, you'll have maximum comfort and stability whether you're using the rubber hard hat strap or the adjustable elastic head strap.

BATTERY: (2) CR123A lithium
WEIGHT: 6.6 oz. (187g)
COLOR: Black

ITEM #	DESCRIPTION
61304	ProTac HL Headlamp - Includes CR123A lithium batteries, rubber helmet strap (installed) and adjustable elastic headstrap

PROTAC HL® USB HEADLAMP **HL**

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	13,500	5,400	900
DISTANCE:	232m	147m	60m
RUN TIME:	1.5h	2.75h	20h



Includes a rubber head strap that ensures a non-slip grip for hardhats.

MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or lithium-ion battery

This is the perfect rechargeable headlamp for when your task requires both hands. It features a bright light with a wide, long-range beam and 90° tilting head to reduce neck fatigue. TEN-TAP® Programming lets you choose from three operating modes. IPX4-rated; water resistance; 1m impact-resistance tested.

BATTERY: Rechargeable lithium-ion or a SL-B26 Li-Ion USB rechargeable battery pack
WEIGHT: 8.1 oz. (230g)
COLOR: Black

ITEM #	DESCRIPTION
61305	ProTac HL USB Headlamp - Includes USB cord, elastic and rubber straps
61306	ProTac HL USB Headlamp 120V AC - Includes elastic and rubber straps

BANDIT® PRO



	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		



Two hardhat mounting options:

Rubber strap



3M® Dual Lock®
for strapless mounting



The Bandit Pro is an ultra-lightweight personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a handy snap-in clip adapter to attach to a pocket, jacket or to the visor on a hat; it also adds additional downward adjustability. High, low and emergency flash modes.

BATTERY: Rechargeable lithium polymer

WEIGHT: 1.6 oz. (45.4g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
61714	Bandit Pro - USB cord - white LED - Black
61716	Bandit Pro - USB cord, elastic head strap, rubber hard hat strap and 3M® Dual Lock® - Yellow

QB®

	HIGH	LOW
LUMENS:	200	95
DISTANCE:	85m	55m
RUN TIME:	2h	4h
EMERGENCY FLASH - 200 LUMENS		



The QB is an ultra-lightweight, USB rechargeable headlamp that is big on power. It produces a concentrated beam of light that shines 85 meters. A large, easy-to-use push button switch features charge status indicator. Snap-in clip adapter attaches to a pocket or to the visor on a ball cap and it also adds downward adjustability. High, low and emergency flash modes.

BATTERY: Rechargeable lithium polymer

WEIGHT: 1.5 oz. (45.2g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
61430	QB - USB cord - white LED - Clam - Yellow
61432	QB - USB cord - white LED - Clam - Black

TWIN-TASK® USB HEADLAMP



This is a multi-use, rechargeable headlamp that provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused illumination to fill your work area with light. 120° tilting head reduces neck fatigue. IPX4-rated; water-resistant. Ergonomically designed for maximum comfort. Slide the battery pack to the side for tasks that require lying on your back.

SPOT	HIGH	MEDIUM	LOW
LUMENS:	375	175	50
CANDELA:	3,650	1,850	440
DISTANCE:	121m	86m	42m
RUN TIME:	4.75h	8.5h	20h



Easy to use multi-function switch



USB rechargeable



BATTERY: Rechargeable lithium-ion battery

WEIGHT: 6.1 oz. (173g)

COLOR: Red

ITEM #	DESCRIPTION
51064	Twin-Task USB Headlamp - Includes USB cord & elastic head strap

FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	160	80
DISTANCE:	25m	18m
RUN TIME:	5h	9h



VANTAGE® II

Lightweight, compact and low profile, the Vantage II is designed to easily attach to Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h



Attaches securely to your hard hat in seconds! Just clip it into the slot.



SAFETY FEATURE: Large push-button switch features a blue taillight LED that ensures you can be seen even from behind.



BATTERY: (1) CR123A lithium
SIZE WITH INDUSTRIAL MOUNT: 2.37 in. (6.01 cm)
INDUSTRIAL MOUNT WEIGHT: 2.97 oz. (84.2g)
COLOR: Black

ITEM #	DESCRIPTION
69333	Vantage II - [IND] Black with Blue Taillight LED and CR123A batteries
69336	Bracket Kit

NFPA
 Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018).

// COLOR-RITE TECHNOLOGY®

A LIGHT FOR EVERY SITUATION



// WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered “high” CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

// WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight’s proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color “washout,” allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

// COLOR-RITE® APPLICATIONS FOR INDUSTRIAL

Streamlight offers a family of Color-Rite lights for situations that require detailed inspections or color differentiation. For markets as diverse as industrial, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie® 3AA Color-Rite®, FlipMate® and Syclone® provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently. **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products, including parts. And **reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

• FLIPMATE®

• DUALIE® 3AA COLOR-RITE®

• STINGER® COLOR-RITE®

• SYCLONE®

• STINGER SWITCHBLADE®

• STRION SWITCHBLADE®

FLIPMATE®

COOL WHITE	HIGH	LOW
LUMENS:	500	250
RUN TIME:	4h	5.45h
90 CRI	HIGH	LOW
LUMENS:	400	200
RUN TIME:	4h	6h
COLOR TEMPERATURE: 4,000K		



Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash.

BATTERY: Lithium-ion

SIZE: Folded: 4.58 in. (11.63 cm) // Open: 7.94 in. (20.17 cm)

WEIGHT: 8.7 oz. (247g)

COLOR: Black, Red or Blue

ITEM #	DESCRIPTION
61500	FlipMate - Includes USB cord - Black
61501	FlipMate - Includes USB cord - Red
61502	FlipMate - Includes USB cord - Blue

Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 - 2.) Cool white LEDs for bright, white light
- Each with high and low modes

Color-Rite®



- Hands-free applications:
- 1.) Magnetic base
 - 2.) Stowable hang hook
 - 3.) Foot provides stability to stand on end



270° rotating light bar aims the beam where you need it



WORK LIGHTS

INSPECT, IDENTIFY AND REPAIR.

Get the ultimate in brightness and versatility with a broad selection of lights for delivering precise lighting or illuminating large areas. Fewer trip hazards and unlimited portability mean you can work harder for longer. All backed by over 50 years of Streamlight's commitment to the industry.



STRION SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	500	400	500 mW
RUN TIME:	3h	3h	5h
COLOR TEMPERATURE: 4,000K			

Color-Rite®



Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. Lithium-ion battery charges in 4 hours. Charge using existing Strion chargers or USB source.



- Hands-free applications:
- 1.) Tail-end magnet
 - 2.) Stowable hang hook
 - 3.) Foot provides stability to stand on end; lip offers a secondary hook option



180° rotating light bar aims the beam where you need it



- Double-sided light bar:
- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 - 2.) UV LED for leak detection
 - 3.) Cool white LEDs for bright, white light


STINGER SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	800	600	500 mW
RUN TIME:	3.75h	3.75h	15h
COLOR TEMPERATURE: 4,000K			

Color-Rite®



Five lights in one: It's a droplight, a hands-free light, a bright white light, a warm (4000K) high CRI light with Streamlight's Color-Rite Technology® and it's a UV light. Features a strong magnet and robust hang hook.



- Hands-free applications:
- 1.) Tail-end magnets
 - 2.) Stowable hang hook
 - 3.) Foot provides stability to stand on end; lip offers a secondary hook option



180° rotating light bar aims the beam where you need it




- Double-sided light bar:
- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 - 2.) UV LED for leak detection
 - 3.) Cool white LEDs for bright, white light

BATTERY: Lithium-ion
SIZE: Folded: 6 in. (15.24 cm) // Extended: 10.75 in. (27.3 cm)
WEIGHT: 6.4 oz. (181g)
COLOR: Red

ITEM #	DESCRIPTION
74850	Strion Switchblade - with USB cord
74851	Strion Switchblade - 120V/100V AC - 1 holder
74854	Strion Switchblade - 120V/100V AC PiggyBack

BATTERY: Lithium-ion
SIZE: Folded: 9.8 in. (24.89 cm) // Extended: 17 in. (43.18 cm)
WEIGHT: 17.1 oz. (485g)
COLOR: Red

ITEM #	DESCRIPTION
76801	Stinger Switchblade - 120V/100V AC - 1 holder
76800	Stinger Switchblade - with USB cord



ULTRA-COMPACT SYCLONE SERIES


SYCLONE® JR.

The ultra-compact designed Syclone Jr. produces bright white light for everyday use. It fits in small spaces to illuminate the work area without getting in the way. Go hands-free with the built in magnet or its stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools. Small, unique design with a bright light to get those hard to reach places!

BATTERY: Lithium polymer
SIZE: 2.04 in. (5.18 cm)
WEIGHT: 2 oz. (57g)
COLOR: Red

COOL WHITE	HIGH	LOW
LUMENS:	210	85
DISTANCE:	79m	49m
RUN TIME:	3.75h	8.5h

Stowable hang hook



ITEM #	DESCRIPTION
61530	Syclone Jr. - Includes USB cord

SYCLONE®

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

BATTERY: Lithium polymer
SIZE: 2.97 in. (7.54 cm)
WEIGHT: 5.3 oz. (150g)
COLOR: Red



- Hands-free applications:
- 1.) Magnetic base
 - 2.) Stowable hang hook



- 1.) Cool white LED for bright, white light
- 2.) 90 CRI LED - Color-Rite Technology - distinguish between similar colors - for paint matching or checking wires

SPOT/COOL WHITE	HIGH	MEDIUM	LOW
LUMENS:	400	200	100
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4.5h	9.5h

FLOOD/90 CRI	HIGH	MEDIUM	LOW
LUMENS:	300	150	75
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

COLOR TEMPERATURE: 4,000K



ITEM #	DESCRIPTION
61510	Syclone - Includes USB cord

BEARTRAP® 360

NEW

Inspect, identify and repair with the multi-function BearTrap 360 work light featuring a 360° rotating and 270° pivoting body. It produces bright white light in both spot and flood modes. Flood fills your work area with evenly dispersed, bright light; Spot provides a concentrated beam - each with high, medium and low modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-reach spaces like under the dash; also features a magnetic base. Rubberized grip surface designed to prevent scratches.


Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact-resistance tested.

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	360
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h



2000 LUMENS



ITEM #	DESCRIPTION
61523	BearTrap 360 - 120V/100V AC
44922	120V AC cord
44923	12V DC cord
61522	Lithium-ion battery

BATTERY: Lithium-ion
SIZE: 7.62 in. (19.35 cm)
WEIGHT: 2 lbs. 35 oz. (992g)
COLOR: Red

POLYSTINGER® LED

	HIGH	MEDIUM	LOW
LUMENS:	485	240	120
CANDELA:	28,000	14,000	7,000
DISTANCE:	335m	237m	167m
RUN TIME:	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			



[(STROBE)]
Double tap
switch to activate

When working around energized equipment, a non-metallic lighting tool is important. The PolyStinger LED, which is constructed of super-tough, non-conductive nylon polymer, is the right choice. A combination of rechargeability and LED technology provides assurance that your flashlight is always ready to provide the brightness and run time you need to get through your shift. Unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.

BATTERY: NiMH
SIZE: 8.07 in. (20.5 cm)
WEIGHT: 11.5 oz. (326g)
COLOR: Black or Yellow

ITEM #	DESCRIPTION
76163	PolyStinger LED - 120V/12V DC - 2 holders - Yellow
76113	PolyStinger LED - 120V/12V DC - 2 holders - Black

POLYSTINGER® LED HAZ-LO®

	HIGH	LOW
LUMENS:	260	80
CANDELA:	16,000	5,700
DISTANCE:	253m	151m
RUN TIME:	5h	16h
MOONLIGHT MODE RUNS 20 DAYS		



The PolyStinger LED HAZ-LO is a good choice for gas utility workers, because it is a durable, safety-rated, rechargeable light that delivers the light output you want with the safety ratings you need! It is always ready for a long night on a repair team, just grab the light from its charging cradle and go to work - for up to 16 hours! Non-conductive, corrosion-resistant body. Unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.

BATTERY: NiMH
SIZE: 10.2 in. (25.9 cm)
WEIGHT: 13.5 oz. (382g)
COLOR: Yellow



Class I, II, Div.1, Grps. C, D, F, G;
Class I, Div. 2, Grps. A, B, C, D;
Class III; 138 C, T-Code: T3C

ITEM #	DESCRIPTION
76412	PolyStinger LED HAZ-LO - 120V/12V DC



STINGER® 2020

The Stinger 2020 uses a long-lasting SL-B26 USB rechargeable battery pack that offers multiple charging options using existing Stinger chargers and bank chargers; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 7.67 in. (19.48 cm)
WEIGHT: 12.3 oz. (350g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	25,000	10,000	1,200
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS



[(STROBE)]
 Double tap
 switch to activate

ITEM #	DESCRIPTION
78101	Stinger 2020 - 120V AC/12V DC - 1 holder

STRION® 2020 **NEW**

	HIGH	MEDIUM	LOW
LUMENS:	1,200	460	120
CANDELA:	28,000	10,000	3,000
DISTANCE:	335m	200m	110m
RUN TIME:	1.75h	5.5h	12h

STROBE RUNS 3.5 HOURS




Battery status indicator:
 Green = Charged
 Red = Needs to be charged



The Strion 2020 features independently functioning head and tail switches along with an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting lithium-ion rechargeable battery offers multiple charging options using existing Strion smart chargers and bank chargers. IPX7-rated; waterproof to 1m. Corrosion-resistant sealed glass lens.

BATTERY: Lithium-ion
SIZE: 6.33 in. (16.1 cm)
WEIGHT: 5.7 oz. (161.6g)
COLOR: Black

ITEM #	DESCRIPTION
74431	Strion 2020 - 120V AC/12V DC
74435	Strion 2020 - 120V AC/12V DC - PiggyBack®



STINGER // STRION ACCESSORIES

DESCRIPTION	STINGER 2020	POLYSTINGER LED HAZ-LO	POLYSTINGER LED LED	STRION 2020	STRION SWITCHBLADE
5 Unit Bank Charger - Stinger 	75400	75400	75400	---	---
6 Unit Bank Charger - Strion 	---	---	---	74400	74400
Smart Charger 	75105	75105	75105	74102	74102
PiggyBack® Charger 	---	---	75277	---	74115
NiMH Battery Stick 	---	76375	75375	---	---
Li-Ion Battery Stick 	---	---	---	74436	---
Li-Ion Battery Stick 	---	---	75176	---	74175
SL-B26 Battery Pack 	78105	---	---	---	---
12V DC Car Charge Cord 	22051	22051	22051	22051	22051
12V DC Charge Cord 	22050	22050	22050	22050	22050
120V AC Charge Cord 	22071	22071	22071	22071	22071
Leather Plain Holster 	---	---	75133	74059	---
Leather Weave Holster 	78114	---	75134	74060	---
Nylon Holster 	---	---	---	85905	---
Deluxe Nylon Holster 	78107	---	---	---	---
Loop Nylon Holster 	75928	75928	75928	---	---
Duty Holster 	88053	---	---	---	---
Ring Holder 	---	75906	75906	---	---
Flip Lens - Red Flip Lens - Blue Flip Lens - Green 	75115 75116 75117	---	---	85115 85116 85117	---
Red Wand 	75903	75933	75933	74903	---
White Wand 	75908	75938	75938	---	---
Blue Wand 	75902	75932	75932	---	---
Yellow Wand 	75904	75934	75934	74904	---
Glow in the Dark Wand 	75913	75943	75943	74913	---
USB Cord 22" (55.88 cm) & 40" (101.6 cm) 	22081 - 22" 22070 - 40"	---	---	---	---
"Y" USB Cord 	22082	---	---	---	---
12V DC USB Adapter 	22069	---	---	---	---
Face Cap Ring Kit 	78113	---	---	---	---

SURVIVOR PIVOT® USB // NEW

The multi-function Survivor Pivot USB provides budget-friendly rechargeability combined with a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. It uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Class I, Div. 2 safety-rated.



NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, II, Div. 2, Grps. A, B, C, D, F, G; Class III, T-Code: T4

SURVIVOR PIVOT® // NEW

The multi-function, Survivor Pivot features a dual-beam and 90-degree articulating head. Its spot beam uses a cool white, high-power LED for maximum distance illumination and its flood beam is angled downward for area illumination. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.



NFPA
Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G; Class III, T-Code: T3/T4



	COMBO		SPOT		FLOOD	
	HIGH	LOW	HIGH	LOW	HIGH	LOW
LUMENS:	325	80	300	70	300	70
CANDELA:	19,000	5,000	34,000	8,500	300	75
DISTANCE:	276m	141m	369m	184m	35m	17m
RUN TIME [ALK]:	4.5h	12h	5.5h	15h	5.5h	15h
RUN TIME [LI-ION/SL-B26]:	3.75h	13h	4.25h	16h	4.25h	16h



Battery status indicator in switch:
- Green when fully charged
- Red when low voltage
- Flashes red with 15 minutes left on battery



USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A STREAMLIGHT SL-B26 PROTECTED LI-ION USB RECHARGEABLE BATTERY PACK, LITHIUM-ION BATTERY OR (3) AA ALKALINE BATTERIES

Strong spring-loaded clip securely grabs onto jackets and gear; D-ring provides forward hanging orientation



Optional magnet

SURVIVOR PIVOT USB

BATTERY: SL-B26 rechargeable battery pack; also accepts (3) AA alkaline
SIZE: 7.93 in. (20.1 cm)
WEIGHT NON-MAGNET: Alkaline: 16.7 oz. (473g) // SL-B26: 15.8 oz. (448g)
WEIGHT W/MAGNET: Alkaline: 18.1 oz. (513g) // SL-B26: 17.2 oz. (488g)
COLOR: Orange or Yellow

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE with MAGNET	YELLOW with MAGNET	DESCRIPTION
91804	91814	91838	91839	Survivor Pivot USB - C1D2

SURVIVOR PIVOT

BATTERY: Lithium-ion rechargeable battery pack; also accepts (3) AA alkaline
SIZE: 7.93 in. (20.1 cm)
WEIGHT NON-MAGNET: Alkaline: 16.7 oz. (473g) // Li-Ion: 16.2 oz. (459g)
WEIGHT W/MAGNET: Alkaline: 18.1 oz. (513g) // Li-Ion: 17.6 oz. (499g)
COLOR: Orange or Yellow

ORANGE w/o MAGNET	YELLOW w/o MAGNET	ORANGE with MAGNET	YELLOW with MAGNET	DESCRIPTION
91802	91812	91830	91831	Survivor Pivot - 120V AC/12V DC
91800	91810	91825	91826	Survivor Pivot - Alkaline - C1D1

Note: The Survivor Pivot® is not compatible with legacy Survivor® chargers.

SURVIVOR® X USB

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

BATTERY: USB rechargeable SL-B26 battery pack; also accepts (3) "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline: 12.8 oz. (363g) // SL-B26: 11.9 oz. (337g)
COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90044	90244	Survivor X USB - Includes SL-B26 Battery Pack

Note: The Survivor® X is not compatible with legacy Survivor® chargers.

SURVIVOR® X

The Survivor X provides added features and increased output. Uses lithium-ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

BATTERY: USB rechargeable lithium-ion battery pack; also accepts (3) "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline: 12.8 oz. (363g) // Li-ion: 12.2 oz. (346g)
COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90952	90962	Survivor X - 120V/100V AC/12V DC
90950	90960	Survivor X - Alkaline

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



NFPA
Charger meets requirements of NFPA 1800-11.1.1.2 (2024) mounted in any position

NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)



Class I, II, Div. 2, Grps. A, B, C, D, F, G; Class III, T-Code: T4

Strong spring-loaded clip securely grabs onto jackets and gear; D-ring provides forward hanging orientation



Strong spring-loaded clip securely grabs onto belts and gear; D-ring provides forward hanging orientation



Class I, II, Div. 1, Grps. A, B, C, D, E, F, G; Class III, T-Code: T3/T4

NFPA
Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

NFPA
Charger meets requirements of NFPA 1800-11.1.1.2 (2024) mounted in any position

Battery life indicator in switch:
 - Green indicates full charge
 - Turns red when battery is nearing low voltage
 - Flashes red continuously when 15 minutes left of battery



SURVIVOR ACCESSORIES

DESCRIPTION	SURVIVOR X	SURVIVOR X USB	SURVIVOR PIVOT	SURVIVOR PIVOT USB
5 Unit Bank Charge - 120V AC 5 Unit Bank Charger - 12V DC 	90910 90912	---	90910 90912	---
Li-Ion Bank Charger with batteries - 12V DC Li-Ion Bank Charger with batteries - 120V/110 V AC 	---	20223 20224	---	see page 46
Charger 	90345	---	90345	---
Lithium-Ion Battery 	90341	---	90341	---
Alkaline/SL-B26 Battery Cartridge 	90342	90342	90342	90342
SL-B26 Battery Pack 	---	22101 - 1PK 22105 - 8PK	---	22101 - 1PK 22105 - 8PK
12V DC1 Charge Cord 	22051	---	22051	---
12V DC2 Charge Cord 	22050	---	22050	---
120V AC Charge Cord 	22060	---	22060	---
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord 	22070 22081	22070 22081	22070 22081	22070 22081

Note: The Survivor® X and Survivor Pivot® are not compatible with legacy Survivor® chargers.



VULCAN® 180 HAZ-LO®

The Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform. It features a 180 articulating head to aim the beam for scene lighting.

Combine the three extremely bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke. IP65-rated; dust-tight and water-resistant.

BATTERY: Lithium-ion
SIZE: 7.43 in. (18.8 cm)
WEIGHT: 2.45 lbs. (1.11kg)
COLOR: Yellow or Orange

	HIGH	LOW
LUMENS:	400	130
CANDELA:	25,000	8,000
DISTANCE:	316m	179m
RUN TIME:	10h	24h



Class I, II, III, Div 1, Grps. A, B, C, D, E, F, G;
Class I, Zone 0, Grps. IIC,
Class III; T-Code: T4

YELLOW	ORANGE	DESCRIPTION
44321	44331	Vulcan 180 HAZ-LO - Standard System - 120V AC/12V DC - Includes shoulder strap
44325	44335	Vulcan 180 HAZ-LO - Vehicle Mount System - 12V DC - Includes shoulder strap

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

VULCAN® 180

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h



The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke. IP64-rated; dust-tight and water-resistant.

BATTERY: Lithium-ion
SIZE: 7.43 in. (18.8 cm)
WEIGHT: 2.47 lbs. (11.23kg)
COLOR: Orange or Yellow

NFPA

Meets requirements of NFPA 1901-14.1.10.2 (2018) mounted in any position



Class I, Div. 2, Grps. A, B, C, D;
Class II, Div. 2, Grps. F, G;
Class III; T-Class: T4



180° articulating head puts the light where you need it.

YELLOW	ORANGE	DESCRIPTION
44307	44311	Vulcan 180 - Standard System - 120V/100V AC/12V DC - Includes quick release strap
44305	44315	Vulcan 180 - Vehicle Mount System - 12V DC - Includes heavy duty shoulder strap

VULCAN CLUTCH®

The Vulcan Clutch, with its downward-angled head is designed to illuminate your path so you can navigate to your destination safely and efficiently. Once on-site, clamp it virtually anywhere and articulate the head to direct the beam where you need it. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IP67-rated; dust-tight and waterproof to 1 m for 30 minutes; 2m impact resistance tested. Uses the same mounting rack as the Vulcan 180.

	HIGH	LOW
LUMENS:	1,700	380
CANDELA:	67,500	15,000
DISTANCE:	520m	245m
RUN TIME:	6.5h	18h
FLASH RUNS 25 HOURS		



Versatile clamping handle



340° articulating head



1700
LUMENS



NFPA

Charging rack meets requirements of NFPA 1900-11.11.2 (2024) mounted in any position

ORANGE WITH QUICK RELEASE STRAP	YELLOW WITH HEAVY DUTY STRAP	DESCRIPTION
44361	44371	Vulcan Clutch - 120V/100V AC/12V DC
44365	44375	Vulcan Clutch - Vehicle Mount System - 12V DC
44360	44370	Vulcan Clutch - Light Only

BATTERY: Lithium-ion Rechargeable
SIZE: 11.39 in. (23.85 cm)
WEIGHT: 2.84 lbs. (1.288kg)
COLOR: Yellow or Orange



PORTABLE SCENE LIGHT II

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h



Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: Lithium-ion
SIZE: 16 in. (40.6 cm)
WEIGHT: 15.56 lbs. (7.06kg)
COLOR: Red

ITEM #	DESCRIPTION
46000	Portable Scene Light II - 120V/12V DC

PORTABLE SCENE LIGHT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h



Portable Scene Light: pole extends to 72" (182.88 cm)
Portable Scene Light EXT: pole extends to 84" (213.36 cm)

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord
SIZE: 22.5 in. (57.2 cm) // 25.5 in. (64.8 cm) w/EXT
WEIGHT: 25 lbs. (11.3kg) // 25.5 lbs. (11.6kg) w/EXT
COLOR: Yellow

ITEM #	DESCRIPTION
45670	Portable Scene Light - 120V AC/12V DC
45680	Portable Scene Light EXT - 120V AC/12V DC

E-SPOT® LITEBOX®



	HIGH	LOW
LUMENS:	1,500	350
CANDELA:	110,000	25,000
DISTANCE:	663m	316m
RUN TIME:	7.5h	17.75h



E-Spot series produces a long range, focused beam pattern using four LEDs within deep parabolic reflectors to spotlight an area with focused bright light. It features a swivel head that makes it easy to inspect high bays, ceilings, and out-of-the-way places. Its large push-button switch is easy to use with heavy gloves and features a battery status indicator. A large grip area makes for easy hand-offs. Includes heavy duty shoulder strap.

NFPA Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
45851	45871	E-Spot LiteBox - 120V AC/12V DC - Includes shoulder strap & mounting rack
45855	45875	E-Spot LiteBox - Vehicle Mount System - 12V DC - Includes shoulder strap
45857	---	E-Spot LiteBox - Power Failure System - 120V AC/12V DC - Includes mounting rack
45856	45876	E-Spot LiteBox - Without Charger

BATTERY: Lithium-ion
SIZE: 11.2 in. (28.4 cm)
WEIGHT: 3.1 lbs. (1.39kg)
COLOR: Yellow or Orange

LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
Standard Mounting Rack — Orange Vehicle Mounting Rack — Orange	45070 45071	E-Spot LiteBox
Vehicle Mounting Rack — Yellow	45074	E-Spot LiteBox
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack - Black	44350 44306	Vulcan 180 Series, Vulcan Clutch
12V DC (Car Socket) Charge Cord	22051	E-Spot LiteBox, Vulcan 180 Series, Vulcan Clutch
12V DC Charge Cord	22050	E-Spot LiteBox, Vulcan 180, Vulcan Clutch
12V DC Charge Cord (10 ft/3m)	22056	Portable Scene Light, Vulcan 180 Series
120V Charge Cord	22060	E-Spot LiteBox, Vulcan 180 Series, Vulcan Clutch
Power Supply 120V AC Charge Cord	22083 22074	Portable Scene Light
Battery (Sealed Lead Acid)	45630	Portable Scene Light
Battery (Sealed Lead Acid)	45937	E-Spot LiteBox (original)
Battery (Lithium-ion)	45938	E-Spot LiteBox (upgrade)
Battery (Lithium-ion)	44366	Vulcan Clutch
Battery (Lithium-ion)	44351	Vulcan 180
Battery (Lithium-ion)	44352	Vulcan 180 HAZ-LO
Battery Pack (Lithium-ion)	46005	Portable Scene Light II
LED Upgrade Kit	45845	E-Spot LiteBox (original)
Quick Release Strap	44050	E-Spot LiteBox, Vulcan 180
Heavy Duty Shoulder Strap w/ carabiner lock	45677	Portable Scene Light, Portable Scene Light EXT

WAYPOINT® 400

	HIGH	MEDIUM	LOW
LUMENS:	1,400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h



The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium-ion
SIZE: 6.75 in. (17.14 cm)
WEIGHT: 1.52 lbs. (691g)
COLOR: Yellow or Black



ITEM #	DESCRIPTION
44910	Waypoint 400 - 120V AC - Box - Yellow
44911	Waypoint 400 - 120V AC - Box - Black
44918	Polymer Storage Mount
44909	120V AC Charge Cord
44923	12V DC Cord



WAYPOINT®



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. It features an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for line inspections or looking for addresses or any other objects you can't get close to easily. 12V DC power cord for unlimited run time (does not charge batteries). Polymer storage mount (included). IPX4-rated; water-resistant.



BATTERY: (4) "C" batteries (not included)
SIZE: 6.75 in. (17.15 cm)
WEIGHT: 1.8 lbs. (816g)
COLOR: Yellow or Black

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h
12V DC POWER CORD - UNLIMITED RUN TIME EMERGENCY SIGNAL: RUNS 82 HOURS		

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC Power Cord - Box - Yellow
44902	Waypoint - Includes 12V DC Power Cord - Box - Black
44908	Polymer Storage Mount
44903	12V DC Cord (power cord does not charge batteries)



12V DC power cord for unlimited run time



Polymer storage mount (included)

THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low. Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m and it floats.

with [(RED SOS)]



BATTERY: (3) "D" batteries
SIZE: 7.25 in. (18.42 cm)
WEIGHT: 1 lb. 15 oz. (878.83g)
COLOR: Coyote

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
RED	HIGH	SOS	
LUMENS:	10	10	
RUN TIME:	235h	430h	

ITEM #	DESCRIPTION
44931	The Seige
44950	Glare Guard™
44952	Magnetic Accessory Base - Black

GlareGuard



Magnetic Accessory Base



Features rugged carry handle and D-rings for hanging



WEDGE[®] SERIES

1,000 LUMENS | TACTICA TAIL SWITCH |
WATERPROOF | USB-C RECHARGEABLE

WEDGE[®] XT

The Wedge XT is an ultra-compact, high-performance EDC light engineered with a push-button tail switch for effortless, one-handed operation. Five-Tap[®] Lockout system prevents accidental activation inside your pocket or bag. Rugged, anodized aluminum construction, with a waterproof USB-C port that features a battery/charge status indicator. IPX7-rated; waterproof to 1m.

BATTERY: Lithium Polymer
SIZE: 4.25 in. (10.8 cm)
WEIGHT: 2.62 oz. (74.3g)
COLOR: Black or Coyote



Charge indication LED
Red – Charging
Green – Charged

Battery charges in 6 hours

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C Cord, pocket lanyard - Black
88813	Wedge XT - Includes USB-C Cord, pocket lanyard - Coyote
22084	USB-C Cord - 22" (58.8 cm)

WEDGE®

// NEW COLORS: NOW IN RED, BLUE & PURPLE

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.



	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h




BATTERY: Lithium Polymer
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 3.3 oz. (93.5g)
COLOR: Black, Coyote, Red, Blue or Purple



ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord and lanyard - Black
88811	Wedge - Includes USB-C cord and lanyard - Coyote
88814	Wedge - Includes USB-C cord and lanyard - Red
88817	Wedge - Includes USB-C cord and lanyard - Blue
88818	Wedge - Includes USB-C cord and lanyard - Purple



Battery charge indicator located in the on/off switch.
 Charge indication:
 Red - Charging // Green - Charged



STREAMLIGHT
MICROSTREAM/MACROSTREAM SERIES



MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



Removable pocket clip
 also clips onto brim of hat
 for hands-free use

The MicroStream is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for the tradesmen who don't want to be weighed down by larger lighting tools.

High-strength lanyard

BATTERY: (1) "AAA" alkaline
SIZE: 3.6 in. (9.14 cm)
WEIGHT: 1.1 oz. (31.2g)
COLOR: Black



ITEM #	DESCRIPTION
66318	MicroStream with Alkaline Battery
72024	Lanyard with Push Button Slide

MICROSTREAM® USB



	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source.

Clip onto brim of hat for
 hands-free use

BATTERY: Lithium-ion
SIZE: 3.87 in. (9.83 cm)
WEIGHT: 1.2 oz. (34.1g)
COLOR: Black or Coyote



ITEM #	DESCRIPTION
66604	MicroStream USB - Micro-USB cord & lanyard - Box - Black
66609	MicroStream USB - Micro-USB cord & lanyard - Box - Coyote
72024	Lanyard with Push Button Slide
22081	22 in. (55.88 cm) Micro-USB Cord

MACROSTREAM® USB

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



High-powered ultra-compact lithium-ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

Pocket clip attaches to visor for hands-free use



BATTERY: Lithium-ion
SIZE: 4.5 in. (11.43 cm)
WEIGHT: 2.2 oz. (62.4g)
COLOR: Black

ITEM #	DESCRIPTION
66320	MacroStream USB - Includes Micro-USB cord and lanyard
66321	Lithium-ion battery - MacroStream USB
22070	Micro USB cord
22071	120V AC USB cord



STREAMLIGHT JR. F-STOP®



	FLOOD	SPOT
LUMENS:	250	220
CANDELA:	360	5,600
DISTANCE:	38m	150m
RUN TIME (ALK):	6h	6h
RUN TIME (LITH):	10h	10h



Slide bezel forward to transition from flood to spot

The perfect work light that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.



Magnetic Clip Holder



Rubber Hard Hat Strap

BATTERY: (2) "AA" alkaline or lithium batteries
SIZE: 6.5 in. (16.51 cm)
WEIGHT: 4.4 oz. (125g)
COLOR: Black

ITEM #	DESCRIPTION
71701	Streamlight Jr. F-Stop - Includes (2) alkaline batteries
71503	Nylon Holster
71510	Magnetic Clip Holder
99075	Rubber Hard Hat Strap



STYLUS PRO®

The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 62 meters.

- BATTERY:** (2) "AAA" alkaline
- SIZE:** 5.3 in. (13.4 cm)
- WEIGHT:** 1.64 oz. (46.9g)
- COLOR:** Black, Red, Silver, Blue, Orange or Lime Green

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



ITEM #	DESCRIPTION
66118	Stylus Pro - Black
66120	Stylus Pro - Red
66121	Stylus Pro - Silver
66122	Stylus Pro - Blue
66128	Stylus Pro - Orange
66129	Stylus Pro - Lime Green
66028	Nylon Holster

STYLUS PRO® USB //
STYLUS PRO® USB UV

The Stylus Pro USB has a new body style and is shining brighter! It features a slimmer profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. Powers on in "LOW MODE." Press switch twice for high mode.

UV model ideal for leak detection.

WHITE LED	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h

400NM UV LED	
OUTPUT:	250mW
RUN TIME:	2.5h



UV Model features a purple sleeve for easy identification

ITEM #	DESCRIPTION
66133	Stylus Pro USB - 120V AC with holster
66134	Stylus Pro USB - USB cord & holster
66148	Stylus Pro USB UV - 120V AC with holster
66149	Stylus Pro USB UV - Micro-USB cord & holster
66143	Stylus Pro USB Battery
22070	Micro USB cord
22071	120V AC USB cord
22069	12V DC USB Adapter
66029	Nylon Holster

- BATTERY:** Lithium-ion
- SIZE:** 5.95 in. (15.1 cm)
- WEIGHT:** 1.8 oz. (51g)
- COLOR:** Black



POCKET MATE®

The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4-rated; weather-resistant. Two year warranty.



BATTERY: Lithium polymer
SIZE: 2 in. (5.1 cm)
WEIGHT: 0.5 oz. (14.2g)
COLOR: Silver, Red, Blue or Pink

ITEM #	DESCRIPTION
73300	Pocket Mate - with Micro-USB cord - Silver
73301	Pocket Mate - with Micro-USB cord - Red
73302	Pocket Mate - with Micro-USB cord - Blue
73303	Pocket Mate - with Micro-USB cord - Pink



	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1h



Pocket clip attaches to visor for hands-free use

THE LOGO™

Weighs less than half an ounce and has 3 light levels plus a blink mode that will flash for 45 hours. To conserve battery, it automatically turns off after six minutes in high, medium or low modes. Weather-resistant.

BATTERY: (2) CR2016 lithium coin cell
SIZE: 1.8 in. (4.57 cm)
WEIGHT: 0.37 oz. (10.7g)
COLOR: Black

ITEM #	DESCRIPTION
73100	The Logo

	HIGH	MEDIUM	LOW
LUMENS:	10	5	2.5
BLINK RUNS 45 HOURS			



THE PROTAC SERIES PRESENTS...
PROTAC® 2AA-X USB



PROTAC® 2AA-X USB **NEW**

The ProTac 2AA-X USB is a multi-fuel tactical light that can use either a proprietary Streamlight protected lithium polymer USB rechargeable battery pack (included) or two "AA" alkaline disposable batteries. It features a tactical tail cap switch for momentary or constant on operation and three different user selectable programs. Knurled body for a sure grip. Packaged with a removable pocket clip and holster.

LITHIUM POLYMER	HIGH	LOW
LUMENS:	550	40
CANDELA:	10,250	740
DISTANCE:	203m	54m
RUN TIME:	2.25h	16h
STROBE RUNS 4.5 HOURS		
AA	HIGH	LOW
LUMENS:	270	18
CANDELA:	5,000	400
DISTANCE:	141m	40m
RUN TIME:	2.5h	48h
STROBE RUNS 5 HOURS		

MULTI-FUEL DESIGN:
Runs on lithium polymer battery pack or alkaline batteries



[(STROBE)]
Double tap switch to activate



CHARGING **CHARGED**

Features integrated USB-C port:
Charge status LED: (as shown to the left)
Lithium Polymer Battery Recharges in 4 hours



BATTERY: Lithium polymer USB rechargeable battery pack or (2) "AA" alkaline
SIZE: 6 in. (15.3 cm)
WEIGHT: 3.5 oz. (99g)
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88135	ProTac 2AA-X USB- Includes lithium polymer battery pack, USB-C cord and holster - Black
88137	ProTac 2AA-X USB- Includes lithium polymer battery pack, USB-C cord and holster - Coyote
88136	Protected lithium polymer USB-C rechargeable battery pack

PROTAC® 2AA

	HIGH	LOW
LUMENS:	250	18
CANDELA:	4,250	400
DISTANCE:	130m	40m
RUN TIME:	2h	43h
STROBE RUNS 4 HOURS		



[(STROBE)]
Double tap
switch to activate

Using two alkaline batteries, the ProTac 2AA is a versatile personal light the size of a marker that produces 250 lumens of bright light. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) "AA" alkaline
SIZE: 6.14 in. (15.6 cm)
WEIGHT: 3.4 oz. (96g)
COLOR: Black

ITEM #	DESCRIPTION
88033	ProTac 2AA - Includes (2) "AA" alkaline batteries & holster

PROTAC HL® 6 **NEW**

The ProTac HL 6 is a high-powered, multi-fuel tactical light that produces 5,300 lumens for two hours. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a "sure grip rubber sleeve" and includes a lanyard.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	1,500	450
CANDELA:	80,000	23,000	6,700
DISTANCE:	566m	303m	164m
RUN TIME:	2h	3.75h	12.5h
STROBE RUNS 4 HOURS			

BATTERY: (2) SL-B48 Li-Ion USB rechargeable battery packs
SIZE: 10.5 in. (26.6 cm)
WEIGHT: 1.3 lbs. (590g)
COLOR: Black

ITEM #	DESCRIPTION
88131	ProTac HL 6 - Includes 120V AC Adapter, (2) SL-B48 rechargeable batteries, "Y" USB-C cord and wrist lanyard
88132	ProTac HL 6 - Includes (2) SL-B48 rechargeable batteries "Y" USB-C cord and wrist lanyard

PROTAC® 2.0

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h
STROBE RUNS 4 HOURS 25 MIN			



[(STROBE)]
Double tap
switch to activate

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by a SL-B50® battery pack that charges inside the light using a USB-C cord. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 6.1 in. (15.49 cm)
WEIGHT: 8.25 oz. (234g)
COLOR: Black

ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord, nylon holster



[(STROBE)]
Double tap
switch to activate



Includes two SL-B48® battery

PROTAC HL® USB



Gives you maximum illumination and provides full situational awareness by delivering extraordinary brightness in a wide beam pattern so you can see into those dark corners. Ideal for areas where you need a lot of light to see all around you. Uses rechargeable lithium ion battery; also accepts two CR123A lithium batteries or a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack.

BATTERY: Lithium-ion, SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries
SIZE: 6.5 in. (16.5 cm)
WEIGHT: 7.2 oz. (204g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	1,000	380	65
CANDELA:	12,000	4,420	700
DISTANCE:	219m	133m	53m
RUN TIME:	1.5h	3.5h	23h

STROBE RUNS 1.5 HOURS



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack, lithium-ion or CR123A batteries

[(STROBE)]
 Double tap switch to activate

ITEM #	DESCRIPTION
88040	ProTac HL USB - Includes USB cord & holster
88054	ProTac HL USB - 120V AC/12V DC & holster

PROTAC® 2L-X USB // PROTAC® 2L-X



	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123A):	2.75h	30h
RUN TIME (SL-B26):	3.25h	30h

STROBE RUNS 3.25 HOURS (CR123A);
4.5 HOURS (SL-B26)



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A batteries

[(STROBE)]
 Double tap switch to activate

The ProTac 2L-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 5.14 in. (13 cm)
WEIGHT: SL-B26: 4.4 oz. (125g) // CR123A: 3.9 oz. (111g)
COLOR: Black

ITEM #	DESCRIPTION
88063	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster
88083	ProTac 2L-X USB - Includes SL-B26 battery pack, USB cord & holster

PROTAC® HL-X USB // PROTAC® HL-X

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123A):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h

STROBE RUNS 2.5 HOURS (CR123A);
3.25 HOURS (SL-B26)



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A batteries

[(STROBE)]
 Double tap switch to activate



The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 5.43 in. (13.8 cm)
WEIGHT: SL-B26: 6.2 oz. (176g) // CR123A: 5.7 oz. (162g)
COLOR: Black

ITEM #	DESCRIPTION
88065	ProTac HL-X - Includes (2) CR123A lithium batteries & holster
88085	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord & holster

POLYTAC® X USB // POLYTAC® X



Multi-fuel design provides you the versatility to use two CR123A batteries or one SL-B26 protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7-rated; waterproof to 1m for 30 minutes.

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

[(STROBE)]
Double tap switch to activate



NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123A):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h
STROBE RUNS 8 HOURS(SL-B26) 5.30 HOURS (CR123A)			

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 5.46 in. (13.87 cm)
WEIGHT: SL-B26: 4.9 oz. (139g) // CR123A: 4.4 oz. (125g)
COLOR: Yellow

ITEM #	DESCRIPTION
88604	PolyTac X - Includes (2) CR123A Lithium batteries
88614	PolyTac X USB - Includes SL-B26 battery pack & USB cord

POLYTAC 90® X USB // POLYTAC 90® X

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123A batteries.



NFPA Meets requirements of NFPA 1971-8.6 (2018)

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123A):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h

MULTI-FUEL DESIGN:
Runs on SL-B26 battery packs or CR123A batteries

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 4.43 in. (11.25 cm)
WEIGHT: SL-B26: 4.8 oz. (136g) // CR123A: 4.3 oz. (122g)
COLOR: Yellow

ITEM #	DESCRIPTION
88831	PolyTac 90 X - Includes (2) CR123A lithium batteries
88836	PolyTac 90 X USB - Includes SL-B26 battery pack

PROTAC // POLYTAC ACCESSORIES

ACCESSORY	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	85175 85180 85177 85179	ProTac HL USB, ProTac 2L-X, ProTac HL-X, PolyTac X
SL-B26 Battery Pack - 2pk SL-B26 Battery Pack - 8pk	22102 22105	ProTac HL USB, ProTac HL-X USB, ProTac 2L-X USB, ProTac 5-X USB, PolyTac X USB
Lithium Polymer Battery Pack	88136	ProTac 2AA-X USB
SL-B48 Battery Pack - 2pk	88133	ProTac HL 6
22" (55.88 cm) USB-C cord	22084	ProTac 2.0, ProTac 2AA-X USB
120V AC Adapter	22089	ProTac HL 6
"Y" Split USB-C Cord	22090	ProTac HL 6
120V AC USB Charge Cord	22071	Li-ion Charge Cradle, ProTac HL USB
Nylon Holster	88038	ProTac 2AA, ProTac 2AA-X USB
Rubber Helmet Strap	99075	PolyTac X


STREAMLIGHT SL-B26 RECHARGEABLE BATTERY

SL-B26[®] PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK



Charger temperature safety circuit prevents damage to batteries while charging.

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.



CHARGING CHARGED
Features integrated USB port.
Charge status LEDs:
Red = charging Green = charged

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB Rechargeable Battery Pack - 1pk
22102	SL-B26 Li-Ion USB Rechargeable Battery Pack - 2pk
22104	SL-B26 Li-Ion USB Rechargeable Battery Pack - 2pk - Box
22105	SL-B26 Li-Ion USB Rechargeable Battery Pack - 8pk
22100	Li-Ion Charge Cradle
22010	Li-Ion Battery Pack Kit - USB Cord, (2) SL-B26 battery packs
22011	Li-Ion Battery Pack Kit - 120V AC, (2) SL-B26 battery packs
22070	40 in. (101 cm) USB Cord
22081	22 in. (55.88 cm) USB Cord

BATTERY CAPACITY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
BATTERY SIZE: 2.75 in. (7 cm)
BATTERY WEIGHT: 1.7 oz. (48g)
CRADLE SIZE: 4.5 in. (11.4 cm)
CRADLE WEIGHT: 2.4 oz. (68g)

EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger in 5.25 hours. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1 in. 2.54 cm) requires minimal mounting area. Charge indicators over each battery: Red = charging; Green = charged.

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2018); mounted in upright position



12V DC Charge Cord



120V AC Charge Cord

ITEM #	DESCRIPTION
20221	8-Unit Bank Charger - 120V AC
20220	8-Unit Bank Charger - 12V DC
20224	8-Unit Bank Charger - with SL-B26 batteries - 120V AC
20223	8-Unit Bank Charger - with SL-B26 batteries - 12V AC
44909	120V AC Cord
44923	12V DC Cord

BANK CHARGER
SIZE: 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm)
WEIGHT WITHOUT BATTERIES: 7.6 oz. (216g)
WEIGHT WITH BATTERIES: 20.88 oz. (592g)

STREAMLIGHT'S ENGRAVING PROCESS

Personalize Your Lights

Make your Streamlight flashlights a little more personal! We offer custom engraving for our products. Whether it's a for a safety award, to celebrate a corporate event, show appreciation to an employee or just display your logo, we can personalize your flashlights to suit your needs. Here are a few engraving suggestions:

- Annual Safety Award
- Employee Appreciation
- Website
- Company Logo
- Department
- Address
- Corporate Event
- Departmental Patch
- Phone number



Streamlight's Imprinting Department

If you have artwork ready to go, our Imprinting Department will work with you to fit the design to your flashlight of choice. We can also customize an imprint for you with one of the following fonts:

- Amerigo Bold**
- Brush Script Regular*
- Futura Lite**
- Swiss 721 Roman**

FAQs

- Which Streamlight flashlights can be engraved?
- Most of Streamlight's aluminum flashlights can be laser engraved.
- How large will the engraved image be?
- It depends upon the dimensions of the engravable area of each light (noted on imprint guides).
- Where on the flashlight will the engraving appear?
- The location of the engraving depends upon which light is being personalized.
- How long will it take to get my order?
- Please allow up to an additional 1-2 week lead time for most orders. For larger orders call for a lead time estimate.
- What file format do you require for supplied artwork?
- Supplied artwork format must be a black and white bitmap (.bmp) file.

How to Order

To have your product engraved, note "Custom Imprinting" on your order form and include your camera-ready artwork (.bmp file) or use one of our typefaces. A Customer Service Representative (CSR) will contact you and send an engraving order form for your approval and signature.

Engraving fees and minimum order requirements apply. Consult with your CSR to determine price and lead time.

 STREAMLIGHT		30 FAIRVIEW ROAD - FAIRVIEW, PA 15403 PHONE: 610-631-0600 FAX: 610-631-0712	<i>Customer Approval</i>
Date:	Company:	<input type="checkbox"/> Approved fonts: (check one if artwork is unavailable) <input type="checkbox"/> Amerigo Bold <input type="checkbox"/> Futura Lite <input type="checkbox"/> <i>Brush Script Regular</i> <input type="checkbox"/> Swiss 721 Roman	
Attention:	Sales Order #:	- ARTWORK FOR LOGOS SHOULD BE SUBMITTED AS EPS FILES OR: • ILLUSTRATOR FILES (NO JPEG), DXF, DWG AND IGES FOR HOT STAMP AND PAD PRINTING. • BMP AND JPEG FOR LASER ENGRAVING (PREFERRED). BLACK AND WHITE CAMERA READY ARTWORK IS ALSO ACCEPTABLE. IF THE PROPER FILE FORMAT IS NOT SUPPLIED, EXTRA CHARGES MAY BE INCURRED. - ACTUAL SIZE OF IMPRINT MAY VARY, AS NECESSARY, FROM ARTWORK.	
ISR:	***Your imprint order is QLN_HOLD pending approval of this layout.*** <input type="checkbox"/> The undersigned acknowledges the exclusive right, title and interest in and to the proposed engraving word(s) and/or image free of any encumbrance or third party restriction and hereby authorizes and indemnifies the use of the same. Streamlight, Inc. reserves the right to cancel this request at any time if it determines said authority not valid for any reason.		
Approved By: _____		Date: _____	
IMPRINT GUIDE – STYLUS PRO – IMPRINT BY LASER ENGRAVING ONLY.			
			
<div style="border: 1px dashed black; width: 100px; height: 20px; margin: 0 auto;"></div> <p style="text-align: center;">REQUESTED IMPRINT ORIENT AS SHOWN (SEE NOTE) (2.0"x.25" Approx.)</p>			
			



Contact Information

Contact us today for more information!

Phone: (800) 523-7488 / +1 (610) 631-0600

Fax: (800) 220-7007 / +1 (610) 631-0712

cs@streamlight.com



STREAMLIGHT®

Streamlight, Inc.
30 Eagleville Road
Eagleville, Pa 19403
U.S.A.
streamlight.com

[800] 523-7488 Toll-Free
[800] 220-7007 Fax
[610] 631-0600
[610] 631-0712 Fax

#StreamlightStrong

