



STREAMLIGHT®

STREAMLIGHT®
50 YEAR
ANNIVERSARY
SINCE 1973



ILLUMINATION TOOLS FOR

**INDUSTRIAL/MRO UTILITY
& SAFETY PROFESSIONALS**



This icon will be seen throughout the catalog. It is an indicator that there are retail packaging options available on select product. If you see this icon and would like to learn more about our retail packaged product, please contact your sales representative.



DUALIE® 3AA
COLOR-RITE® pg. 6



DUALIE®
RECHARGEABLE pg. 6



DUALIE® 2AA
pg. 7



STYLUS PRO®
HAZ-LO® pg. 11



USB HAZ-LO® HEADLAMP
pg. 13



ENDURO® PRO HAZ-LO®
pg. 14



TWIN-TASK® USB
HEADLAMP pg. 16



ENDURO® PRO
pg. 17



PROTAC 2.0®
HEADLAMP pg. 17



BEARTRAP®
pg. 18



FLIPMATE®
pg. 22



SYCLONE® JR.
pg. 23



STINGER LED HL®
pg. 26



STINGER® HPL
pg. 27



POLYSTINGER® LED
pg. 27



POLYSTINGER® LED
HAZ-LO® pg. 27



STRION LED HL®
pg. 29



STRION® LED
pg. 29



VULCAN CLUTCH®
pg. 36



E-SPOT® LITEBOX®
pg. 37



WAYPOINT® 400
pg. 38



WAYPOINT®
pg. 39



THE SIEGE®
pg. 39



WEDGE®
pg. 40



THE LOGO™
pg. 45



PROTAC® 2.0
pg. 46



SL-B50® BATTERY
PACK pg. 46



PROTAC® 2AA
pg. 46



PROTAC HL® USB
pg. 47



PROTAC HL® 5-X USB/
PROTACHL® 5-X pg. 47



PROTAC® 2L-X
pg. 48



DUALIE® 3AA
pg. 7



DUALIE® 3AA LASER
pg. 8



2AAA PROPOLYMER®
HAZ-LO® pg. 10



2AA PROPOLYMER®
HAZ-LO® pg. 10



4AA PROPOLYMER®
LUX® pg. 10



4AA PROPOLYMER®
LED® pg. 10



3AA HAZ-LO®
pg. 14



BANDIT® PRO
pg. 15



QB®
pg. 15



PROTACHL® USB
HEADLAMP pg. 15



PROTACHL®
HEADLAMP pg. 15



VANTAGE® II
pg. 16



SYCLONE®
pg. 23



STRION
SWITCHBLADE® pg. 24



STINGER
SWITCHBLADE® pg. 24



STINGER®
COLOR-RITE® pg. 25



STINGER® 2020
pg. 26



STINGER® LED
pg. 26



SURVIVOR® X USB
pg. 30



SURVIVOR® X
pg. 30



PORTABLE SCENE LIGHT II
pg. 32



PORTABLE
SCENE LIGHT pg. 34



VULCAN® 180 HAZ-LO®
pg. 35



VULCAN® 180
pg. 35



WEDGE® XT
pg. 41



MICROSTREAM®
pg. 42



MICROSTREAM®
USB pg. 42



MACROSTREAM®
USB pg. 43



STREAMLIGHT
F-STOP® pg. 43



STYLUS PRO®
pg. 44



STYLUS PRO® USB/UV
pg. 44



POCKET MATE®
pg. 45



PROTAC® HL-X
pg. 48



POLYTAC® X
pg. 48



PROTAC® 90 X
pg. 49



POLYTAC® 90 X
pg. 49



SL-B26® LI-ION BATTERY &
BANK CHARGER pg. 50

TO LEARN MORE TUNE INTO
YOUTUBE.COM/STREAMLIGHTTV



YOUR SAFETY IS VERY IMPORTANT TO US



STREAMLIGHT® GIVES YOU MORE SAFETY-RATED LIGHTS FOR MORE OPTIONS IN HAZARDOUS LOCATIONS.

Streamlight flashlights are tested and certified by the world's leading independent laboratories — including Underwriters Laboratories, ATEX, Demko, and the Mine Safety and Health Administration (MSHA). This testing is your assurance that the Streamlight flashlight you choose will be safe in the environment(s) in which you'll be using it.

NEW
STYLUS PRO® HAZ-LO®



2AA PROPOLYMER®
HAZ-LO®



2AAA PROPOLYMER®
HAZ-LO®



4AA PROPOLYMER®
LUX



4AA PROPOLYMER®
LED

NFPA®



DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by “class” and “division.” There are three classes:



CLASS I locations are made hazardous by the presence of flammable gases, liquids or vapors.



CLASS II locations are hazardous because combustible dusts are present.



CLASS III locations contain easily ignitable fibers or flyings.

The “Division” designation refers to the likelihood that ignitable concentrations of flammable materials are present. There are two divisions:



DIVISION 1 designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions, or where easily ignitable fibers and flyings are manufactured, handled or used.



DIVISION 2 locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by “groups” based on the physical properties of their combustible materials. These groups include (but are not limited to):



GROUP A Acetylene

GROUP B Hydrogen

GROUP C Ethylene, carbon monoxide

GROUP D Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane



GROUP E Metals including aluminum, magnesium (Div. 1 only)

GROUP F Carbonaceous dusts including coal, carbon black, coke

GROUP G Dusts not included in E and F including wood, plastics, flour, starch or grain dusts



DUALIE® 3AA
COLOR-RITE®



DUALIE® 3AA



DUALIE® 2AA



DUALIE®
RECHARGEABLE



DUALIE® 3AA LASER



POLYSTINGER® LED
HAZ-LO®



SURVIVOR® X



ENDURO® PRO HAZ-LO®



USB HAZ-LO® HEADLAMP



3AA HAZ-LO®

YOUR SAFETY IS OUR TOP PRIORITY


Since the most extreme hazardous conditions are often in dark places, Streamlight has developed a complete line of Class I, Division 1 safety-rated lighting tools approved for use in hazardous environments.

STREAMLIGHT'S HAZ-LO SERIES OF LIGHTING TOOLS PROVIDE PEACE OF MIND WITH A DIVISION 1 RATING.

When working in a Division 1 area, we expect combustible materials to be present. Streamlight's HAZ-LO product line is suitable for use in these locations. While outfitting your crew with Division 1 level tools, it is important to note Class, Group and Temperature code requirements to select the correct flashlight for specific applications.

WHY ARE SAFETY RATINGS IMPORTANT?

There are several types of locations in which it can be extremely dangerous to use flashlights that have not been specifically designed and approved for that environment. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts, or ignitable fibers or flyings. If you plan to use a flashlight in any potentially hazardous location, it is critical that your light be safety-rated for that specific environment.



Scan or click to watch our video:
"You Bet Your Light On It: Safety
Ratings Explained"

DUALIE® 3AA COLOR-RITE®



The Dualie® 3AA Color-Rite® is an intrinsically safe, high performance, 3 "AA" battery powered flashlight that produces a bright, white light to see ahead of you. The flood beam uses a high output CRI LED for true color recognition. It has opposing switches for easy user activation of desired function.

Body features a superior grip texture to provide a comfortable but slip resistant feel and is constructed of an engineered polymer resin that is virtually indestructible, shock resistant, non-conductive and light weight. The integrated, non-protruding spring loaded belt clip is contained within the body outline. So much power and technology in one place!

IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

BATTERY: 3 "AA" alkaline or lithium

SIZE: 7 in. (17.78 cm)

WEIGHT: 6.6 oz. (187g)

COLOR: Yellow



Class I & II, Div. I,
Groups A, B, C, D, E, F, G
Class III, CL I, ZN D, IIC
Exia; T-Code: T4

ITEM #	DESCRIPTION
68910	Dualie 3AA Color-Rite – Includes 3 "AA" alkaline batteries


	SPOT	FLOOD	COMBO
LUMENS:	225	175	320
CANDELA:	8,000	380	7,000
DISTANCE:	179m	39m	167m
RUN TIME:	8h	8.5h	5h

**Color-
Rite®**



DUAL BEAM DESIGN:

The Dualie design produces either a spot beam with a cool white LED or a flood beam that uses a CRI LED for true color recognition.



DUALIE® RECHARGEABLE



See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang hook for hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div.1. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested.

Use with #68089 Polymount Kit for hands-free helmet lighting (see page 11 for more information).

BATTERY: Lithium-ion

SIZE: 7 in. (17.78 cm) // 7.5 in. (19.05 cm) w/Magnetic Clip Option

WEIGHT: 6.8 oz. (193g) // 7.09 oz. (201g) w/Magnetic Clip Option

COLOR: Yellow or Black



Class I & II, Div. I,
Groups A, B, C, D, E, F, G
Class III, CL I, ZN D, IIC
T-Code: T4; Exia

	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7h 15m	13h 30m	5h 30m



Rugged, integrated, pocket clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use.

WITH MAGNET	WITHOUT MAGNET	DESCRIPTION
68793	68732	Dualie Rechargeable - 120V/100V AC - Yellow
68794	68733	Dualie Rechargeable - 120V/100V AC - Black
68795	68734	Dualie Rechargeable - 12V DC Direct Wire - Yellow
68796	68735	Dualie Rechargeable - 12V DC Direct Wire - Black
68785	68730	Dualie Rechargeable - Light only - Yellow
68786	68731	Dualie Rechargeable - Light only - Black



Compact charge base


Magnetic clip with integrated hang hook for hands-free use.



DUALIE® 2AA



See what's ahead of you and right at your feet with the intrinsically safe Dualie 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments. IPX4-rated; water-resistant.



Integrated magnet on tail end for hands-free use.



	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h

BATTERY: 2 "AA" alkaline
SIZE: 6.1 in. (15.5 cm)
WEIGHT: 3.9 oz. (111g)
COLOR: Yellow or Black



Class I, II, Division 1,
 Groups A, B, C, D, E, F, G;
 Class III; CL I, ZN O, IIC; Exia; T-Code: T4

ITEM #	DESCRIPTION
67751	Dualie 2AA - without batteries - Box - Yellow
67752	Dualie 2AA - without batteries - Clam - Black



Mount to your hardhat with #68089 Polymount Kit. A lightweight and comfortable hands-free lighting option to get you through your shift.

See page 11 for more information

DUALIE® 3AA



See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I, Div. 1. IP67-rated; waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

Use with #68089 Polymount Kit for hands-free lighting (see page 13 for more information).



Class I & II, Div. I,
 Groups A, B, C, D, E, F, G
 Class III; CL I, ZN O, IIC
 T-Code: T4; Exia



Permissible Flashlight
 App. No. 20-A160001-0
 Tested for Intrinsic Safety in
 Methane-Air mixtures only

BATTERY: 3 "AA" alkaline
SIZE: 7 in. (17.78 cm) // 7.5 in. (19.05 cm) w/Magnetic Clip Option
WEIGHT: 6.8 oz. (193g) // 7.1 oz. (201g) w/Magnetic Clip Option
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68751	Dualie 3AA - without batteries - Box - Yellow
68753	Dualie 3AA - without batteries - Box - Black
68780	Dualie 3AA Magnet - without batteries - Box - Yellow
68781	Dualie 3AA Magnet - without batteries - Box - Black
68782	Dualie 3AA Magnet - with batteries - Box - Yellow
68783	Dualie 3AA Magnet - with batteries - Box - Black

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	18m	-
RUN TIME:	18h	18h	9h



Magnetic clip with integrated hang hook for hands-free use.



Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use.

DUALIE® 3AA LASER



Intrinsically safe flashlight featuring a red laser pointer. With a focused spot beam, you can see what's ahead of you and illuminate your work area while using the laser to identify and pinpoint objects at a distance. IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested.

Use with #68089 Polymount Kit for hands-free lighting (see page 11 for more information).

	LED	LASER
LUMENS:	150	<5MW OUTPUT
CANDELA:	7,700	--
DISTANCE:	175m	--
RUN TIME:	17h	70h



BATTERY: 3 "AA" alkaline
SIZE: 7 in. (17.78 cm)
WEIGHT: 6.8 oz. (193g)
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68760	Dualie 3AA Laser - with alkaline batteries - Clam - Yellow
68762	Dualie 3AA Laser - with alkaline batteries - Clam - Black


Simultaneous spot beam and laser pointer illuminate your work area and pinpoint out-of-reach objects.



DUAL BEAM DESIGN:



The Dualie design provides bright light that shines both ahead of you and downward, helps you avoid slips, trips and falls.



The Dualie 3AA Laser features a simultaneous spot beam and laser pointer that allows you to illuminate the work area and pinpoint out-of-reach objects.





DUALIE/PROPOLYMER ACCESSORIES

DESCRIPTION	ITEM #	GOES WITH
Helmet Mount 	68085	4AA/3AA ProPolymer
Poly Mount Kit 	68089	Dualie 2AA, Dualie 3AA/3AA Laser, Dualie Rechargeable, 4AA ProPolymer Lux, 2AA ProPolymer HAZ-LO, PolyTac X
Rubber Helmet Band 	99075	2AA ProPolymer HAZ-LO, 4AA ProPolymer Lux
Charger Holder 	68790	Dualie Rechargeable
Bank Charger 	68789	Dualie Rechargeable
120V AC USB Charge Cord 	22071	Dualie Rechargeable
12V DC Charge Cord 	22080	Dualie Rechargeable

STREAMLIGHT PROPOLYMER SERIES

2AAA PROPOLYMER® HAZ-LO®




LUMENS: 60
CANDELA: 800
DISTANCE: 57m
RUN TIME: 16h



The 2AAA ProPolymer HAZ-LO is the perfect choice when you don't need a large light, but don't want to compromise on brightness or run time. At only 1.9 oz., it fits in your pocket or, if you have the optional rubber helmet strap accessory, wear on your hardhat for hands-free use. Bring this light with you when you need to go check a meter, the serial number on a furnace or the part number from a fitting. IPX4-rated; water-resistant; 1m impact resistance tested.

BATTERY: 2 "AAA" alkaline
SIZE: 5.4 in. (13.7 cm)
WEIGHT: 1.9 oz. (54g)
COLOR: Yellow



ITEM #	DESCRIPTION
66505	2AAA ProPolymer HAZ-LO - Alkaline batteries - Box

2AA PROPOLYMER® HAZ-LO®



LUMENS: 65
CANDELA: 2,300
DISTANCE: 96m
RUN TIME: 24h



A great choice for operations crews who need a general purpose light. It's compact enough to fit in your pocket has a durable, super-tough nylon housing that beats out most entry-level flashlights. IPX7-rated; waterproof to 1m for 30 minutes. Dust and water protected. 1m impact-resistance tested. Use with #68089 Polymount Kit for hands-free lighting.

BATTERY: 2 "AA" alkaline
SIZE: 6.4 in. (16.26 cm)
WEIGHT: 3.6 oz. (100g)
COLOR: Yellow or Black



ITEM #	DESCRIPTION
67101	2AA ProPolymer HAZ-LO - Alkaline batteries - Yellow
67100	2AA ProPolymer HAZ-LO - Alkaline batteries - Black


4AA PROPOLYMER® LUX



LUMENS: 200
CANDELA: 12,000
DISTANCE: 219m
RUN TIME: 6h



This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1 meter for 30 minutes. Corrosion-proof.



BATTERY: 4 "AA" alkaline
SIZE: 7 in. (17.8 cm)
WEIGHT: 7.6 oz. (216g)
COLOR: Yellow

ITEM #	DESCRIPTION
68244	4AA ProPolymer LUX Div. 2 - Alkaline batteries
68602	4AA ProPolymer LUX Div. 1 - Alkaline batteries

4AA PROPOLYMER® LED



LUMENS: 67
RUN TIME: 155h



Features seven ultra-bright LEDs that produce soft, diffused light making it perfect for up close work. IP65-rated; waterproof, dust-resistant. Unbreakable, scratch-resistant lens.



BATTERY: 4 "AA" alkaline
SIZE: 6.5 in. (16.51 cm)
WEIGHT: 6.3 oz. (178.6g)
COLOR: Yellow

ITEM #	DESCRIPTION
68201	4AA ProPolymer LED - Alkaline batteries - Box
68202	4AA ProPolymer LED - Alkaline batteries - Clam

STYLUS PRO[®] HAZ-LO[®]



**INTRINSICALLY SAFE
SAFETY RATED PENLIGHT**



STYLUS PRO[®] HAZ-LO[®]



The Stylus Pro HAZ-LO is an intrinsically safe and extremely durable alkaline battery-powered penlight. It features a tail switch with momentary and constant on operation, a removeable metal pocket clip, and amazing brightness for a light of its size.

IPX7-rated; waterproof to 1m for 30 minutes; 2m impact resistance tested.

ITEM #	DESCRIPTION
66300	Stylus Pro HAZ-LO - Includes batteries
66301	Stylus Pro HAZ-LO Clip

LUMENS:	105
CANDELA:	380
DISTANCE:	39m
RUN TIME:	2.25h



BATTERY: Lithium-ion
SIZE: 5.92 in. (15 cm)
WEIGHT: 1.9 oz. (53.9g)
COLOR: Yellow

POLY MOUNT KIT

The Streamlight Poly Mount kit conveniently attaches a variety of Streamlight flashlights to a hardhat for hands-free use. It's a "no tools required" method to quickly and easily attach your flashlight to your hardhat and it's adjustable so you can aim the beam where you need it.

Poly Mount Kit includes:

Adhesive base to attach to side of hard hat
Mounting base that slides into the slot of hard hat

Bands for:

Dualie [®] 2AA	2AA ProPolymer [®] HAZ-LO [®]
Dualie [®] 3AA	4AA ProPolymer [®] Lux
Dualie [®] Rechargeable	PolyTac [®] / PolyTac [®] X



ITEM #	DESCRIPTION
68089	Poly Mount Kit



Shown with Dualie 2AA (not included)
using adhesive base



Shown with Dualie 2AA (not included)
using slot attachment



THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and runtime ensures you'll be able to find exactly the light you need.

SPOT / FLOOD MODELS

KEY ATTRIBUTES:

Multi-Function
Task Lighting
General Use
Multi-Purpose



RECHARGEABLE

USB HAZ-LO Headlamp
Double Clutch USB*
Twin-Task USB Headlamp
Enduro Pro USB*


NON - RECHARGEABLE

Double Clutch Alkaline *
Trident - Div. 2*
Enduro Pro
Enduro Pro HAZ-LO

FLOOD MODELS

KEY ATTRIBUTES:

Arm's Length
Task Lighting
Wide, Smooth Light



RECHARGEABLE

ProTac HL USB Headlamp
Bandit*
Bandit Pro
Bandit Pro
ProTac 2.0


NON - RECHARGEABLE

Septor - Div. 2*
ProTac HL Headlamp

SPOT MODELS

KEY ATTRIBUTES:

Down Range
Long Distance



RECHARGEABLE

QB

NON - RECHARGEABLE

Argo - Div. 2*
3AA HAZ-LO Headlamp
Enduro*
Vantage II

SPECIALTY / COLOR LEDs MODELS

KEY ATTRIBUTES:

Preserve Night Vision
Won't Spook Game

RECHARGEABLE

Bandit*
Bandit Pro

NON - RECHARGEABLE

Enduro Pro*

*VISIT STREAMLIGHT.COM FOR MORE INFORMATION



USB HAZ-LO® HEADLAMP

RECHARGEABLE CLASS I, DIV 1 HEADLAMP. Multiple modes cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67-rated; dust-tight and waterproof to 1m for 30 minutes. Charge status indicator in bezel: **red** = charging, **green** = charged.

BATTERY: Lithium-ion
WEIGHT: 4.1 oz. (116.2g)
COLOR: Yellow

Class I, Div. 1,
Groups A, B, C, D, E, F, G
Class III, Class I, Zone O,
Group IIC, T-Code: T4

	SPOT	FLOOD	COMBO
LUMENS:	190	120	250
CANDELA:	2,000	90	-
DISTANCE:	89m	19m	-
RUN TIME:	7.5h	13h	7h



Two hardhat mounting options:
Rubber strap

3M® Dual Lock®
for strapless mounting



ITEM #	DESCRIPTION
61460	USB HAZ-LO Headlamp - Includes 120V AC cord, elastic headstrap, rubber hard hat strap and 3M® Dual Lock® — Box
61463	USB HAZ-LO Headlamp - 120V AC charge cradle, elastic headstrap, rubber hard hat strap and 3M® Dual Lock® — Box
61465	Charge Cradle (cord not included)
61469	120V AC Bank Charger
22071	120V AC USB Charge Cord



CHARGING



CHARGED



ENDURO® PRO HAZ-LO®



This low profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IPX7-rated; waterproof.



Class I, Div. 1,
Groups A,B,C,D,E,F,G
Class III, Class I, Zone O,
Group IIC Exia; T4



Permissible Flashlight.
Approval No. 20-A190001-D.
Tested for Intrinsic Safety in
Methane-Air mixtures only.

BATTERY: 3 "AAA" alkaline (included)

WEIGHT: 3.5 oz. (99.2g)

COLOR: Yellow

ITEM #	DESCRIPTION
61424	Enduro Pro HAZ-LO - Includes Alkaline batteries, elastic headstrap, rubber hard hat strap and 3M® Dual Lock® — Box

	SPOT	FLOOD	COMBO
LUMENS:	160	160	235
CANDELA:	1,320	100	-
DISTANCE:	73m	20m	-
RUN TIME:	5h	5h	4.75h



Two hardhat mounting options:

Rubber strap

3M® Dual Lock®
for strapless mounting



3AA HAZ-LO® HEADLAMP



Juggling a light when you're trying to work can be a hassle. When you wear a headlamp such as the 3AA HAZ-LO, you can have both hands free and still have the light you need for the job. Engineered to meet the stringent requirements of Division 1 locations, it gives you exceptional light output and a long run time while remaining lightweight so that you'll barely know you are wearing it.

BATTERY: 3 "AAA" alkaline (included)

WEIGHT: 7.1 oz. (202g)

COLOR: Yellow

ITEM #	DESCRIPTION
61200	3AA HAZ-LO Headlamp - Includes Alkaline batteries

LUMENS:	270
CANDELA:	5,600
DISTANCE:	150m
RUN TIME:	8h



Includes a rubber head
strap that ensures a non-
slip grip for hardhats.



Class I, Div. 1, Groups A, B, C, D, T4;
Class II, Div. 1, Groups E, F, G,
Class III, T4 "Exia"



Class I, II Div. 1, Groups A,B,C,D,E,F,G
Class III, T4A "Classified"

BANDIT® PRO



	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		



Two hardhat mounting options:

Rubber strap



3M® Dual Lock® for strapless mounting



The Bandit Pro is an ultra-lightweight personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a handy snap-in clip adaptor to attach to a pocket, jacket or to the visor on a hat; it also adds additional downward adjustability. High, low and emergency flash modes.

BATTERY: Rechargeable lithium polymer

WEIGHT: 1.6 oz. (45.4g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
61714	Bandit Pro - USB cord - white LED - Black
61716	Bandit Pro - USB cord, elastic head strap, rubber hard hat strap and 3M® Dual Lock® — Box - Yellow

QB®

	HIGH	LOW
LUMENS:	200	95
DISTANCE:	85m	55m
RUN TIME:	2h	4h
EMERGENCY FLASH - 200 LUMENS		



The QB is an ultra-lightweight, USB rechargeable headlamp that is big on power. It produces a concentrated beam of light that shines 85 meters. A large, easy-to-use push button switch features charge status indicator. Snap-in clip adaptor attaches to a pocket or to the visor on a ball cap and it also adds downward adjustability. High, low and emergency flash modes.

BATTERY: Rechargeable lithium polymer

WEIGHT: 1.5 oz. (45.2g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
61430	QB - USB cord - white LED - Clam - Yellow
61432	QB - USB cord - white LED - Clam - Black

PROTAC HL® USB HEADLAMP



	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	13,500	5,400	900
DISTANCE:	232m	147m	60m
RUN TIME:	1.5h	2.75h	20h



Includes a rubber head strap that ensures a non-slip grip for hardhats.

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or lithium-ion battery



This is the perfect rechargeable headlamp for when your task requires both hands. It features a bright light with a wide, long-range beam and 90° tilting head to reduce neck fatigue. TEN-TAP® Programming lets you choose from three operating modes. IPX4-rated; water resistance; 1m impact-resistance tested.

BATTERY: Rechargeable lithium-ion or a SL-B26 Li-Ion USB rechargeable battery pack

WEIGHT: 8.1 oz. (230g)

COLOR: Black

ITEM #	DESCRIPTION
61305	ProTac HL USB Headlamp
61306	ProTac HL USB Headlamp 120V AC

PROTAC HL® HEADLAMP

	HIGH	MEDIUM	LOW
LUMENS:	635	105	20
CANDELA:	8,500	1,450	280
DISTANCE:	184m	76m	33m
RUN TIME:	1.75h	8h	36h



Includes a rubber head strap that ensures a non-slip grip for hardhats.

When your task requires both hands and a bright light with a wide, flood beam, reach for the ProTac HL Headlamp. It produces 635 lumens of a bright, wide flood light. With a 90° tilting head to aim the beam, you'll have maximum comfort and stability whether you're using the rubber hard hat strap or the adjustable elastic head strap.

BATTERY: 2 CR123A lithium

WEIGHT: 6.6 oz. (187g)

COLOR: Black

ITEM #	DESCRIPTION
61304	ProTac HL Headlamp - CR123A lithium batteries - Clam

VANTAGE® II

Lightweight, compact and low profile, the Vantage II is designed to easily attach to Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

Attaches securely to your hard hat in seconds!



BATTERY: (1) CR123A lithium
SIZE WITH INDUSTRIAL MOUNT: 2.37 in. (6.01 cm)
INDUSTRIAL MOUNT WEIGHT: 2.97 oz. (84.2g)
COLOR: Black

ITEM #	DESCRIPTION
69333	Vantage II - [IND] Black with Blue Taillight LED and CR123A Batteries
69336	Bracket Kit

	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h

NFPA

Meets requirements of
 NFPA 1971-8.6 (2013);
 500° heat resistance test



SAFETY FEATURE: Large push-button switch features a blue taillight LED that ensures you can be seen even from behind.

Attaches securely to your hard hat in seconds! Just clip it into the slot.



TWIN-TASK® USB HEADLAMP



This is a multi-use headlamp that provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused illumination to fill your work area with light. 120° tilting head reduces neck fatigue. IPX4-rated; water-resistant. Ergonomically designed for maximum comfort. Slide the battery pack to the side for tasks that require lying on your back.



Easy to use multi-function switch



USB rechargeable

BATTERY: Rechargeable lithium-ion battery
WEIGHT: 6.1 oz. (173g)
COLOR: Red

ITEM #	DESCRIPTION
51064	Twin-Task USB Headlamp - Includes USB cord & elastic head strap - Box

SPOT	HIGH	MEDIUM	LOW
LUMENS:	375	175	50
CANDELA:	3,650	1,850	440
DISTANCE:	121m	86m	42m
RUN TIME:	4.75h	8.5h	20h



FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	160	80
DISTANCE:	25m	18m
RUN TIME:	5h	9h

ENDURO® PRO



This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4-rated; water-resistant.

BATTERY: 3 "AAA" alkaline (included) or lithium

WEIGHT: 3.4 oz. (96.38g) // 3 oz. (85.04g) w/lithium batteries

COLOR: Yellow

ITEM #	DESCRIPTION
61421	Enduro Pro - Includes Alkaline battery & elastic head strap - Box
61422	Enduro Pro - Includes Alkaline battery & elastic head strap, rubber hard hat strap and 3M® Dual Lock® — Box
61437	3 helmet clips

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

Two hardhat mounting options:

Rubber strap

3M® Dual Lock®
for strapless mounting



Helmet clip for mounting

PROTAC® 2.0 HEADLAMP

When your task requires extreme bright light, reach for the ProTac 2.0 Headlamp. With 2000 lumens, it produces double the output without sacrificing run time. Choose from high, medium or low using Streamlight's TEN-TAP® Programmable switch. You can use the rubber hard hat strap or adjustable elastic head strap.

	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h

TEN-TAP® Programmable -
choose from three programs:

- high/med/low
- high only
- low/high

BATTERY: SL-B50 Li-Ion USB rechargeable battery pack

WEIGHT: 10.48 oz. (297.1g)

COLOR: Black

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps - Box



Charges directly in the flashlight via
USB-C cord

BEARTRAP®


Inspect, identify and repair with the multi-function BearTrap worklight. Experience high power and big performance. It produces bright white light in both spot and flood modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-get-to spaces like under the dash; also features a magnetic base and stowable hook. Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact resistance tested.

BATTERY: Lithium-ion
SIZE: 7.62 in. (19.37 cm)
WEIGHT: 2 lbs. 3 oz. (992g)
COLOR: Red

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	380
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h



Hands-free applications:
1.) Clamps virtually anywhere
2.) Magnetic base
3.) Hang hook
4.) Stands on its own



2000 LUMENS



Secure cord connection
Rechargeable,
CONTINUES TO CHARGE WHILE PLUGGED IN AND IN USE
Lithium-ion battery
recharges in 5.5 hours



Multi-function push-button switch with battery life indicator
Recessed power button prevents accidental actuation
Battery level indicator turns red when battery needs to be charged

ITEM #	DESCRIPTION
61520	BearTrap - 120V/100V AC
44922	120V AC cord
44923	12V DC cord
61522	Lithium-ion battery





Lithium-ion Battery



120V AC Cord



12V DC Cord



// COLOR-RITE TECHNOLOGY®

// WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

// WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

// COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite products help get the job done efficiently and safely. Our family of Color-Rite products include the following:



STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



STINGER SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4,000K) | UV Light



STRION SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4,000K) | UV Light



SYCLONE®

Ultra-compact work light with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



FLIPMATE®

Compact work light with cool white LEDs and warm white (4,000K) 90 CRI LEDs with Streamlight's Color-Rite Technology® - each with high and low modes

// A LIGHT FOR EVERY SITUATION

// COLOR-RITE® APPLICATIONS BY MARKET

LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger® Color-Rite® help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger® Color-Rite®.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

AUTOMOTIVE

- **Match and identify colors.** The Dualie® 3AA Color-Rite®, FlipMate®, Stinger Switchblade®, Syclone® and Strion Switchblade® are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie® 3AA Color-Rite®, FlipMate® and Syclone® provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products, including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

FIRE/RESCUE/EMS

- When responding to fires, accidents or other events under low light conditions, high CRI area lights such as the Dualie® 3AA Color-Rite®, Stinger Switchblade®, and Stinger® Color-Rite® can be essential tools, permitting first responders **to see the color spectrum as they would in natural daylight**.
- High CRI lights also allow investigators to **see specific colors, imperfections and subtle details** when examining fire or accident scenes and gathering evidence.

OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger® Color-Rite®, reduces certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie® 3AA Color-Rite® to better see obstacles when navigating trails at night and under other low-light conditions.

FLIPMATE®

COOL WHITE	HIGH	LOW
LUMENS:	500	250
RUN TIME:	4h	5.45h
90 CRI	HIGH	LOW
LUMENS:	400	200
RUN TIME:	4h	6h
COLOR TEMPERATURE: 4,000K		



Double-function light bar:
1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
2.) Cool white LEDs for bright, white light
Each with high and low modes

Color-
Rite®



Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable.

BATTERY: Lithium-ion
SIZE: Folded - 4.58 in. (11.63 cm) // Open - 7.94 in. (20.17 cm)
WEIGHT: 8.7 oz. (247g)
COLOR: Black, Red or Blue

ITEM #	DESCRIPTION
61500	FlipMate - Includes USB cord - Black
61501	FlipMate - Includes USB cord - Red
61502	FlipMate - Includes USB cord - Blue



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook
3.) Foot provides stability to stand on end



270° rotating light bar aims the beam where you need it



OUR SMALLEST WORK LIGHT

SYCLONE® JR. JOINS THE WORK LIGHT SERIES

**ULTRA-COMPACT
& USB RECHARGEABLE**



SYCLONE® JR.

The ultra-compact designed Syclone Jr. produces bright white light for everyday use. It fits in small spaces to illuminate the work area without getting in the way. Go hands-free with its stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools. Small, unique design with a bright light to get those hard to reach places!

BATTERY: Lithium polymer
SIZE: 2.04 in. (5.18 cm)
WEIGHT: 2 oz. (57g)
COLOR: Red

COOL WHITE	HIGH	LOW
LUMENS:	210	85
DISTANCE:	79m	49m
RUN TIME:	4.75h	8.5h

ITEM # DESCRIPTION

61530 Syclone Jr. - Includes USB cord

SYCLONE®

SPOT/COOL WHITE	HIGH	MEDIUM	LOW
LUMENS:	400	200	100
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4.5h	9.5h

FLOOD/90 CRI	HIGH	MEDIUM	LOW
LUMENS:	300	150	75
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

COLOR TEMPERATURE: 4,000K



Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

BATTERY: Lithium polymer
SIZE: 2.97 in. (7.54 cm)
WEIGHT: 5.3 oz. (150g)
COLOR: Red

ITEM # DESCRIPTION

61510 Syclone - Includes USB cord



Stowable hang hook



Multi-function push-button switch with charge indicators.
Battery charges in approx. 4.5 hours



- 1.) Cool white LED for bright, white light
- 2.) 90 CRI LED - Color-Rite Technology - distinguish between similar colors - for paint matching or checking wires

Color-Rite®



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook



CHARGING

CHARGED

Multi-function push-button switch with charge indicators.
Battery charges in approximately 4.5 hours

STRION SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	500	400	500 mW
RUN TIME:	3h	3h	5h
COLOR TEMPERATURE: 4,000K			



Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. Lithium-ion battery charges in 4 hours. Charge using existing Strion chargers or USB source.



- Hands-free applications:
- 1.) Tail-end magnet
 - 2.) Stowable hang hook
 - 3.) Foot provides stability to stand on end; lip offers a secondary hook option



180° rotating light bar aims the beam where you need it



- Double-sided light bar:
- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 - 2.) UV LED for leak detection
 - 3.) Cool white LEDs for bright, white light

BATTERY: Lithium-ion
SIZE: Folded - 6 in. (15.24 cm) // Extended - 10.75 in. (27.3 cm)
WEIGHT: 6.4 oz. (181g)
COLOR: Red


ITEM #	DESCRIPTION
74850	Strion Switchblade - with USB cord
74851	Strion Switchblade - 120V AC - 1 holder
74854	Strion Switchblade - 120V AC PiggyBack

STINGER SWITCHBLADE®

	COOL WHITE	HIGH CRI (90)	UV LED
LUMENS:	800	600	500 mW
RUN TIME:	3.75h	3.75h	15h
COLOR TEMPERATURE: 4,000K			



Five lights in one: It's a droplight, a hands-free light, a bright white light, a warm (4000K) high CRI light with Streamlight's Color-Rite Technology® and it's a UV light. Features stronger magnet and robust hang hook.



- Hands-free applications:
- 1.) Tail-end magnets
 - 2.) Stowable hang hook
 - 3.) Foot provides stability to stand on end; lip offers a secondary hook option



180° rotating light bar aims the beam where you need it



- Double-sided light bar:
- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
 - 2.) UV LED for leak detection
 - 3.) Cool white LEDs for bright, white light

BATTERY: Lithium-ion
SIZE: Folded - 9.8 in. (24.89 cm) // Extended - 17 in. (43.18 cm)
WEIGHT: 17.1 oz. (485g)
COLOR: Red

ITEM #	DESCRIPTION
76801	Stinger Switchblade - 120V AC - 1 holder
76800	Stinger Switchblade - with USB cord

STINGER® COLOR-RITE®


	HIGH	MEDIUM	LOW
LUMENS:	500	275	140
CANDELA:	17,500	9,000	4,500
DISTANCE:	265m	190m	134m
RUN TIME:	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			
COLOR TEMPERATURE: 3,000K			

The Stinger Color-Rite features a warm white 90 CRI LED (3,000K) with Color-Rite Technology® that produces a more natural light so you can differentiate between paint or wire colors. Reduced glare prevents eye fatigue and helps cut through murky atmospheres. Ideal for low-light tracking and detecting trace evidence. IPX4-rated; water-resistant.



BATTERY: NiMH Rechargeable
SIZE: 8.41 in. (21.36 cm)
WEIGHT: 12.4 oz. (352g)
COLOR: Black

ITEM #	DESCRIPTION
75499	Stinger Color-Rite - 120V AC/12V DC
75502	Stinger Color-Rite - 120V AC/12V DC - PiggyBack
75498	Stinger Color-Rite - Light only



[(STROBE)]
Double tap
switch to activate



STINGER® 2020

The Stinger 2020 uses a long-lasting SL-B26 USB rechargeable battery pack that offers multiple charging options using existing Stinger chargers and bank chargers; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 7.67 in. (19.48 cm)
WEIGHT: 12.3 oz. (350g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	25,000	10,000	1,200
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h
STROBE RUNS 3.25 HOURS			



[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
78101	Stinger 2020 - 120V AC/12V DC - 1 holder

STINGER LED HL®

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			



HL®
[(STROBE)]
Double tap
switch to activate

BATTERY: NiMH
SIZE: 8.41 in. (21.36 cm)
WEIGHT: 12.4 oz. (352g)
COLOR: Black

When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

ITEM #	DESCRIPTION
75430	Stinger LED HL - 120V/12V D - 2 holders

STINGER® LED

	HIGH	MEDIUM	LOW
LUMENS:	425	200	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	322m	219m	155m
RUN TIME:	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			



[(STROBE)]
Double tap
switch to activate

BATTERY: NiMH
SIZE: 8.41 in. (21.36 cm)
WEIGHT: 12.4 oz. (352g)
COLOR: Black

Designed for the broadest range of lighting applications, the Stinger LED provides a 322m beam reach as well as bright peripheral light. In addition, three lighting modes allow you to select the right amount of light for your job or extend the run time, plus a strobe for signaling. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

ITEM #	DESCRIPTION
75713	Stinger LED - 120V/12V DC - 2 holders

STINGER® HPL

HPL - “High Performance, High Lumen” - delivers superior distance capability: 438m of beam reach. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe for signaling your location. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

BATTERY: NiMH
SIZE: 9.23 in. (23.44 cm)
WEIGHT: 13.6 oz. (385g)
COLOR: Black

ITEM #	DESCRIPTION
75763	Stinger HPL - 120V/12V DC - 2 holders

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	48,000	24,000	12,000
DISTANCE:	438m	310m	219m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



[(STROBE)]
Double tap
switch to activate

POLYSTINGER® LED

	HIGH	MEDIUM	LOW
LUMENS:	485	240	120
CANDELA:	28,000	14,000	7,000
DISTANCE:	335m	237m	167m
RUN TIME:	3h	5.5h	10h

STROBE RUNS 7.5 HOURS



[(STROBE)]
Double tap
switch to activate

When working around energized equipment, a non-metallic lighting tool is important. The PolyStinger LED, which is constructed of super-tough, non-conductive nylon polymer, is the right choice. A combination of rechargeability and LED technology provides assurance that your flashlight is always ready to provide the brightness and run time you need to get through your shift. Unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.

BATTERY: NiMH
SIZE: 8.07 in. (20.5 cm)
WEIGHT: 11.5 oz. (326g)
COLOR: Black or Yellow

ITEM #	DESCRIPTION
76163	PolyStinger LED - 120V/12V DC - 2 holders - Yellow
76113	PolyStinger LED - 120V/12V DC - 2 holders - Black

POLYSTINGER® LED HAZ-LO®



	HIGH	LOW
LUMENS:	260	80
CANDELA:	16,000	5,700
DISTANCE:	253m	151m
RUN TIME:	5h	16h

MOONLIGHT MODE RUNS 20 DAYS



The PolyStinger LED HAZ-LO is a good choice for gas utility workers, because it is a durable, safety-rated, rechargeable light that delivers the light output you want with the safety ratings you need! It is always ready for a long night on a repair team, just grab the light from its charging cradle and go to work - for up to 16 hours! Non-conductive, corrosion-resistant body. Unbreakable, scratch-resistant polycarbonate lens. IPX4-rated; water-resistant.



























BATTERY: NiMH
SIZE: 10.2 in. (25.9 cm)
WEIGHT: 13.5 oz. (382g)
COLOR: Yellow



Class I & II, Div.1, Groups C,D,F,G;
Class I, Div. 2, Groups A,B,C,D;
Class III; 138° C, T-Code: T3C

ITEM #	DESCRIPTION
76412	PolyStinger LED HAZ-LO - 120V/12V DC

STINGER ACCESSORIES

DESCRIPTION	STINGER 2020	STINGER COLOR-RITE	STINGER LED HL	STINGER LED HPL	STINGER LED	POLYSTINGER LED HAZ-LO	POLYSTINGER LED LED
5 Unit Bank Charger 	75400	75400	75400	75400	75400	75400	75400
Smart Charger 	75105	75105	75105	75105	75105	75105	75105
PiggyBack® Charger 	—	75277	75277	75277	75277	—	75277
NiMH Battery Stick 	—	75375	75375	75375	75375	76375	75375
Li-Ion Battery Stick 	—	75176	75176	75176	75176	—	75176
SL-B26 Battery Pack 	78105	—	—	—	—	—	—
12V DC Car Charge Cord 	22051	22051	22051	22051	22051	22051	22051
12V DC Charge Cord 	22050	22050	22050	22050	22050	22050	22050
120V AC Charge Cord 	22071	22071	22071	22071	22071	22071	22071
Leather Plain Holster 	—	75133	75133	—	75133	—	75133
Leather Weave Holster 	78114	75134	75134	—	75134	—	75134
Nylon Holster 	—	75927	75927	75927	75927	—	—
Nylon Holster 	78107	—	—	—	—	—	—
Loop Nylon Holster 	—	75928	75928	75928	75928	75928	75928
Duty Holster 	—	88053	88053	88053	88053	—	—
Ring Holder 	—	75906	75906	75906	75906	75906	75906
Flip Lens - Red Flip Lens - Blue Flip Lens - Green 	75115 75116 75117	75115 75116 75117	75115 75116 75117	—	75115 75116 75117	—	—
Red Wand 	75903	75903	75903	75946	75903	75933	75933
White Wand 	75908	75908	75908	75949	75908	75938	75938
Blue Wand 	75902	75902	75902	75947	75902	75932	75932
Yellow Wand 	75904	75904	75904	75948	75904	75934	75934
Glow in the Dark Wand 	75913	75913	75913	75950	75913	75943	75943
USB Cord 22" (55.88 cm) & 40" (101.6 cm) 	22081 - 22" 22070 - 40"	—	—	—	—	—	—
"Y" USB Cord 	22082	—	—	—	—	—	—
12V DC USB Adapter 	22069	—	—	—	—	—	—
Facecap Ring Kit 	78113	—	—	—	—	—	—

STRION LED HL®

	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	12,000	6,000	3,000
DISTANCE:	219m	155m	110m
RUN TIME:	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS

[(STROBE)]

Double tap
switch to activate



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 615 lumens. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4-rated; water-resistant. Anti-roll head.

BATTERY: Lithium-ion
SIZE: 5.9 in. (14.99 cm)
WEIGHT: 5.2 oz. (147.42g)
COLOR: Black

ITEM #	DESCRIPTION
74752	Strion LED HL - 120V/12V DC - 2 holders

STRION® LED

	HIGH	MEDIUM	LOW
LUMENS:	375	175	80
CANDELA:	12,000	6,500	3,200
DISTANCE:	219m	161m	113m
RUN TIME:	2.5h	4.75h	9.5h

STROBE RUNS 6.5 HOURS

[(STROBE)]

Double tap
switch to activate



If space in your tool box is limited, you want a flashlight that is small in size without sacrificing power or features. The rechargeable Strion LED is ultra-compact and powerful. It features multiple lighting modes, and fully recharges in 3.5 hours. IPX4-rated; water-resistant. The anti-roll head prevents the light from rolling away when you set it down.

BATTERY: Lithium-ion
SIZE: 5.9 in. (14.99 cm)
WEIGHT: 5.2 oz. (147.42g)
COLOR: Black

ITEM #	DESCRIPTION
74301	Strion LED - 120V/12V DC - 1 holder

STRION SERIES ACCESSORIES

DESCRIPTION	STRION LED HL	STRION LED	STRION SWITCHBLADE
6 Unit Bank Charger 120V	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401
Piggyback® Charger Holder	74115	74115	74115
Charger Holder	74102	74102	74102
Li-ion Battery Stick	74175	74175	74175
12V DC1 Charge Cord	22051	22051	22051
12V DC2 Charge Cord	22050	22050	22050
120V AC Charge Cord	22071	22071	22071
Leather Plain Holster	74059	74059	—
Leather Weave Holster	74060	74060	—
Nylon Holster	85905	85905	—
Tactical Holster	88051	88051	—

SURVIVOR® X USB

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		



NFPA

Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)



BATTERY: USB rechargeable SL-B26 battery pack; also accepts 3 "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline - 12.8 oz. (363g) // Rech - 11.9 oz. (337g)
COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90044	90244	Survivor X USB - SL-B26 battery pack

SURVIVOR® X



The Survivor X provides added features and increased output. Uses lithium ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		



BATTERY: USB rechargeable lithium-ion battery pack; also accepts 3 "AA" alkaline
SIZE: 7.06 in. (17.92 cm)
WEIGHT: Alkaline - 12.8 oz. (363g) // Rech - 11.9 oz. (337g)
COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90952	90962	Survivor X - 120V/100V AC/12V DC
90950	90960	Survivor X - Alkaline

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



Strong spring-loaded clip securely grabs onto belows and gear; D-ring provides forward hanging orientation

NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)

NFPA

Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



Battery life indicator in switch:
 - Green indicates full charge
 - Turns red when battery is nearing low voltage
 - Flashes red continuously when 15 minutes left of battery

SURVIVOR® X IMPROVED CHARGER DESIGN

Improved charger design:











- Survivor X securely locks into the charger - fits snugly in place
- Quick release latch for one-handed grab-and-go
- Easy to remove with gloved hands



- Know your charge status with battery life indicator in switch boot
- Green indicates full charge
- Turns red when battery is nearing end of usable charge
- Flashes red continuously with 15 minutes or less remaining of battery life



SURVIVOR ACCESSORIES

DESCRIPTION	SURVIVOR X	SURVIVOR X USB
5 Unit Bank Charge - 120V AC 5 Unit Bank Charger - 12V DC 	90910 90912	---
Li-Ion Bank Charger with batteries - 12V DC Li-Ion Bank Charger with batteries - 120V/110 V AC 	---	20223 20224
Charger 	90345	---
Lithium-Ion Battery 	90341	---
NiMH Battery 	---	---
Alkaline/SL-B26 Battery Cartridge 	90342	90342
Alkaline Battery Cartridge 	---	---
SL-B26 Battery Pack 	22101 - 1PK 22105 - 8PK	22101 - 1PK 22105 - 8PK
12V DC1 Charge Cord 	22051	---
12V DC2 Charge Cord 	22050	---
120V AC Charge Cord 	22060	---
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord 	22070 22081	22070 22081

Note: The Survivor® X is not compatible with legacy Survivor® chargers.

PORTABLE SCENE LIGHT II : TURN TO A HIGHER POWER

- STACKABLE FOR “LIGHT TOWER” CAPABILITY
- 360-DEGREE ROTATING HEAD
- PORTABLE, CORDLESS AND LIGHTWEIGHT
- HIGH-QUALITY, VIRTUALLY INDESTRUCTIBLE ALLOY STEEL FRAME
- WATERPROOF
- 10,000 LUMENS



PORTABLE SCENE LIGHT II

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h



Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for “light tower” capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. IPX7-rated; waterproof to 1m for 30 minutes.



Hang over doors, guard rails, fences, etc.

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

BATTERY: Lithium-ion
SIZE: 16 in. (40.6 cm)
WEIGHT: 15.56 lbs. (7.06kg)
COLOR: Red

ITEM #	DESCRIPTION
46000	Portable Scene Light II - 120V/12V DC



CORDLESS AND COMPACT

PREVENTS TRIP HAZARDS

TAKE YOUR WORK SITE FROM THIS:



TO THIS:



The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs. - so if you need to grab one off the stack and move to another location, it won't weigh you down.

Special Features:

- Portable, cordless, ultra compact
- Zero deployment time
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
 - Batteries will continue to charge while in use
- **IPX7 WATERPROOF TO 1M FOR 30 MINUTES**

Use a single unit or stack for multi-level lighting



PORTABLE SCENE LIGHT

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels. It comes in two modes: **Portable Scene Light** - features a telescoping pole that extends to 72" (182.88 cm) and **Portable Scene Light EXT** - features a longer telescoping pole that extends to 84" (213.36 cm).

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord
SIZE: 22.5 in. (57.2 cm)
WEIGHT: 25 lbs. (11.3kg)
COLOR: Yellow

PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance, sealed lead acid
Can also be powered by 12V DC power cord
SIZE: 25.5 in. (64.8 cm)
WEIGHT: 25.5 lbs. (11.6kg)
COLOR: Yellow

ITEM #	DESCRIPTION
45670	Portable Scene Light - 120V AC/12V DC
45680	Portable Scene Light EXT - 120V AC/12V DC



VULCAN® 180 HAZ-LO®



The Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform. It features a 180° articulating head to aim the beam for scene lighting.

Combine the three extremely bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke. IP65-rated; dust-tight and water-resistant.



Class I, Division 1,
Groups A, B, C, D, E, F, G; Class I,
Zone D, Groups IIC, Class III;
T-Code: T4

NFPA

Rack meets requirements of
NFPA 1901-14.1.10.2 (2016)
mounted in any position



BATTERY: Lithium-ion

SIZE: 7.43 in. (18.8 cm)

WEIGHT: 2.45 lbs. (1.11kg)

COLOR: Yellow or Orange

	HIGH	LOW
LUMENS:	400	130
CANDELA:	25,000	8,000
DISTANCE:	316m	128m
RUN TIME:	10h	24h



YELLOW	ORANGE	DESCRIPTION
44321	44331	Vulcan 180 HAZ-LO - Standard System - 120V AC/12V DC - Shoulder Strap
44325	44335	Vulcan 180 HAZ-LO - Vehicle Mount System - 12V DC - Shoulder Strap

VULCAN® 180

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h

The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke. IP64-rated; dust-tight and water-resistant.

BATTERY: Lithium-ion

SIZE: 7.43 in. (18.8 cm)

WEIGHT: 2.47 lbs. (1.123kg)

COLOR: Orange or Yellow

NFPA

Meets requirements of
NFPA 1901-14.1.10.2 (2016)
mounted in any position



Class I, Division 2, Groups A, B, C, D;
Class II, Division 2, Groups F, G;
Class III; T-Class: T4

YELLOW	ORANGE	DESCRIPTION
44307	44311	Vulcan 180 - Standard System - 120V/100V AC/12V DC - Quick Release Strap
44305	44315	Vulcan 180 - Vehicle Mount System - 12V DC, Heavy Duty Shoulder Strap



VULCAN CLUTCH®

NEW

The Vulcan Clutch, with its downward-angled head is designed to illuminate your path so you can navigate to your destination safely and efficiently. Once on-site, clamp it virtually anywhere and articulate the head to direct the beam where you need it. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IP67-rated; waterproof to 1 m for 30 minutes; 2m impact resistance tested. Uses the same mounting rack as the Vulcan 180.

	HIGH	LOW
LUMENS:	1,700	380
CANDELA:	67,500	15,000
DISTANCE:	520m	245m
RUN TIME:	6.5h	18h
FLASH RUNS 25 HOURS		



BATTERY: Lithium-ion Rechargeable

SIZE: 9.39 in. (23.85 cm)

WEIGHT: 2.84 lbs. (12.88kg)

COLOR: Yellow or Orange

NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 [2024] mounted in any position

ORANGE WITH QUICK RELEASE STRAP	YELLOW WITH HEAVY DUTY STRAP	DESCRIPTION
44361	44371	Vulcan Clutch - 120V/100V AC/12V DC
44365	44375	Vulcan Clutch - Vehicle Mount System - 12V DC
44360	44370	Vulcan Clutch - Light Only



E-SPOT® LITEBOX®

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. Its beam produces a concentrated, bright light. It features a swivel head that makes it easy to inspect high bays, ceilings, and out-of-the-way places. IPX4-rated; water-resistant. Includes heavy duty shoulder strap.

With severe weather comes power outages, making it wise to plan for emergencies. Under severe weather conditions, portable systems offer an advantage when it becomes necessary to move about a facility to power down or disconnect critical equipment, retrieve sensitive documents, or guide employees through remote areas that lack adequate backup lighting.

The solution is the E-Spot LightBox that is equipped with “smart” power failure circuitry. When the power goes out, it switches on, helping to light the way to safety in pitch dark conditions. Ideal for evacuation team leaders and for placement in planned evacuation routes/areas, stairways and hallways.

	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h



NFPA

Charging rack meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position

ORANGE	YELLOW	DESCRIPTION
45851	45871	E-Spot Litebox - 120V AC/12V DC - Shoulder Strap & Mounting Rack
45855	45875	E-Spot Litebox - Vehicle Mount System - 12V DC - Shoulder Strap
45857	---	E-Spot Litebox - Power Failure System - 120V AC/12V DC - Mounting Rack
45856	45876	E-Spot Litebox - Without Charger

BATTERY: Zero-maintenance 6V, 12 Ah sealed lead acid

SIZE: 11.5 in. (29.2 cm)

WEIGHT: 7.9 lbs. (3.58kg)

COLOR: Yellow or Orange

LANTERNS ACCESSORIES


ACCESSORY	PART #	GOES WITH
Standard Mounting Rack—Orange Vehicle Mounting Rack—Orange	45070 45071	E-Spot LiteBox
Standard Mounting Rack—Yellow Vehicle Mounting Rack—Yellow	45072 45074	E-Spot LiteBox
Standard Charge Rack - Black Direct Wire 12V DC Charge Rack - Black	44350 44306	Vulcan 180 Series, Vulcan Clutch
12V DC (Car Socket) Charge Cord	22051	E-Spot LiteBox, Vulcan 180 Series, Vulcan Clutch
12V DC Charge Cord	22050	E-Spot LiteBox, Vulcan 180, Vulcan Clutch
12V DC Charge Cord (10 ft / 3m)	22056	Portable Scene Light, Vulcan 180 Series
120V Charge Cord	22060	E-Spot LiteBox, Vulcan 180 Series, Vulcan Clutch
Power Supply 120V AC Charge Cord	22083 22074	Portable Scene Light
Battery (Sealed Lead Acid)	45630	Portable Scene Light
Battery (Sealed Lead Acid)	45937	E-Spot LiteBox
Battery (Lithium-ion)	44351	Vulcan 180
Battery (Lithium-ion)	44352	Vulcan 180 HAZ-LO
Battery Pack (Lithium-ion)	46005	Portable Scene Light II
E-Spot Upgrade Kit	45845	E-Spot LiteBox
Quick Release Strap	44050	E-Spot LiteBox, Vulcan 180
Heavy Duty Shoulder Strap w/ carabiner lock	45677	Portable Scene Light, Portable Scene Light EXT

WAYPOINT® 400

	HIGH	MEDIUM	LOW
LUMENS:	1400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h

The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium-ion
SIZE: 6.75 in. (17.14 cm)
WEIGHT: 1.52 lbs. (691g)
COLOR: Yellow or Black



ITEM #	DESCRIPTION
44910	Waypoint 400 - 120V AC - Box - Yellow
44911	Waypoint 400 - 120V AC - Box - Black
44918	Polymer Storage Mount
44909	120V AC Charge Cord
44923	12V DC Cord



Includes 120V AC Charge Cord



Polymer storage mount (included)



Optional 12V DC Charge Cord





Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. It features an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for line inspections or looking for addresses or any other objects you can't get close to easily. 12V DC power cord for unlimited run time (does not charge batteries). Polymer storage mount (included). IPX4-rated; water-resistant.

BATTERY: 4 "C" batteries (not included)
SIZE: 6.75 in. (17.15 cm)
WEIGHT: 1.8 lbs. (816g)
COLOR: Yellow or Black

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h
12V DC POWER CORD - UNLIMITED RUN TIME EMERGENCY SIGNAL: RUNS 82 HOURS		



ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC Power Cord - Box - Yellow
44902	Waypoint - Includes 12V DC Power Cord - Box - Black
44908	Polymer Storage Mount
44903	12V DC Cord (power cord does not charge batteries)



12V DC power cord for unlimited run time



Polymer storage mount (included)

THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low. Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m and it floats.

BATTERY: 3 "D" batteries
SIZE: 7.25 in. (18.42 cm)
WEIGHT: 1 lb. 15 oz. (878.83g)
COLOR: Coyote

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
RED	HIGH	SOS	
LUMENS:	10	10	
RUN TIME:	235h	430h	

With **[(RED SOS)]**



ITEM #	DESCRIPTION
44931	The Seige - Coyote
44950	Glare Guard™
44952	Magnetic Accessory Base - Black

GlareGuard



Magnetic Accessory Base



Features rugged carry handle and D-rings for hanging



EXTRAORDINARY Everyday Carry

//THRO MODE PROVIDES A BLAST OF 1,000 LUMENS

WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h

BATTERY: Lithium Polymer
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 3.3 oz. (93.5g)
COLOR: Black or Coyote

Outfitted with an intuitive rotating thumb switch providing tactile control over constant-on and THRO modes.



Battery charge indicator located in the on/off switch.


Charge indication:
Red - Charging // Green - Charged



ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C Cord, lanyard - Black
88811	Wedge - Includes USB-C Cord, lanyard - Coyote
22084	USB-C Cord - 22" (58.8 cm)




Securely attaches to MOLLE, turnout gear, harnesses, etc.



Small enough to fit in your tool bag



Designed for concealed, deep pocket carry



The perfect addition to your EDC kit

Width: 0.60"
(1.52 cm)

WEDGE® XT **NEW**

The Wedge XT is a remarkable, ultra-compact, high-performance EDC light meticulously crafted for effortless pocket carry. Engineered with a tactical push-button switch, its effortless one-handed operation unleashes an impressive 500 lumens for a full 2 hours.

For added convenience and peace of mind, the Wedge XT features the innovative FIVE-TAP™ Lockout system, which effectively prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum, this flashlight effortlessly balances durability with top-notch performance. Its built-in waterproof USB-C port ensures reliable charging in any weather condition.

Whether you're a seasoned outdoor enthusiast or simply need a reliable companion for everyday tasks, the Wedge XT is designed to exceed your expectations, offering unrivaled portability and reliable functionality in one sleek package.

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h




TEN-TAP® Programmable - choose from two programs:

- high/low
- low/high



Proven waterproof USB-C port offers universal and convenient charging of the lithium-ion battery



Another great addition to your EDC kit




Charge indication LED:
Red – Charging; Green – Charged
Lithium-ion battery charges in 6 hours



Push-button tactical tail switch features constant on or momentary operation and Lockout mode

BATTERY: Lithium-ion
SIZE: 4.25 in. (10.8 cm)
WEIGHT: 2.62 oz. (74.3g)
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C Cord, pocket lanyard - Black
88813	Wedge XT - Includes USB-C Cord, pocket lanyard - Coyote
22084	USB-C Cord - 22" (58.8 cm)



STREAMLIGHT MICROSTREAM/MACRSTREAM SERIES



MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



Removable pocket clip also clips onto brim of hat for hands-free use

The MicroStream is small enough for you to discreetly keep in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for the tradesmen who don't want to be weighed down by larger lighting tools.

BATTERY: (1) "AAA" alkaline
SIZE: 3.6 in. (9.14 cm)
WEIGHT: 1.1 oz. (31.2g)
COLOR: Black



High-strength lanyard

ITEM #	DESCRIPTION
66318	MicroStream with Alkaline Batteries - Clam - Black
72024	Lanyard with Push Button Slide

MICROSTREAM® USB



	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



The MicroStream USB is small enough for you to discreetly keep in your pocket, or clip it to a ball cap for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source.

BATTERY: Lithium-ion
SIZE: 3.87 in. (9.83 cm)
WEIGHT: 1.2 oz. (34.1g)
COLOR: Black or Coyote

Clip onto brim of hat for hands-free use



ITEM #	DESCRIPTION
66604	MicroStream USB - Micro-USB cord & lanyard - Box - Black
66609	MicroStream USB - Micro-USB cord & lanyard - Box - Coyote
72024	Lanyard with Push Button Slide
22081	22 in. (55.88 cm) Micro-USB Cord

MACROSTREAM® USB

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.



Pocket clip attaches to visor for hands-free use

BATTERY: Lithium-ion
SIZE: 4.5 in. (11.43 cm)
WEIGHT: 2.2 oz. (62.4g)
COLOR: Black

ITEM #	DESCRIPTION
66320	MacroStream USB - USB cord - Clam
66321	Lithium-ion battery - MacroStream USB
22070	Micro USB cord
22071	120V AC USB cord



STREAMLIGHT JR. F-STOP®



	FLOOD	SPOT
LUMENS:	250	220
CANDELA:	360	5,600
DISTANCE:	38m	150m
RUN TIME (ALK):	8h	8h
RUN TIME (LITH):	10h	10h



Slide bezel forward to transition from flood to spot

The perfect worklight that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.



Magnetic Clip Holder



Rubber Hard Hat Strap

BATTERY: (2) "AA" alkaline or lithium batteries
SIZE: 6.5 in. (16.51 cm)
WEIGHT: 4.4 oz. (125g)
COLOR: Black

ITEM #	DESCRIPTION
71701	Streamlight Jr. F-Stop - Box
71503	Nylon Holster
71510	Magnetic Clip Holder
99075	Rubber Hard Hat Strap



STYLUS PRO®

The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 62 meters.

BATTERY: (2) "AAA" alkaline
SIZE: 5.3 in. (13.4 cm)
WEIGHT: 1.64 oz. (46.9g)
COLOR: Black, Red, Silver, Blue, Orange or Lime Green

ITEM #	DESCRIPTION
66118	Stylus Pro - Black
66120	Stylus Pro - Red
66121	Stylus Pro - Silver
66122	Stylus Pro - Blue
66128	Stylus Pro - Orange
66129	Stylus Pro - Lime Green
66028	Nylon Holster

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



STYLUS PRO® USB // STYLUS PRO® USB UV

The Stylus Pro USB has a new body style and is shining brighter! It features a slimmer profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. Powers on in "LOW MODE." Press switch twice for high mode.

UV model ideal for leak detection.

ITEM #	DESCRIPTION
66133	Stylus Pro USB - 120V AC with holster
66134	Stylus Pro USB - USB cord & holster
66148	Stylus Pro USB UV - 120V AC with holster
66149	Stylus Pro USB UV - Micro-USB cord & holster
66143	Stylus Pro USB Battery
22070	Micro USB cord
22071	120V AC USB cord
22069	12V DC USB Adapter
66029	Nylon Holster

WHITE LED	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h

400NM UV LED	
OUTPUT:	250mW
RUN TIME:	2.5h



UV Model features a purple sleeve for easy identification

BATTERY: Lithium-ion
SIZE: 5.95 in. (15.1 cm)
WEIGHT: 1.8 oz. (51g)
COLOR: Black




POCKET MATE®

	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1h

The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4-rated; weather-resistant. Two year warranty.

BATTERY: Lithium polymer
SIZE: 2 in. (5.1 cm)
WEIGHT: 0.5 oz. (14.2g)
COLOR: Silver, Red, Blue or Pink

ITEM #	DESCRIPTION
73300	Pocket Mate - with Micro-USB cord - Box - Silver
73301	Pocket Mate - with Micro-USB cord - Box - Red
73302	Pocket Mate - with Micro-USB cord - Box - Blue
73303	Pocket Mate - with Micro-USB cord - Box - Pink



Pocket clip attaches to visor for hands-free use

THE LOGO™

	HIGH	MEDIUM	LOW
LUMENS:	10	5	2.5
BLINK RUNS 45 HOURS			

Weighs less than half an ounce and has 3 light levels plus a blink mode that will flash for 45 hours. To conserve battery, it automatically turns off after six minutes in high, medium or low modes. Weather-resistant.

BATTERY: (2) CR2016 lithium coin cell
SIZE: 1.8 in. (4.57 cm)
WEIGHT: 0.37 oz. (10.7g)
COLOR: Black



High-intensity white LED

Non-rotating snap hook



Co-branding: Reverse side is imprintable with your corporate identity
Imprint area approx .63" x .38"

ITEM #	DESCRIPTION
73100	The Logo

PROTAC® 2.0

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h

STROBE RUNS 4.25 HOURS



[(STROBE)]
Double tap
switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by a SL-B50® battery pack that charges inside the light using a USB-C cord. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 6.1 in. (15.49 cm)
WEIGHT: 8.25 oz. (234g)
COLOR: Black

ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord, nylon holster

SL-B50® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The SL-B50® protected Li-Ion rechargeable battery pack is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours. Works with ProTac 2.0 handheld, ProTac 2.0 Headlamp and ProTac 2.0 Rail Mount.



CHARGING **CHARGED**
Features integrated USB port.
Charge status LEDs:
Red = charging Green = charged

USB-C Cord



USB Rechargeable 4900mAh SL-B50
Lithium-Ion Battery — Charges in 6 hours.

BATTERY CAPACITY: 4900mAh SL-B50 protected
Li-Ion USB rechargeable battery pack
BATTERY SIZE: 3.26 in. (8.28 cm)
BATTERY WEIGHT: 3 oz. (85g)

ITEM #	DESCRIPTION
22111	SL-B50 Li-Ion USB rechargeable battery pack- 1PK
22112	SL-B50 Li-Ion USB rechargeable battery pack- 2PK

PROTAC® 2AA

Using two alkaline batteries, the ProTac 2AA is a versatile personal light the size of a marker that produces 250 lumens of bright light. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) "AA" alkaline
SIZE: 6.14 in. (15.6 cm)
WEIGHT: 3.4 oz. (96g)
COLOR: Black

ITEM #	DESCRIPTION
88033	ProTac 2AA - Includes 2 "AA" alkaline batteries & holster

	HIGH	LOW
LUMENS:	250	18
CANDELA:	4,250	400
DISTANCE:	130m	40m
RUN TIME:	2h	43h

STROBE RUNS 4 HOURS



[(STROBE)]
Double tap
switch to activate

TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/high

PROTAC HL® USB



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack, lithium-ion or CR123A batteries

BATTERY: Lithium-ion, SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries
SIZE: 6.5 in. (16.5 cm)
WEIGHT: 7.2 oz. (204g)
COLOR: Black

ITEM #	DESCRIPTION
88040	ProTac HL USB - Includes USB cord & holster - Clam
88054	ProTac HL USB - 120V AC/12V DC & holster - Clam

	HIGH	MEDIUM	LOW
LUMENS:	1,000	380	65
CANDELA:	12,000	4,420	700
DISTANCE:	219m	133m	53m
RUN TIME:	1.5h	3.5h	23h

STROBE RUNS 1.5 HOURS



TEN-TAP® Programmable - choose from three programs:
 • high/strobe/low
 • high only
 • low/medium/high

[(STROBE)]
 Double tap switch to activate

Gives you maximum illumination and provides full situational awareness by delivering extraordinary brightness in a wide beam pattern so you can see into those dark corners. Ideal for areas where you need a lot of light to see all around you. Uses rechargeable lithium ion battery; also accepts two CR123A lithium batteries or a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack.

PROTAC HL® 5-X USB // PROTAC HL® 5-X

The ProTac HL 5-X features MULTI-FUEL innovation that provides you the versatility to use four CR123A batteries or two Streamlight SL-B26® protected Li-Ion USB rechargeable battery packs. Multiple battery sources can help reduce down time and keep you powered up. IPX7-rated; waterproof to 1m for 30 minutes.



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery packs or CR123A batteries



BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs or (4) CR123A lithium
SIZE: 9.53 in. (23.65 cm)
WEIGHT: 1 lb. 3.4 oz. (550g) w/SL-B26 // 1 lb. 2.4 oz. (522g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88075	ProTac HL 5-X - Includes 4 lithium batteries & wrist lanyard
88081	ProTac HL 5-X USB - Includes (2) SL-B26 Battery packs, USB cord & lanyard

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME (SL-B26):	1.25h	3h	11.5h

STROBE RUNS 1.25 HOURS (SL-B26)

HL®



TEN-TAP® Programmable - choose from three programs:
 • high/strobe/low
 • high only
 • low/med/high

CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME (CR123A):	1.5h	2.5h	10.5h

STROBE RUNS 1.5 HOURS (CR123A)

PROTAC® 2L-X USB // PROTAC® 2L-X



	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123A):	2.75h	30h
RUN TIME (SL-B26):	3.75h	30h
STROBE RUNS 3.25 HOURS (CR123A); 4.5 HOURS (SL-B26)		

TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/high



MULTI-FUEL DESIGN:
Runs on SL-B26
battery pack or
CR123A batteries

The ProTac 2L-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack
or (2) CR123A lithium
SIZE: 5.14 in. (13 cm)
WEIGHT: 4.4 oz. (125g) w/SL-B26 // 3.9 oz. (111g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88063	ProTac 2L-X - Includes 2 CR123A lithium batteries & holster - Box
88083	ProTac 2L-X USB - Includes SL-B26 battery pack, USB cord & holster - Box

PROTAC® HL-X USB // PROTAC® HL-X



	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123A):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)			

TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/med/high



MULTI-FUEL DESIGN:
Runs on SL-B26
battery pack or
CR123A batteries

The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack
or (2) CR123A lithium
SIZE: 5.43 in. (13.8 cm)
WEIGHT: 6.2 oz. (176g) w/SL-B26 // 5.7 oz. (162g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88065	ProTac HL-X - Includes 2 CR123A lithium batteries & holster - Box
88085	ProTac HL-X USB - Includes SL-B26 Battery Pack, USB cord & holster - Box

POLYTAC® X USB // POLYTAC® X



Multi-Fuel Design provides you the versatility to use two CR123A batteries or one SL-B26 protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7-rated; waterproof to 1m for 30 minutes.

MULTI-FUEL DESIGN:
Runs on SL-B26
battery pack or
CR123A batteries



BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2)
CR123A lithium
SIZE: 5.46 in. (13.87 cm)
WEIGHT: 4.9 oz. (139g) w/SL-B26 // 4.4 oz. (125g) w/CR123A
COLOR: Yellow

ITEM #	DESCRIPTION
88604	PolyTac X - Includes (2) CR123A Lithium batteries
88614	PolyTac X USB - Includes SL-B26 Battery Pack & USB cord

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123A):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h
STROBE RUNS 8 HOURS (SL-B26); 5.30 HOURS (CR123)			

NFPA

Meets requirements of
NFPA 1971-8.6 (2013)



TEN-TAP® Programmable -
choose from three programs:

- high/strobe/low
- high only
- low/medium/high

PROTAC® 90 X USB // PROTAC® 90 X



MULTI-FUEL DESIGN:
Runs on SL-B26
battery packs or
CR123A batteries

	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123A):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)			

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack
or (2) CR123A lithium
SIZE: 4.39 in. (11.1 cm)
WEIGHT: 4.9 oz. (139g) w/SL-B26 // 4.4 oz. (125g) w/CR123A
COLOR: Black

ITEM #	DESCRIPTION
88094	ProTac 90 X - Includes (2) CR123A lithium batteries and holster
88095	ProTac 90 X USB - Includes SL-B26 battery pack and holster

POLYTAC 90® X USB // POLYTAC 90® X



MULTI-FUEL DESIGN:
Runs on SL-B26
battery packs or
CR123A batteries

TEN-TAP® Programmable -
choose from three programs:
• high/strobe/low
• high only
• low/medium/high

NFPA Meets requirements of
NFPA 1971-8.6 (2018)

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123A):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand.

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123A batteries.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack
or (2) CR123A lithium
SIZE: 4.43 in. (11.25 cm)
WEIGHT: 4.8 oz. (136g) w/SL-B26 // 4.3 oz. (122g) w/CR123A
COLOR: Yellow

ITEM #	DESCRIPTION
88831	PolyTac 90 X - Includes (2) CR123A lithium batteries
88836	PolyTac 90 X USB - Includes SL-B26 battery pack

PROTAC // POLYTAC ACCESSORIES

ACCESSORY	PART #	GOES WITH
CR123A Lithium Batteries 2pk 6pk 12pk 400pk	85175 85180 85177 85179	ProTac 1L-1AA, ProTac HL USB, ProTac 1L-1AA, ProTac 2L-X ProTac HL-X ProTac HL 5-X, PolyTac X
SL-B26 Battery pack - 2pk SL-B26 Battery pack - 8pk	22102 22105	ProTac HL USB, ProTac HL-X USB, ProTac 2L-X USB, ProTac 5-X USB, PolyTac X USB - SEE PAGE 54 FOR MORE INFORMATION
120V AC USB Charge Cord	22071	Li-ion Charge Cradle, ProTac HL USB
Nylon Holster ProTac 2AA	88038	ProTac 2AA
Rubber Helmet Strap	99075	PolyTac X
PolyMount Kit	68089	PolyTac X See page 11 for information

SL-B26® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB Rechargeable Battery Pack - 1PK
22102	SL-B26 Li-Ion USB Rechargeable Battery Pack - 2PK
22104	SL-B26 Li-Ion USB Rechargeable Battery Pack - 2PK - Box
22105	SL-B26 Li-Ion USB Rechargeable Battery Pack - 8PK
22100	Li-Ion Charge Cradle
22010	Li-Ion Battery Pack Kit - USB Cord, (2) SL-B26 battery packs
22011	Li-Ion Battery Pack Kit - 120V AC, (2) SL-B26 battery packs
22070	40 in. (101 cm) USB Cord
22081	22 in. (55.88 cm) USB Cord



Features integrated USB port. Charge status LEDs:
Red = charging Green = charged



Charger temperature safety circuit prevents damage to batteries while charging.

BATTERY CAPACITY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
BATTERY SIZE: 2.75 in. x 0.744 in. (0.7 x 1.89 cm)
BATTERY WEIGHT: 1.7 oz. (48g)
CRADLE SIZE: 4.5 in. (11.4 cm)
CRADLE WEIGHT: 2.4 oz. (68g)

EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger in 5.25 hours. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1 in. ; 2.54 cm) requires minimal mounting area. Charge indicators over each battery: Red = charging // Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position



12V DC Charge Cord



120V AC Charge Cord

BANK CHARGER

SIZE: 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54 cm)
WEIGHT: 7.6 oz. (216g) w/batteries // 20.88 oz. (592g) w/o batteries

ITEM #	DESCRIPTION
20221	8-Unit Bank Charger - 120V AC
20220	8-Unit Bank Charger - 12V DC
20224	8-Unit Bank Charger - with SL-B26 batteries - 120V AC
20223	8-Unit Bank Charger - with SL-B26 batteries - 12V AC
44909	120V AC Cord
44923	12V DC Cord

MULTI-FUEL LIGHTING SYSTEMS



Survivor® X USB



ProTac®
HL-X USB



ProTac®
90 X USB



PolyTac®
90 X USB



PolyTac®
X USB



ProTac®
2L-X USB



ProTac®
HL 5-X USB

ALSO WORKS WITH:

Available systems are sold with the lithium-ion battery #74175 (also included in Strion series). These systems are also compatible with the SL-B26 rechargeable battery pack (sold separately).



ProTac® HL USB
Headlamp



ProTac® HL USB



ProTac® HPL USB

STREAMLIGHT'S ENGRAVING PROCESS

Personalize Your Lights

Make your Streamlight flashlights a little more personal! We offer custom engraving for our products. Whether it's a for a safety award, to celebrate a corporate event, show appreciation to an employee or just display your logo, we can personalize your flashlights to suit your needs. Here are a few engraving suggestions:

- Annual Safety Award
- Employee Appreciation
- Website
- Company Logo
- Department
- Address
- Corporate Event
- Departmental Patch
- Phone number



Streamlight's Imprinting Department

If you have artwork ready to go, our Imprinting Department will work with you to fit the design to your flashlight of choice. We can also customize an imprint for you with one of the following fonts:

Amerigo Bold **Futura Lite**
Brush Script Regular **Swiss 721 Roman**

FAQs

- Which Streamlight flashlights can be engraved?
- Most of Streamlight's aluminum flashlights can be laser engraved.
- How large will the engraved image be?
- It depends upon the dimensions of the engravable area of each light (noted on imprint guides).
- Where on the flashlight will the engraving appear?
- The location of the engraving depends upon which light is being personalized.
- How long will it take to get my order?
- Please allow up to an additional 1-2 week lead time for most orders. For larger orders call for a lead time estimate.
- What file format do you require for supplied artwork?
- Supplied artwork format must be a black and white bitmap (.bmp) file.

How to Order

To have your product engraved, note "Custom Imprinting" on your order form and include your camera-ready artwork (.bmp file) or use one of our typefaces. A Customer Service Representative (CSR) will contact you and send an engraving order form for your approval and signature.

Engraving fees and minimum order requirements apply. Consult with your CSR to determine price and lead time.

		30 FAIRVIEW ROAD - FAIRVIEW, PA 15403 PHONE: 610-631-0600 FAX: 610-631-0712	<i>Customer Approval</i>
Date: _____ Company: _____ Attention: _____ Sales Order #: _____ ISR: _____		• Approved fonts: (check one if artwork is unavailable) <input type="checkbox"/> Amerigo Bold <input type="checkbox"/> Futura Lite <input type="checkbox"/> Brush Script Regular <input type="checkbox"/> Swiss 721 Roman	
<p>— ARTWORK FOR LOGOS SHOULD BE SUBMITTED AS EPS FILES OR: • ILLUSTRATOR FILES (NO .JPEG), DXF, DWG AND IGS FOR HOT STAMP AND PAD PRINTING. • BMP AND JPEG FOR LASER ENGRAVING (PREFERRED). BLACK AND WHITE CAMERA READY ARTWORK IS ALSO ACCEPTABLE. IF THE PROPER FILE FORMAT IS NOT SUPPLIED, EXTRA CHARGES MAY BE INCURRED. — ACTUAL SIZE OF IMPRINT MAY VARY, AS NECESSARY, FROM ARTWORK.</p> <p>***Your imprint order is ON HOLD pending approval of this layout.***</p> <p><input type="checkbox"/> The undersigned acknowledges the exclusive right, title and interest in and to the proposed engraving word(s) and/or image free of any encumbrance or third party restriction and hereby authorizes and indemnifies the use of the same. Streamlight, Inc. reserves the right to cancel this request at any time if it determines said authority not valid for any reason.</p> <p>Approved By: _____ Date: _____</p>			
<h3>IMPRINT GUIDE — STYLUS PRO</h3> <p>— IMPRINT BY LASER ENGRAVING ONLY.</p> <p>REQUESTED IMPRINT ORIENT AS SHOWN (SEE NOTE) (2.0"x.25" Approx.)</p>			



Contact Information

Contact us today for more information!

Phone: (800) 523-7488 / +1 (610) 631-0600

Fax: (800) 220-7007 / +1 (610) 631-0712

cs@streamlight.com



STREAMLIGHT®

Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A 19403
streamlight.com

(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax

#StreamlightStrong

©2023 Streamlight, Inc. 10/23 ISO 9001:2008 certified 99139 Rev. H asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.

DISTRIBUTED BY: