



**RECHARGEABLE LIGHTING SYSTEMS**  
**EXPERIENCE THE COST SAVINGS**



# TRANSFORM YOUR HIGH-PERFORMANCE LIGHTING TOOLS

INTO RECHARGEABLE SYSTEMS THAT OUTSHINE AND OUTPERFORM  
FLASHLIGHTS WITH TRADITIONAL BATTERY PLATFORMS

**AND SAVE MONEY IN THE PROCESS!**

**STREAMLIGHT OFFERS A LINE OF MULTI-FUEL LIGHTING TOOLS** that accept either CR123A lithium batteries or SL-B26® protected Li-Ion USB rechargeable battery packs. Choosing a rechargeable flashlight system nearly eliminates battery replacement and recycling costs, while dramatically decreasing downstream waste.

- Our “X” SERIES of products provide the perfect blend of performance, durability and cost savings.

*If you replace one pair of CR123A batteries each week for 52 weeks, that's 104 disposable batteries per year vs. a single SL-B26 rechargeable battery pack. If your organization has 100 lights in service, the SL-B26 rechargeable system could keep 10,400 batteries out of the waste stream and save your organization tens of thousands of dollars!*

- Streamlight's proprietary SL-B26 battery packs feature an integrated safety circuit that protects from overcharge/overdischarge. They charge in 5 hours or less and feature a charge status indicator.

- A variety of power sources can be used to charge this battery platform including USB power cords, charge cradle or bank charger, portable power pack or 12V DC automotive power.

- The rechargeable capabilities of the SL-B26 battery pack gives you an easy field replaceable battery system providing one to use and a fully recharged back-up.



SL-B26 battery packs in eight unit bank charger

**STREAMLIGHT, THE TRUSTED BRAND FOR ALL OF YOUR PROFESSIONAL AND PERSONAL LIGHTING NEEDS**

#ToolsNotToys

#StreamlightStrong

#OftenImitatedbutNEVERDuplicated

## RECHARGEABLE LIGHTING SYSTEMS

SL-B26<sup>®</sup> Lithium Ion Battery Pack  
pages 4-5



Stinger<sup>®</sup> 2020  
see page 6



PolyTac<sup>®</sup> X USB  
see page 6



Siege<sup>®</sup> X USB  
see page 6



Vantage<sup>®</sup> 180 X USB  
see page 7



ProTac<sup>®</sup> HL<sup>®</sup> 5-X USB  
see page 8



PolyTac<sup>®</sup> 90 X USB  
see page 7



ProTac<sup>®</sup> 90 X USB  
see page 8



ProTac<sup>®</sup> 2L-X USB  
see page 9



ProTac<sup>®</sup> HL-X USB  
see page 9



## ALSO WORKS WITH:

BATTERY SOLD SEPARATELY (NOT AVAILABLE AS SYSTEM)

ProTac<sup>®</sup> HL<sup>®</sup> 4  
see page 10



ProTac<sup>®</sup> HL USB  
Headlamp  
see page 10



ProTac<sup>®</sup> HL USB  
see page 11



ProTac<sup>®</sup> HPL USB  
see page 11



# MULTI-FUEL FLEXIBILITY

## A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



### SL-B26<sup>®</sup> PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

**BATTERY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

**SIZE:** 2.75" [7 cm]

**BATTERY WEIGHT:** 1.7 oz [48g]

#### OPTIONAL CHARGE CRADLE

**SIZE:** 4.5" [11.4cm]

**WEIGHT:** 2.4 oz [68g]



Features integrated USB port.

Charge status LEDs:

Red = charging

Green = charged



CHARGING



CHARGED

ITEM #	ITEM DESCRIPTION
22102	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK
22100	LI-ION CHARGE CRADLE
22010	LI-ION BATTERY PACK KIT - USB CORD, 2 SL-B26 BATTERY PACKS
22011	LI-ION BATTERY PACK KIT - 120V AC, 2 SL-B26 BATTERY PACKS
22070	40" [101 CM] USB CORD
22081	22" [55.88 CM] USB CORD

# ORGANIZE, STORE AND CHARGE

## YOUR SL-B26<sup>®</sup> BATTERY PACKS



**NFPA** Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

### EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

#### BANK CHARGER

**SIZE:** 10.45" x 4.74"x1" [26.54x12.06x2.54 cm]

**WEIGHT:** 7.6 oz. [216g] w/o batteries; 20.88 oz. [592g] w/ batteries

ITEM #	ITEM DESCRIPTION
20221	8-UNIT BANK CHARGER - 120V AC
20220	8-UNIT BANK CHARGER - 12V DC
20224	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 120V AC
20223	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 12V DC
44909	120V AC CORD
44923	12V DC CORD



120V AC Charge Cord



12V DC Charge Cord

## STINGER® 2020

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	850	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	315m	200m	70m
<b>RUN TIME:</b>	2h	4h	24h

STROBE RUNS 3.25 HOURS



Uses two SL-B26™ protected Li-Ion USB rechargeable battery packs



The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time.

An SL-B26® USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

**BATTERY:** 2 SL-B26 Li-Ion USB rechargeable battery packs  
**SIZE:** 7.67" [19.48cm]  
**WEIGHT:** 12.3 oz [350g]  
**COLOR:** Black

ITEM #	ITEM DESCRIPTION
78101	STINGER 2020 - 120V AC/12V DC
78104	STINGER 2020 - 12V DC
78100	STINGER 2020 - LIGHT ONLY

TAA COMPLIANT

## POLYTAC® X USB

Multi-Fuel Design provides you the versatility to use two CR123 batteries or one Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7 - waterproof to 1m for 30 minutes.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries  
**SIZE:** 5.46" [13.87 cm]  
**WEIGHT:** 4.4 oz [125g] CR123; 4.9 oz [139g] SL-B26  
**COLOR:** Black, Yellow or Coyote

CLAM	BOX	ITEM DESCRIPTION
88610	88613	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - BLACK
88611	88614	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - YELLOW
88612	88615	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - COYOTE

## SIEGE® X USB

LANTERN	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	325	170	30
<b>RUN TIME:</b>	4.5h	7.75h	25h

  

RED	HIGH	SOS
<b>LUMENS:</b>	1.6	1.6
<b>RUN TIME:</b>	22h	90h

FLASHLIGHT	HIGH	LOW
<b>LUMENS:</b>	300	40
<b>CANDELA:</b>	6,000	900
<b>DISTANCE:</b>	155m	60m
<b>RUN TIME:</b>	3.5h	25h



**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A batteries

Incorporated flashlight produces 300 lumens



The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7 waterproof.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries  
**SIZE:** 4.35" [11.05 cm]  
**WEIGHT:** 7.2 oz [204.12g]  
**COLOR:** Coyote

ITEM #	ITEM DESCRIPTION
44956	SIEGE X USB - WITH SL-B26 BATTERY PACK - COYOTE



	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME (CR123):</b>	2.75h	5.5h	34h
<b>RUN TIME (SL-B26):</b>	3.5h	5.75h	36h

STROBE RUNS 8 HOURS

**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A batteries

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

## VANTAGE® 180 X USB

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB port.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.20" [13.20 cm]

**WEIGHT:** 5.9 oz [167g] [SL-b26]; 5.5 oz [156 g] [CR123A]

**COLOR:** Black or Orange

ORANGE	BLACK	ITEM DESCRIPTION
88911	88913	VANTAGE 180 X USB - SL-B26 BATTERY PACK

	HIGH	LOW
<b>LUMENS:</b>	250	100
<b>CANDELA:</b>	7,200	2,650
<b>DISTANCE:</b>	170m	103m
<b>RUN TIME (CR123):</b>	4h	12h
<b>RUN TIME (SL-B26):</b>	5h	15h



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A batteries

### NFPA

Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



Includes "quick release" helmet bracket and hex key

Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



## POLYTAC 90® X USB



	HIGH	LOW
<b>LUMENS:</b>	500	85
<b>CANDELA:</b>	7,000	1,050
<b>DISTANCE:</b>	167m	64m
<b>RUN TIME (CR123):</b>	2.5h	12h
<b>RUN TIME (SL-B26):</b>	3.75h	19h

Flexible, rugged and super bright, the PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. Built with the rigors of the job in mind, it has a durable, waterproof construction. Its power button with a built in battery life indicator will let you know when it is time to recharge your battery giving you the confidence to stay focused on the task at hand.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 4.43" [11.25 cm]

**WEIGHT:** 4.8 oz. [136g][SL-B26]; 4.3 oz. [122g] [CR123A]

**COLOR:** Orange, Yellow or Black

**NFPA** Meets requirements of NFPA 1971-8.6 (2018)

Gear Keeper® Tether features spectra nylon line with 36" extension and 6 oz. retraction force.



ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
88838	88836	88835	POLYTAC 90 X USB - SL-B26 BATTERY PACK
88837	--	--	POLYTAC 90 X USB - SL-B26 BATTERY PACK & GEAR KEEPER

## PROTAC® 90 X USB

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack; also accepts 2 CR123A lithium batteries

**SIZE:** 4.39" (11.1cm)

**WEIGHT:** 4.9 oz (139g) with SL-B26 battery pack; 4.4 oz. (125g) with CR123A lithium batteries

**COLOR:** Black



	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	300	65
<b>CANDELA:</b>	7,350	2,060	450
<b>DISTANCE:</b>	171m	91m	42m
<b>RUN TIME (CR123):</b>	2.5h	4h	21h
<b>RUN TIME (SL-B26):</b>	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123); 3.5 HOURS (SL-B26)			

ITEM #	ITEM DESCRIPTION
88095	PROTAC 90 X USB - SL-B26 BATTERY PACK AND HOLSTER

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

## PROTAC HL® 5-X USB

The ProTac HL 5-X features MULTI-FUEL innovation that provides you the versatility to use four CR123 batteries or two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. Multiple battery sources can help reduce down time and keep you powered up. IPX7 waterproof to 1m for 30 minutes.



**BATTERY:** 4 CR123A lithium or 2 SL-B26 Li-Ion USB rechargeable battery packs

**SIZE:** 8.63" (21.92 cm)

**WEIGHT:** 17 oz (482g)

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88080	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - CLAM
88081	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - BOX

SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	3,500	1,000	250
<b>CANDELA:</b>	51,000	14,100	3,620
<b>DISTANCE:</b>	452m	237m	120m
<b>RUN TIME (SL-B26):</b>	1.25h	2.5h	10.5h
STROBE RUNS 1.25 HOURS (SL-B26)			

**MULTI-FUEL DESIGN:**

Runs on SL-B26 battery packs or CR123A batteries



**HL®**

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high

CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,500	1,000	250
<b>CANDELA:</b>	37,000	14,100	3,620
<b>DISTANCE:</b>	385m	237m	120m
<b>RUN TIME (CR123A):</b>	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS (CR123A)			

## PROTAC® 2L-X USB

	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME (CR123):</b>	2.75h	30h
<b>RUN TIME (LI-ION):</b>	3.75h	30h
STROBE RUNS 3.25 HOURS (CR123); 4.5 HOURS (LI-ION)		



- TEN-TAP®** Programmable - choose from three programs:
- high/strobe/low
  - high only
  - low/high

The ProTac 2L-X features multi-battery versatility - uses two CR123A batteries or one Streamlight protected rechargeable lithium ion battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

## PROTAC® HL-X USB

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME (CR123):</b>	1.25h	3h	20h
<b>RUN TIME (LI-ION):</b>	1.25h	3h	20h
STROBE RUNS 2.5 HOURS (CR123); 3.25 HOURS (LI-ION)			



**HL®**

- TEN-TAP®** Programmable - choose from three programs:
- high/strobe/low
  - high only
  - low/med/high

The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight protected rechargeable lithium ion battery. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

### MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries



### MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries



**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.14" (13 cm)

**WEIGHT:** 3.9 oz (111g) CR123A; 4.4 oz (125g) SL-B26

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88082	PROTAC 2L-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - CLAM
88083	PROTAC 2L-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - BOX

**BATTERY:** SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 5.43" (13.8 cm)

**WEIGHT:** 5.7 oz (162g) CR123A; 6.2 oz (176g) SL-B26

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88084	PROTAC HL-X USB - SL-B26 BATT PACK, USB CORD & HOLSTER - CLAM
88085	PROTAC HL-X USB - SL-B26 BATT PACK, USB CORD & HOLSTER - BOX

# THESE PRODUCTS ALSO ACCEPT SL-B26 BATTERY PACKS

[NOT AVAILABLE AS SYSTEMS]

## PROTAC HL® USB HEADLAMP

This is the perfect rechargeable headlamp for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® Programming lets you choose from three operating modes. IPX4 water-resistant; 1m impact-resistance tested. Multi-fuel capability: includes rechargeable lithium ion battery; also a or protected lithium ion USB rechargeable battery.

**BATTERY:** Lithium ion; also accepts SL-B26 Li-Ion USB rechargeable battery pack

**WEIGHT:** 8.1 oz (230g)

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
61305	PROTAC HL USB HEADLAMP – BLACK
61306	PROTAC HL USB HEADLAMP 120V AC – BLACK

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	13,500	5,400	900
<b>DISTANCE:</b>	232m	147m	60m
<b>RUN TIME:</b>	1.75h	3.5h	24h



## PROTAC HL® 4

This MULTI-FUEL handheld flashlight accepts either four CR123A lithium batteries two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. Multiple battery sources can help reduce down time and keep you powered up. TEN-TAP Programming offers three user selectable programs. IPX7 waterproof to 1m for 30 minutes.

**BATTERY:** 4 CR123A lithium or 2 SL-B26 Li-Ion USB rechargeable battery packs

**SIZE:** 8.63" (21.92 cm)

**WEIGHT:** 17 oz (482g)

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88060	PROTAC HL 4 - 4 CR123A LITHIUM BATTERIES - CLAM

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,200	600	60
<b>CANDELA:</b>	30,000	8,300	800
<b>DISTANCE:</b>	346m	182m	56m
<b>RUN TIME (CR123A):</b>	1.5h	4h	40h
<b>RUN TIME (SL-B26):</b>	1.45h	4.25h	43h
STROBE RUNS 2.5 HOURS (CR123A); RUNS 3.5 HOURS (SL-B26)			

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/med/high



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery packs or CR123A batteries

## PROTAC HL® USB

Delivers extraordinary brightness within a wide beam so you can see into those dark corners. Ideal for areas where you need a lot of light to see all around you. Uses rechargeable lithium ion battery; also accepts two CR123A lithium batteries or a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack.

**BATTERY:** Lithium ion battery; also accepts SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 6.5" (16.5 cm)

**WEIGHT:** 7.2 oz (204g)

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88052	PROTAC HL USB - USB CORD & HOLSTER - CLAM
88054	PROTAC HL USB - 120V AC/12V DC & HOLSTER - CLAM

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	4,100	700
<b>DISTANCE:</b>	219m	133m	53m
<b>RUN TIME:</b>	1.5h	3.5h	23h

STROBE RUNS 1.5 HOURS

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**

Uses lithium ion battery. Also runs on SL-B26 battery pack or CR123A batteries

## PROTAC HPL® USB

High performance, high lumen tactical light - it's USB rechargeable, so you can charge on-the-go using almost any USB source. It accepts multiple battery types including a rechargeable lithium ion battery, Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries so you'll always have power when you need it - reduces down time.

**BATTERY:** Lithium ion battery; also accepts SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

**SIZE:** 7.8" (18 cm)

**WEIGHT:** 9.24 oz (226g)

**COLOR:** Black

ITEM #	ITEM DESCRIPTION
88076	PROTAC HPL USB - USB CORD AND HOLSTER - CLAM
88078	PROTAC HPL USB - 120V AC/12V DC AND HOLSTER - CLAM

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	14,100	2,250
<b>DISTANCE:</b>	374m	237m	95m
<b>RUN TIME:</b>	1.5h	3h	20h

STROBE RUNS 3 HOURS

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**

Uses lithium ion battery. Also runs on SL-B26 battery pack or CR123A batteries



**STREAMLIGHT®**

Streamlight, Inc.  
30 Eagleville Road  
Eagleville, PA U.S.A 19403  
streamlight.com

(800) 523-7488 Toll-Free  
(800) 220-7007 Fax  
(610) 631-0600  
(610) 631-0712 Fax

©2021 Streamlight, Inc. 7/21 ISO 9001:2008 certified asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.