

SIDEWINDER STALK™ MULTI-FUNCTION MILITARY HELMET LIGHT WITH FLEXIBLE STALK



Sidewinder Stalk - Includes helmet clip, CR123 & AA alk battery..... Retail Box - 14306.....Mailer - 14300
 Sidewinder Stalk - Includes helmet clip, arc rail assy; arc rail mount; CR123 & AA alkaline battery.....Retail Box - 14307Mailer - 14301
 Sidewinder Stalk - Includes helmet clip, E-mount, CR123 & AA alkaline battery.....Retail Box - 14308.....Mailer - 14302

- Features white, IR, Red, Blue and Green LEDs - all located in the head mounted on a flexible stalk - each with low, medium, high and strobe modes along with an additional IR/IFF beacon
- White LED output at 100%:
 - High - CR123A: 76 lumens; 28m beam; runs 5.6 hours
 - High- AA: 57 lumens; 23m beam; runs 6 hours (AA lithium)/3.8 hours (AA alkaline)
- Includes one CR123A lithium battery and AA alkaline battery; also accepts 1 AA lithium battery
- Durable clip attaches to helmet or MOLLE vest providing flexibility in hands-free lighting
- Features push-button power switch and pull-to-turn rotary selector knob designed to prevent accidental mode changes and allow selection of LED color
- IFF strobe activated by a three-position switch with a center "Off" position and two "On" positions
- IP67 Rated; dust-tight and waterproof to 1 meter for 30 minutes
- Assembled in USA

TLR-6® SUBCOMPACT GUN-MOUNTED TACTICAL LIGHT WITH INTEGRATED RED AIMING LASER



TLR-6 - (Taurus GX4™) #69287

- White LED illuminator and 640-660nm red laser
 - 100 lumens; 89m beam; runs 1 hour (LED only or LED/laser combo); 11 hours (laser only)
- Parabolic reflector produces a balance of beam and peripheral illumination; red laser provides long-range targeting
- Ambidextrous switch - access three modes: Laser only, Laser/LED combo, LED illumination only
- Batteries can be replaced with light mounted on gun; no need to re-sight laser after battery change; uses two CR 1/3N lithium batteries (included)
- Windage and elevation adjustment screws mounted in brass bushing for dependable zero retention of laser
- Durable, impact-resistant polymer construction; 1m impact resistance tested
- For more information on TLR-6 models visit streamlight.com/TLR-6

TLR-7® sub ULTRA-COMPACT GUN LIGHT FOR SUB-COMPACT RAILED PISTOLS



TLR-7 sub (for SA Hellcat®) - Includes mounting kit with keys and CR123A lithium battery #69440

- 500 lumens; runs 1.5 hours
- Ambidextrous rear switch
- "Safe off" feature prevents accidental activation, saves batteries
- Powered by one CR123A lithium battery (included)
- IPX7; waterproof to 1m for 30 mins
- 2.58" (6.55 cm); 2.4 oz. (68.1g)
- See streamlight.com for more models

TLR® RM 1/TLR® RM 1 LASER HIGH LUMEN GUN-MOUNTED TACTICAL LIGHT



TLR RM 1 - System includes remote pressure switch, key kit and CR123A lithium battery #69440

TLR RM 1 - Light Only - includes key kit and CR123A lithium battery #69441

TLR RM 1 Laser - System includes remote pressure switch, key kit and CR123A lithium battery..... #69445

TLR RM 1 Laser - Light Only - includes key kit and CR123A lithium battery..... #69446

- White LED illuminator (Laser model features integrated 640-660nm red laser)
- 500 lumens; 140m beam; runs 1.5 hours (LED only or LED/Laser); runs 60 hours (Laser only); runs 3 hours (strobe)
- Features independently operating push-button switch or remote pressure switch
 - Remote pressure switch exits at 90° providing improved wire routing option while preserving rail space
- Safe off feature prevents accidental activation; saves batteries
- Securely attaches to long guns with MIL Standard 1913 Rails
- Kit includes everything you need to mount to your long gun (remote pressure switch kit, key kit)
- Powered by one CR123A lithium battery (included)
- TLR RM 1: IPX7 waterproof; TLR RM 1 Laser: IPX4; water-resistant

TLR[®] RM 2/TLR[®] RM 2 LASER HIGH LUMEN GUN-MOUNTED TACTICAL LIGHT



TLR RM 2 - System includes remote pressure switch, key kit and CR123A lithium battery	#69450
TLR RM 2 - Light Only - includes key kit and CR123A lithium battery	#69451
TLR RM 2 Laser - System includes remote pressure switch, key kit and CR123A lithium battery.....	#69447
TLR RM 2 Laser - Light Only - includes key kit and CR123A lithium battery.....	#69448

- White LED illuminator (Laser model features integrated 640-660nm red laser)
- 1,000 lumens; 200m beam; runs 1.5 hours (LED only or LED/Laser); runs 60 hours (Laser only); runs 3 hours on strobe
- Features independently operating push-button switch or remote pressure switch
 - Remote pressure switch exits at 90° providing improved wire routing option while preserving rail space
- Safe off feature prevents accidental activation; saves batteries
- Securely attaches to long guns with MIL Standard 1913 Rails
- Kit includes everything you need to mount to your long gun (remote pressure switch kit, key kit)
- Powered by two CR123A lithium batteries (included)
- TLR RM 2: IPX7 waterproof; TLR RM 2 Laser: IPX4; water-resistant

WEDGE[®] COMPACT, RECHARGEABLE, HIGH-PERFORMANCE EDC FLASHLIGHT



Wedge - Includes USB cord, wrist lanyard - Box - Black.....	#88810
Wedge - Includes USB cord, wrist lanyard - Box - Coyote.....	#88811

- Features two lighting modes: Constant on and THRO™ (Temporarily Heightened Regulated Output) mode for maximum brightness
 - 300 lumens; 69m beam; runs 3 hours
 - THRO™: 1,000 lumens; 110m beam; 35 second burst
- Thin, ergonomic design fits comfortably in your hand and provides clean pocket carry
 - Grooved for a sure grip
- Rotatable switch with battery level/charge indicator
- Deep carry pocket clip attaches on either side of light
- USB-C rechargeable
 - Lithium polymer battery charges in 3 hours
- Durable, anodized aluminum construction; tempered glass lens
- IPX7 waterproof to 1m; 1m impact resistance tested
- 5.46" (13.87 cm); 3.3 oz. (93.5g)



STINGER[®] 2020 RECHARGEABLE, MULTI-FUNCTION FLASHLIGHT



Stinger 2020 - 230V AC/12V DC - 1 Holder.....	78102
Stinger 2020 - 240V AC/12V DC - 1 Holder	78103
Stinger 2020 - 120V/100V AC/12V DC 1 Holder	78101
Stinger 2020 - 12V DC	78104
Stinger 2020 - WITHOUT CHARGER (includes "Y" USB cord).....	78100

- Intuitive mode switch for easy selection of High, Medium or Low - "Set and forget it" - no need to cycle through the settings to get to the desired mode
 - High for a high lumen beam: 2,000 lumens; 315m beam; runs 2 hours
 - Medium for bright light & longer run time: 850 lumens; 200m beam; runs 4 hours
 - Low for extended run time: 100 lumens; 70m beam; runs 24 hours
 - Strobe for disorienting or signaling: runs 3.25 hours
- Features Independently functioning head-mounted and tail switches
- Uses two SL-B26™ protected Li-Ion USB rechargeable battery packs
 - Charge with existing Stinger chargers, USB cord or lithium ion bank charger
- Aluminum alloy body with ergonomic, anti-roll body design and textured grip
- Corrosion resistant, gasket-sealed Borofloat[®] glass lens
- IPX7 waterproof; 2m impact resistance tested
- 7.67" (19.48 cm); 12.3 oz (350g)

SL-B26[®] PROTECTED LITHIUM ION BATTERY PACK & BANK CHARGER

ITEM	SINGLE BATTERY	2-PACK
SL-B26 battery pack	#22101	#22102

BATTERY FEATURES:

- Protected lithium ion battery with on-board safety control circuit
- USB rechargeable; also charges in charger
- Charges in 5 hours using USB cord
- 2.75 in (7.0 cm); 1.7 oz (48 grams)

ITEM	W/O BATTERIES	W BATTERIES
8-Unit Bank Charger - 120V/100V AC	#20221	#20224
8-Unit Bank Charger - 230V/240V AC	#20222	#20225
8-Unit Bank Charger - 12V DC	#20220	#20223

8-UNIT CHARGER FEATURES:

- Charge up to eight lithium ion USB rechargeable battery packs; charge time: 5.25 hours
- Charge bays securely hold batteries in place - ideal for truck mounting
- Charge indicators over each battery slot: red = charging, green = charged
- Low-profile - 1" (2.54 cm) - minimal mounting area required
- Impact-resistant polymer construction
- 10.45" x 4.74" x 1" (26.54x12.06x2.54 cm); 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in upright position



PROTAC[®] HL 5-X USB/PROTAC[®] HL 5-X MULTI-FUEL, HIGH LUMEN FLASHLIGHT



ProTac HL 5-X USB - includes two 18650 USB batteries, dual USB cord and wrist lanyard	CLAM #88080	BOX #88081
ProTac HL 5-X - includes 4 CR123A lithium batteries and wrist lanyard	CLAM #88074	BOX #88075

- MULTI-FUEL - uses two Streamlight rechargeable 18650 USB lithium ion batteries; also accepts four CR123A lithium batteries
- TEN-TAP[®] Programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 - High (18650 USB): 3,500 lumens; 51,000 candela; 452m beam; runs 1.25 hours
 - High (CR123A): 2,500 lumens; 37,000 candela; 385m beam; runs 1.5 hours
 - Medium: 1,000 lumens; 14,100 candela; 237m beam; runs 2.5 hours (CR123A); runs 3 hours (18650 USB)
 - Low: 250 lumens; 3,620 candela; 120m beam; runs 10.5 hours (CR123A); runs 11.5 hours (18650 USB)
 - Strobe for signaling or disorienting: runs 1.5 hours (CR123A); runs 1.25 hours (18650 USB)
- Durable, anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested
- 9.53" (23.65 cm); 1 lb 3.4 oz (550g)

PROTAC[®] HL-X USB/PROTAC[®] HL-X MULTI-FUEL, HIGH LUMEN FLASHLIGHT



ProTac HL-X USB - includes 18650 USB battery, USB cord and nylon holster	CLAM #88084	BOX #88085
ProTac HL-X - includes two CR123A lithium batteries and nylon holster	CLAM #88064	BOX #88065

- MULTI-FUEL - uses one Streamlight rechargeable 18650 USB lithium ion battery; also accepts two CR123A lithium batteries
- TEN-TAP[®] Programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 - High: 1,000 lumens; 27,100 candela; 330m beam; runs 1.25 hours (CR123A); runs 1.5 hours (18650 USB)
 - Medium: 400 lumens; 10,000 candela; 200m beam; runs 3 hours (CR123A); runs 3.5 hours (18650 USB)
 - Low: 65 lumens; 1,600 candela; 80m beam; runs 20 hours (CR123A); runs 23 hours (18650 USB)
 - Strobe for signaling or disorienting: runs 2.5 hours (CR123A); runs 3.25 hours (18650 USB)
- Durable, anodized aluminum construction; IP68 dust tight and waterproof to 2m; 2m impact resistance tested
- Includes nylon holster
- 5.43" (13.8 cm); 5.7 oz (162g)

PROTAC[®] 2L-X USB/PROTAC[®] 2L-X MULTI-FUEL HIGH PERFORMANCE FLASHLIGHT



ProTac 2L-X USB - includes 18650 USB battery, USB cord and nylon holster	CLAM #88082	BOX #88083
ProTac 2L-X - includes two CR123A lithium batteries and nylon holster	CLAM #88062	BOX #88063

- MULTI-FUEL - uses one Streamlight rechargeable 18650 USB lithium ion battery; also accepts two CR123A lithium batteries
- TEN-TAP[®] Programming - choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/high:
 - High for maximum illumination: 500 lumens; 6,800 candela; 165m beam; runs 2.75 hours (CR123A); runs 3.25 hours (18650 USB)
 - Low for extended run time: 40 lumens; 600 candela; 49m beam; runs 30 hours (either battery type)
 - Strobe for signaling or disorienting: runs 3.25 (CR123A); 4.5 hours (18650 USB)
- Durable, anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 2m impact resistance tested
- Includes nylon holster
- 5.14" (13.0 cm); 3.9 oz (111g)

PROTAC[®] 90 X USB/PROTAC[®] 90 X ULTRA-COMPACT, RIGHT ANGLE TACTICAL LIGHT



ProTac 90X - CR123A lithium batteries and holster..... #88094
 ProTac 90X USB - SL-B26 battery pack and holster #88095

- Multi-Fuel - Uses one Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack; also accepts two CR123A lithium batteries
- High, medium, low and strobe modes:
 - High: 1,000 lumens; 171m beam; runs 2.5 hours (CR123A); runs 1.75 hours (SL-B26 battery pack)
 - Medium: 300 lumens; 91m beam; runs 4 hours (CR123A); runs 4.75 hours (SL-B26 battery pack)
 - Low: 65 lumens; 42m beam; runs 21 hours (CR123A); runs 24 hours (SL-B26 battery pack)
 - Strobe runs 2.5 hours (CR123A); runs 3.5 hours (SL-B26 battery pack)
- TEN-TAP[®] Programming - choose from three different operating programs: 1) high/strobe/low 2) high only 3) low/medium/high
- Multi-function push-button head switch easy to use with gloved hands
- Removable pocket clip attaches to MOLLE, turnout gear, harnesses, etc.
- Durable, anodized aluminum construction with impact-resistant glass lens; IPX7 waterproof to 1m for 30 minutes
- 4.39" (11.1 cm); 4.9 oz. (139g) with (SL-B26 battery pack); 4.4 oz. (125g) with CR123A lithium batteries

BEARTRAP[®] RECHARGEABLE, MULTI-FUNCTION WORKLIGHT



BearTrap - 120V/100V AC - Red..... 61520
 BearTrap - Int'l (230V/240V) AC - Red..... 61521

- Cool white light with spot and flood modes, each with high, medium and low modes:
 - Flood fills your work area with evenly dispersed, bright light: High: 2,000 lumens; runs 2.5 hours
 - Spot provides a concentrated beam: High: 1,000 lumens; runs 4.5 hours
- Rechargeable, continues to charge while plugged in and in use
- Clamps virtually anywhere
- Lithium ion battery recharges in 5.5 hours
- Tough thermoplastic construction with rubberized grip to prevent scratches; Chemical-resistant lens - withstands most common automotive chemicals
- IPX4 water resistant; 1m impact resistance tested

MACROSTREAM[®] USB ULTRA-COMPACT USB RECHARGEABLE PERSONAL LIGHT



MacroStream USB with USB cord and lanyard - Black..... #66320

- High and low modes:
 - High: 500 lumens; 90m beam; runs 2 hours
 - Low: 50 lumens; 30m beam; runs 8 hours
- Lithium ion battery charges in 4 hours
- Multi-function push-button tail switch with charge indicator
- Durable, anodized machined aluminum construction; scratch-resistant polycarbonate lens; removable pocket clip
- IPX4 water-resistant
- 4.5" (114.3mm); 2.2 oz (62.4g)

POCKET MATE[®] ULTRA-COMPACT USB RECHARGEABLE, HIGH-PERFORMANCE HANDS-FREE LIGHT



Pocket Mate - Silver.....#73300 Pocket Mate - Blue.....#73302
 Pocket Mate - Red.....#73301 Pocket Mate - Pink.....#73303

- Bright white LED provides optimal area illumination and high and low modes:
 - High: 325 lumens; 76m beam; runs 20 minutes
 - Low: 45 lumens; 28m beam; runs 1 hour
- Lithium polymer battery charges in 4 hours
- Multi-function push-button switch with charge indicator LED
- Spring-loaded clip with carabiner shape hangs cleanly on key rings, zippers, lanyards, etc.
- IPX4 water-resistant
- Imprintable – add your logo for corporate gifts, safety awards, etc.
- Ultra-compact: 2.0" (5.1 cm); 0.5 oz (14.2g)