



STREAMLIGHT®

**HOT
PRODUCTS
2026**

TLR-3®X MULTI-FUEL POLYMER COMPACT GUN LIGHT



LUMENS	500
CANDELA	6,500
DISTANCE	161m
RUN TIME SL-B9	1 hr
RUN TIME CR123A	1.5 hrs

- Impact and chemical-resistant, heat-stabilized polymer construction
- Reversible jaws for compatibility across compact/sub compact pistols (1913 models)
- Multi-Fuel: uses one SL-B9® USB rechargeable lithium-ion battery pack or one CR123A lithium battery
- Front loading battery
- IPX7; waterproof

PROTAC® RAIL MOUNT 1L-X MULTI-FUEL TACTICAL LIGHT FOR SHORT-BARRELED RIFLES, CARBINES AND SUBMACHINE GUNS



ProTac Rail Mount 1L-X Pro - Includes Jack Cap®, M-LOK® Kit, Momentary Switch, Hardware Kit and CR123A lithium battery - Black#89024
ProTac Rail Mount 1L-X USB Pro - Includes Jack Cap®, M-LOK® Kit, Momentary Switch, Hardware Kit and SL-B9 battery pack and USB cord - Black#89025
ProTac Rail Mount 1L-X - Includes tailcap switch, mounting hardware, M-LOK® mount and CR123A lithium battery - Black#89026
ProTac Rail Mount 1L-X USB - Includes tailcap switch, mounting hardware, M-LOK® mount and SL-B9 battery pack and USB cord - Black#89027

	SL-B9		CR123A	
	HIGH	LOW	HIGH	LOW
LUMENS	850	100	500	100
CANDELA	30,000	3,400	18,000	3,400
DISTANCE	346m	117m	268m	117m
RUN TIME	30 mins	4.5 hrs	1.75 hrs	6.5 hrs

- Ideal for short-barreled rifles, carbines, and submachine guns
- TEN-TAP® programming allows for selection of three different operating programs:
 - 1) high/strobe
 - 2) high only
 - 3) low/high
- (Pro model) Jack-Cap® tail switch features a push-button switch and a port for a remote pressure switch for operational switch redundancy
- Waterproof without remote switch installed; water-resistant with remote pressure switch installed
- Multi-Fuel: Uses one Streamlight SL-B9® protected Li-Ion USB rechargeable battery pack; also accepts one CR123A lithium battery

PROTAC® RAIL MOUNT VIR PRO MULTI-FUEL, WHITE LIGHT AND IR LONG GUN LIGHT



ProTac Rail Mount VIR Pro – Includes Jack Cap®, M-LOK® Kit, momentary switch, hardware kit and two CR123A batteries – Box#88138
ProTac Rail Mount VIR Pro USB – Includes Jack Cap®, M-LOK® Kit, momentary switch, hardware kit, SL-B26® battery pack and USB cord – Box#88139

	HIGH	MEDIUM	LOW	IR HIGH	IR LOW
	LUMENS	540	120	2,300mW	600mW
CANDELA	40,000	19,000	4,200	---	---
DISTANCE	400m	276m	130m	---	---
RUN TIME (SL-B26)	2 hrs	3.75 hrs	14 hrs	2 hrs	9 hrs
RUN TIME (CR123A)	1.5 hrs	2.75 hrs	11 hrs	1.25 hrs	7.25 hrs

- Integrated IR to white light safety cutoff
- Mode selector switch for IR/Off/White light
- Integrated rail clamp attaches to MIL-STD-1913 (Picatinny) rail or M-LOK® compatible rails
- Multi-Fuel: Uses one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries

POLYTAC® 1X MULTI-FUEL, HAND-HELD FLASHLIGHT



PolyTac 1X - Includes AA alkaline battery and CR123A lithium battery - Black#86000 (Black)
PolyTac 1X USB - Includes SL-B9 battery pack - Black#86001 (Black)

	SL-B9		CR123A		AA	
	HIGH	LOW	HIGH	LOW	HIGH	LOW
LUMENS	500	40	350	40	150	40
CANDELA	18,000	1,000	12,000	1,000	5,000	1,000
DISTANCE	268m	63m	219m	63m	141m	63m
RUN TIME	1 hrs	8 hrs	1.5 hrs	14 hrs	5 hrs	14 hrs

Strobe runs 1.75 hours (SL-B9); runs 2.25 hours (CR123A); runs 7 hours (AA)

- TEN-TAP® programming allows for selection of three different operating programs: 1) high/strobe/low 2) high only 3) low/high
- Rocky stipple grip texture for superior grip; removable two-way pocket clip
- IPX7; waterproof
- Multi-Fuel: Uses one Streamlight SL-B9® protected Li-Ion USB rechargeable battery pack; also accepts one CR123A lithium battery

WEDGE® SL ULTRA THIN RECHARGEABLE INSPECTION FLASHLIGHT



Wedge SL - Includes end cover - Black.....	#88840
Wedge SL - Includes end cover - Coyote.....	#88841
Wedge SL - Includes end cover - Silver.....	#88842

	THRO®	HIGH	LOW
LUMENS	500	100	50
CANDELA	1,600	300	150
DISTANCE	80m	35m	24m
RUN TIME	---	1.75 hrs	3.5 hrs

- TEN-TAP® programming switch allows user selection of high (factory default) or low intensity for constant on
- Rubber end cover included
- USB rechargeable
- IPX4; water-resistant
- Ultra-thin unibody design with durable stainless steel pocket clip

0.28 in (0.70 cm)



PROTAC® HP-X MULTI-FUEL, HIGH-CANDELA, RECHARGEABLE TACTICAL LIGHT



ProTac HP-X - Includes (2) CR123A lithium batteries and holster - Box - Black	#89021
ProTac HP-X USB - Includes (1) SL-B26 battery pack, USB cord and holster - Box - Black.....	#89022

	HIGH	MEDIUM	LOW
LUMENS	800	240	45
CANDELA	105,000	34,000	6,300
DISTANCE	648m	369m	159m
RUN TIME [CR123A]	1.5 hrs	4.25 hrs	24 hrs
RUN TIME [SL-B26]	2 hrs	5 hrs	31 hrs

Strobe runs 3 hours (CR123A) // 4.25 hours (SL-B26)

- High candela with extreme beam reach
- Multi-Fuel: Uses one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries
- Durable, anodized machined aluminum construction
- IP68; dust-tight and waterproof

PROTAC® 2.0 HP HIGH-CANDELA, RECHARGEABLE TACTICAL LIGHT



ProTac 2.0 HP - Includes (1) SL-B50 battery pack, USB-C cord and nylon holster - Black.....	#89023
---	--------

	HIGH	MEDIUM	LOW
LUMENS	2,000	550	100
CANDELA	85,000	22,500	4,400
DISTANCE	583m	300m	132m
RUN TIME	2.5 hrs	5 hrs	31 hrs

Strobe runs 2 hours

- Optimized for balanced brightness between candela and lumens without sacrificing run time.
- Durable, anodized machined aluminum construction
- Metal sleeve protects charge port; slide sleeve back to reveal charge port; no need to remove the battery to charge
 - SL-B50® protected Li-Ion USB-rechargeable battery pack charges in 6 hours
- IP67; dust-tight and waterproof

MEGASTREAM® HP USB HIGH-CANDELA, RECHARGEABLE HANDHELD FLASHLIGHT



MegaStream HP USB - Includes USB-C cord and nylon holster - Black	#66211
---	--------

	HIGH	MEDIUM	LOW
LUMENS	1,350	470	145
CANDELA	310,000	108,000	32,000
DISTANCE	1,114m	657m	358m
RUN TIME	2 hrs	4 hrs	15 hrs

- Lithium-ion battery charges in 5 hours
- Durable, anodized machined aluminum construction
- Metal sleeve protects charge port; slide sleeve back to reveal charge port
- Waterproof

LEDGE® RUGGED, LOW PROFILE, MULTI-FUEL FLOOD HEADLAMP



Sledge - Includes elastic and rubber hard hat headstrap, (1) SL-B26 battery pack and USB-C cord - Black	#89019
---	--------

	THRO®	HIGH	MEDIUM	LOW
LUMENS	1,000	600	300	100
CANDELA	3,000	1,800	850	310
DISTANCE	110m	85m	58m	35m
RUN TIME	60 sec	4.25 hrs	9.25 hrs	13 hrs

- Powers on in low mode
- 45° tilting head, especially handy for reading
- Multi-fuel - uses one SL-B26 battery pack; also accepts two CR123A lithium batteries
- IPX4; water-resistant

//UPGRADES

TLR-7® X ULTRA LIGHTWEIGHT, RECHARGEABLE LOW-PROFILE GUN-MOUNTED LIGHT



TRADITIONAL BEAM PATTERN

TLR-7 X - Includes interchangeable switches, rail locating keys and one CR123A lithium battery - Black.....	#69424
TLR-7 X - Includes interchangeable switches, rail locating keys and one CR123A lithium battery - FDE	#69429
TLR-7 X USB - Includes interchangeable switches, rail locating keys and one SL-B9 battery pack - Black.....	#69455
TLR-7 X USB - Includes interchangeable switches, rail locating keys and one SL-B9 battery pack - FDE	#69456

	SL-B9	CR123A
LUMENS	725	550
CANDELA	9,500	7,200
DISTANCE	195m	170m
RUN TIME	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- IPX7; waterproof

TLR-7® X SUB RECHARGEABLE GUN LIGHT FOR SUBCOMPACT HANDGUNS



TRADITIONAL BEAM PATTERN

TLR-7 X sub (GLOCK® 43X/48 MOS 43X/48 Rail) - Includes mounting kit with key, multi-tool and battery.....	#69400 (CR123A)
TLR-7 X sub (SIG SAUER® P365®/XL closed rail systems) - Includes mounting kit with key, multi-tool and battery	#69401 (CR123A)
TLR-7 X sub (1913) - Includes mounting kit with keys, multi-tool and battery	#69402 (CR123A)
TLR-7 X sub (1913OS) - Includes mounting kit with key, multi-tool and battery.....	#69404 (CR123A)

	SL-B9	CR123A
LUMENS	725	550
CANDELA	7,700	5,000
DISTANCE	176m	141m
RUN TIME	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- IPX7; waterproof

TLR-7® HL-X USB MULTI-FUEL, HIGH CANDELA RAIL-MOUNTED LIGHT



HIGH CANDELA BEAM PATTERN

TLR-7 HL-X USB - Includes interchangeable switches, SL-B9 rechargeable battery pack and key kit – Black	#69458
TLR-7 HL-X USB - Includes interchangeable switches, SL-B9 rechargeable battery pack and key kit – FDE.....	#69459

	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,100	550	550
CANDELA	23,000	11,000	11,000
DISTANCE	300m	210m	210m
RUN TIME	30 min	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- IPX7; waterproof

TLR-7® HL-X SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT FOR SUBCOMPACT RAILED PISTOLS



TLR-7 HL-X sub USB (GLOCK® 43X/48 MOS 43X/48 Rail) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord	#69503
TLR-7 HL-X sub USB (SIG SAUER® P365®/XL closed rail systems*) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C	#69504

*Does not fit the P365® XMACRO

TLR-7 HL-X sub USB (1913) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord	#69505
TLR-7 HL-X sub USB (1913OS) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord.....	#69506

	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	550	550
CANDELA	13,000	7,300	7,300
DISTANCE	225m	170m	170m
RUN TIME	30 min	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- IPX7; waterproof


SIDEWINDER® COMPACT III MULTI-FUEL MILITARY HELMET LIGHT



Sidewinder Compact III - UC (User Configurable) Model - Includes AA alkaline and CR123A lithium battery	#14213
Sidewinder Compact III - UC (User Configurable) Model - Includes high offset ARC rail mount, headstrap, AA alkaline and CR123A lithium battery	#14210
Sidewinder Compact III - UC (User Configurable) Model - Includes Hook & Loop Mount, headstrap, AA alkaline and CR123A lithium battery	#14211
Sidewinder Compact III - UC (User Configurable) Model - Includes E-Mount, headstrap, AA alkaline and CR123A lithium battery	#14519
Sidewinder Compact III - Military Model - Includes helmet mount, AA alkaline and CR123A lithium battery	#14510
Sidewinder Compact III - Military Model - Includes E-mount, headstrap, AA alkaline and CR123A lithium battery	#14513
Sidewinder Compact III - Military Model - Includes AA alkaline and CR123A lithium battery	#14516
Sidewinder Compact III - Aviation Model - Includes NVG mount (works with HGU-84 rotary wing aircrew helmet), AA alkaline and CR123A lithium battery	#14533

****Military Model:** white, red, blue IR LEDs // **Aviation Model:** white, green, blue IR LEDs // **UC Model:** user chooses two of the three colors - red, green or blue IR LEDs

- Features white, IR, and colored LEDs, each with high, medium 2, medium 1, low, and strobe modes
- Available in the following configurations:
 - Military Model – White / Red / Blue / IR LEDs
 - Aviation Model – White / Green / Blue / IR LEDs
 - User Configurable Model – White / 2 LED Color Options (Red, Green, or Blue) / IR LEDs
- Push-button switch; pull-to-turn locking rotary selector knob
- IPX7; waterproof
- Uses one AA alkaline battery or one CR123A lithium battery (included)



	Alkaline White LED				CR123A White LED			
	HIGH	MED 2	MED 1	LOW	HIGH	MED 2	MED 1	LOW
LUMENS	140	85	35	4	275	80	35	5
CANDELA	1,800	1,000	450	60	3,200	900	400	50
DISTANCE	85m	63m	42m	15m	113m	60m	40m	14m
RUN TIME	4 hrs	6 hrs	10 hrs	70+ hrs	2.75 hrs	8 hrs	19 hrs	100+ hrs

Strobe runs 8 hrs (Alkaline) // 5.75 hrs (CR123A)

	IR and Color LEDs			
	IR	RED	BLUE	GREEN
HIGH MODE				
LUMENS	50mW	6.5	2.0	8.0
CANDELA	---	40	12	83
DISTANCE	---	13m	7m	18m
RUN TIME	20 hrs (AA) 20 hrs (CR123A)	25 hrs (AA) // 30 hrs (CR123A)		
LOWER MODE				
MED 2 [60%]	65 hrs (AA) 65 hrs (CR123A)	45+ hrs (AA) // 70 hrs (CR123A)		
MED 1 [25%]	150 hrs (AA) 170 hrs (CR123A)	110+ hrs (AA) // 150 hrs (CR123A)		
LOW [5%]	250 hrs (AA) 300+ hrs (CR123A)	250+ hrs (AA) // 200+ hrs (CR123A)		
STROBE	40+ hrs (AA) // 50+ hrs (CR123A)			