

## PORTABLE SCENE LIGHT II RECHARGEABLE HIGH LUMEN SCENE LIGHT




Portable Scene Light II - 120V AC/DC .....	#46000
Portable Scene Light II - 230V AC/DC .....	#46001
Portable Scene Light II - 240V AC/DC .....	#46002
Portable Scene Light II - 100V AC/DC .....	#46003
Portable Scene Light II - 240V (AUS/NZ) AC/12V .....	#46004

- Produces a high lumen flood pattern
- Five intensity levels correspond to desired run time
  - 100%: 10,000 lumens; runs 2 hours
  - 80%: 8,300 lumens; runs 2.75 hours
  - 60%: 6,300 lumens; runs 3.75 hours
  - 40%: 4,500 lumens; runs 5.75 hours
  - 20%: 2,300 lumens; runs 11 hours
- Multi-level illumination for scene lighting; head swivels 360° to aim the beam where you need it
  - Stackable for “light tower” capability
- Lithium ion batteries charge in 6 hours
  - Batteries will continue to charge while in use when plugged in; runs indefinitely using AC or DC power cord
- IP67 rated; dust-tight and waterproof to 1m for 30 minutes
- High-impact, thermoplastic housing mounted in a virtually indestructible alloy steel frame
- Hooked feet for hanging over doors, guard rails, fences, etc.
- Compact size (16x11x12 in; 40.6x28.9x30.5 cm); 15.38 lbs. (6.1 kg)



## PORTABLE SCENE LIGHT EXT PORTABLE, RECHARGEABLE SCENE LIGHT



With AC/DC charge cords and shoulder strap

120V AC/DC .....	#45680
230V AC/DC .....	#45681
240V AC/DC .....	#45682
100V AC/DC .....	#45683
240V (AUS/NZ) AC/DC .....	#45684

- Produces a uniform flood pattern; selectable diffuser settings for two beam widths; three user-selectable outputs:
  - High for a super-bright flood beam: 5,300 lumens; 410m beam; runs 4 hours
  - Medium for an intense beam and longer run time: 2,500 lumens; 292m beam; runs 9 hours
  - Low for when a less intense beam is ideal and for longer run times: 1,300 lumens; 215m beam; runs 18 hours
- Optimum peripheral illumination for scene lighting; head swivels 90° to aim the beam where you need it for task lighting
- Sealed lead acid batteries rechargeable up to 500 times
  - Batteries will continue to charge while operating from dedicated power source; runs indefinitely using AC or DC power cord
- Balanced design and easy setup; less than 30 seconds for full deployment; pole extends to 84” (213.36 cm)
- IP67 rated; dust-tight and waterproof to 1m for 30 minutes.
- Designed to resist 40mph wind continuous in all directions with head fully extended
- 25.5 lbs (11.6 kg) provides weight stabilization, but is light enough to carry
- Packs to a compact size (25.5”; 64.8 cm) for easy stowage

## VANTAGE® II ULTRA-COMPACT HELMET MOUNTED LIGHT



Vantage II - Fire helmet mount and with lithium battery – Box .....	#69331
Vantage II - Gallet helmet mount and with lithium battery – Box .....	#69332
Vantage II - Industrial hard hat mount and with lithium battery – Box .....	#69333

- High and low modes:
  - High: 350 lumens; 3,500 candela; 118m beam; runs 2.25 hours
  - Low: 135 lumens; 1,700 candela; 80m beam; runs 5 hours
- Bright blue taillight LED ensures you can be seen even from behind
- Durable, anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested
- Includes one CR123A lithium battery, integrated mount and hex key
- 2.37” (6.01 cm); 3.65 oz. (103.5g)
- Meets requirements of NFPA 1971-8.6 (2013)

## VULCAN<sup>®</sup> 180 MULTI-FUNCTION RECHARGEABLE LANTERN



Vulcan 180 Standard System - 120V/100V AC/12V DC - Orange.....	#44311
Vulcan 180 Standard System - 230V AC/12V DC - Orange .....	#44312
Vulcan 180 Standard System - 240V UK AC/12V DC - Orange.....	#44313
Vulcan 180 Standard System - 240V (AUS/NZ) AC/12V DC - Orange.....	#44314
Vulcan 180 Vehicle Mount System - 12V DC - Orange.....	#44315

- Features a 180° articulating head that aims the beam where you need it; head locks in place in forward facing position
- High and low modes:
  - High for a bright, far-reaching beam: 1,200 lumens; 75,000 candela; 548m beam; runs 5.75 hours
  - Low for a less intense beam and longer run time: 350 lumens; 22,000 candela; 296m beam; runs 16 hours
- Three LEDs produce a tight beam with optimum peripheral illumination; ultra-bright blue taillight LEDs make certain you can be seen even in thick smoke
- Rechargeable lithium ion battery recharges in 9 hours
- High impact, super-tough nylon construction; articulating head constructed from high grade aluminum encased in super-tough nylon; reinforced D-Rings
- Rubberized cushioned-grip handle designed for easy hand off; flat base area allows light to stand on its own for scene lighting
- IPX7 rated - waterproof to 1m submersion; 2m impact resistance tested
- 7.43 in. (18.8 cm); 2.47 lbs. (1123g)

## PORTABLE SCENE LIGHT PORTABLE, RECHARGEABLE SCENE LIGHT



With AC/DC charge cords and shoulder strap

120V AC/DC.....	#45670
230V AC/DC.....	#45671
240V AC/DC.....	#45672
240V (AUS/NZ) AC/DC .....	#45674
100V AC/DC.....	#45673

- Produces a uniform flood pattern; selectable diffuser settings for two beam widths; three user-selectable outputs:
  - High for a super-bright flood beam: 5,300 lumens; 410m beam; runs 4 hours
  - Medium for an intense beam and longer run time: 2,500 lumens; 292m beam; runs 9 hours
  - Low for when a less intense beam is ideal and for longer run times: 1,300 lumens; 215m beam; runs 18 hours
- Optimum peripheral illumination for scene lighting; head swivels 90° to aim the beam where you need it for task lighting
- Sealed lead acid batteries rechargeable up to 500 times
  - Batteries will continue to charge while operating from dedicated power source; runs indefinitely using AC or DC power cord
- Balanced design and easy setup; less than 30 seconds for full deployment; pole extends to 72"
- IP67 rated; dust-tight and waterproof to 1m for 30 minutes.
- Designed to resist 40mph wind continuous in all directions with head fully extended
- 25 lbs (11.3 kg) provides weight stabilization, but is light enough to carry
- Packs to a compact size (22"; 55.88 cm) for easy stowage

## SURVIVOR<sup>®</sup> LOW PROFILE, RIGHT ANGLE FLASHLIGHT



120V AC/12V DC (NiCd) - Orange.....	#90503
230V AC/12V DC (NiMH)- Orange .....	#90505
240V AC/12V DC (NiMH) - Orange.....	#90506
100V AC/12V DC -(NiCd) Orange.....	#90507
Alkaline Model - Orange.....	#90540

- High, low, moonlight and flash modes:
  - High for a far-reaching beam that cuts through smoke: 175 lumens; 405m beam; runs 3.5 hours (NiCd); runs 4 hours (alkaline)
  - Low is ideal for longer run time: 60 lumens; 237m beam; runs 13 hours (NiCd); runs 15 hours (alkaline)
  - Moonlight provides a low-level light when battery life is essential: runs for 20 days
  - Use the flash mode for signaling: runs for 8 hours
- Custom designed optic with optional, interchangeable Smoke-Cutter<sup>®</sup> plugs for preferred beam pattern:
  - ~ Black plug significantly reduces peripheral light for a tighter beam
  - ~ Amber plug reduces peripheral light and eye fatigue caused by glare
- Constructed of high impact, super-tough nylon; IPX4 water-resistant; 2m impact-resistance tested; low-profile bezel minimizes snag hazards
- Spring-loaded clip attaches to belts and harnesses; D-ring provides forward hanging orientation
- Uses rechargeable battery; also accepts four "AA" alkaline batteries
- NiCd models: Class I, II, Division 1, Groups C, D, E, F, G; Class III, T-Code: T4; Class I, Division 2, Groups A, B, C, D; T-Code: T4
- Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position
- Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)

# X USB

## MULTI-FUEL FLEXIBILITY

### A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER UP WITH...



CR123A LITHIUM BATTERIES

- OR -

18650 LI-ION BATTERY WITH INTEGRATED USB CHARGE PORT



## VANTAGE® 180 X USB/VANTAGE® 180 X HELMET/RIGHT-ANGLE MULTI-FUNCTION FLASHLIGHT



Vantage 180 X USB - includes 18650 USB battery and USB cord - Box - Orange.....	#88911
Vantage 180 X USB - includes 18650 USB battery and USB cord - Box - Black.....	#88913
Vantage 180 X - includes two CR123A lithium batteries - Box - Orange.....	#88901
Vantage 180 X - includes two CR123A lithium batteries - Box - Black.....	#88903

- MULTI-FUEL - uses one Streamlight rechargeable 18650 USB lithium ion battery; also accepts two CR123A lithium batteries
- High and low modes:
  - High for a super-bright spot beam: 250 lumens; 170m beam; runs 4 hours (CR123A); runs 5 hours (18650 USB)
  - Low for a less intense beam and longer run time: 100 lumens; 103m beam; runs 12 hours (CR123A); runs 15 hours (18650 USB)
- Blue LED (helmet mount use) for visibility in heavy smoke; white LED for a downcast flood light to see what's at your feet (right-angle light)
- Head articulates 180° to aim the beam
- Use as a helmet light; fits both traditional and modern style helmets; no tools necessary to quickly remove for use as a handheld flashlight
- Use as a right-angle light; forward facing spot light with downcast light
- High-impact, "super-tough" chemical-resistant nylon polymer construction; integrated stainless steel multi-function clip; turnout gear attachment hook; IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested
- Includes 18650 USB or two CR123A lithium batteries, helmet mount and hex key
- 5.2" (13.20 cm); 5.5 oz. (156g)
- Meets requirements of NFPA 1971-8.6 (2013)

## 18650 USB BATTERY BANK CHARGER USB RECHARGEABLE LITHIUM ION BATTERY

ITEM	SINGLE BATTERY	2-PACK
18650 USB Battery	#22101	#22102

### BATTERY FEATURES:

- 18650 button-top lithium ion battery with on-board safety control circuit
- USB rechargeable; also charges in charger holder
- Charges in 5 hours using USB cord
- 2.75 in (7.0 cm); 1.7 oz (48 grams)

ITEM	W/O BATTERIES	W BATTERIES
8-Unit Bank Charger - 120V/100V AC	#20221	#20224
8-Unit Bank Charger - 230V/240V AC	#20222	#20225
8-Unit Bank Charger - 12V DC	#20220	#20223

### 8-UNIT CHARGER FEATURES:

- Organize, store and charge up to eight 18650 batteries; charge time: 5.25 hours
- Charge bays securely hold batteries in place - ideal for truck mounting
- Charge indicators over each battery slot: red = charging, green = charged
- Low-profile - 1" (2.54 cm) - minimal mounting area required
- Impact-resistant polymer construction
- 10.45" x 4.74" x 1" (26.54x12.06x2.54 cm); 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in upright position



## ProTac<sup>®</sup> 90 ULTRA-COMPACT, RIGHT ANGLE TACTICAL LIGHT



- ProTac 90 - Clam - Black ..... #88087  
 ProTac 90 - Box - Black ..... #88088
- Three output modes: High, low and strobe
  - CR123A output
    - High: 300 lumens; 147m beam; runs 1.75 hours // Low: 40 lumens; 53m beam; runs 14 hours
    - Strobe: runs 2.5 hours
  - AA alkaline/lithium output
    - High: 125 lumens; 93m beam; runs 2.75 hours (alk); 5.5 hours (lith) // Low: 40 lumens; 53m beam; runs 8.25 hours (alk); 15 hours (lith)
    - Strobe: runs 3.5 hours (alk); 8 hours (lith)
  - Multi-Fuel: One CR123A lithium battery (included) or AA alkaline battery (included); also accepts AA lithium battery
  - Durable anodized machined aircraft aluminum construction; pocket clip attaches to radio belts, harnesses and other gear
  - IPX7 waterproof to 1m for 30 minutes; 2m impact resistance tested
  - 3.78" (9.6 cm); 2.8 oz (79g) with CR123A battery; 3.1 oz. (88g) AA alkaline; 2.7 oz (77g) AA lithium

## Vantage<sup>®</sup> HELMET MOUNTED LIGHT



- Vantage - Black with blue taillight LED ..... #69140  
 Vantage - Red with blue taillight LED ..... #69157  
 Vantage - Green with green taillight LED ..... #69189
- Lightweight, compact, low profile design easily attaches above or below brim on fire helmets; fits both traditional and modern style helmets
  - 115 lumens; 167m beam distance; runs 6 hours
  - Ultra-bright taillight LED ensures you'll be seen even from behind
  - Anodized aluminum construction; chemical-resistant polymer LED housing with reflective strip; IPX7 waterproof to 1m for 30 minutes
  - Uses two CR123A lithium batteries (included)
  - Meets requirements of NFPA 1971-8.6 (2013)
  - For every red NFFF Vantage sold, Streamlight will donate \$3 to the National Fallen Firefighter Foundation<sup>®</sup>

## Knucklehead<sup>®</sup> SPOT RECHARGEABLE WORK LIGHT WITH 360° ARTICULATING HEAD



- 120V AC/12V DC - Orange ..... #90757  
 230V AC/12V DC - Orange ..... #90758  
 240V AC/12V DC - Orange ..... #90759  
 100V AC/12V DC - Orange ..... #90760  
 Alkaline Model - Orange ..... #90744
- Features a 210° degree articulating head that rotates a full 360 degrees
  - 4 modes:
    - High: 180 lumens; 210m beam; runs 3.5 hours // Low: 55 lumens; 115m beam; runs 16 hours
    - Moonlight: runs 20 days // Flash: runs 8 hours
  - Deep dish parabolic reflector produces a focused beam for longer distances
  - Dual power source: accepts rechargeable NiCd battery pack or 4 "AA" alkaline batteries
  - Rubber dome push-button switch is easy to operate even when wearing heavy gloves
  - Durable spring-loaded clip for easy attachment to turnout gear
  - Removable magnet with 135 lb pull strength grabs on to steel surfaces for hands-free use
  - High-impact, super-tough nylon polymer construction for exceptional durability; IPX4 water resistant
  - Class I, Division 2, Groups A,B,C,D; Class II, Division 2, Groups F,G; Class III, Temp Code: T3C
  - Rack meets requirements of NFPA 1901-14.1.11.2 (2009) mounted in any position (rechargeable model)

## SIEGE<sup>®</sup> AA ULTRA-COMPACT, ALKALINE WORK LANTERN



- Siege AA - Red ..... #44953
- A rugged, compact lantern for when you need a lot of light without taking up a lot of space
  - Multiple modes:
    - White LED:
      - » High for brightest light: 200 lumens; runs 7 hours
      - » Medium for longer run time: 100 lumens; runs 15.5 hours
      - » Low for extended run time: 50 lumens; runs 37 hours
    - Red LEDs:
      - » High (night vision preserving mode): 0.7 lumens; runs 8 days
      - » Flash SOS mode for emergency signaling: 0.7 lumens; runs 12 days
  - Uses three "AA" alkaline batteries (sold separately)
  - Durable, polymer construction with rubber molded base provides stability on slippery or uneven surfaces
  - IPX7 waterproof to 1m submersion; it floats; 2m impact resistance tested
  - 5.44" (13.82 cm); 8.8 oz (249.47 g)
  - For every red Siege AA sold, Streamlight will donate \$2 to the National Fallen Firefighters Foundation<sup>®</sup>