



Scan or click to watch our video: "You Bet Your Light On It: Safety Ratings Explained"

VULCAN[®] 180 HAZ-LO[®] RECHARGEABLE LANTERN/PORTABLE SCENE LIGHT



SYSTEM	HAZ-LO DIV 1 Yellow	HAZ-LO DIV 1 Orange	DIV 2 YELLOW	DIV 2 Orange
Vulcan 180 Standard System - 120V/100V AC/12V DC	44321	44331	44307	44311
Vulcan 180 Vehicle Mount System - 12V DC	44325	44335	44305	44315
Vulcan 180 without charger	44320	44330	44300	44310

• HAZ-LO[®] intrinsically safe model:

- High and low modes:
- » High: 400 lumens; 316m beam; runs 10 hours
- » Low: 130 lumens; 128m beam; runs 24 hours
- Class I, Division 1 Groups A,B,C,D,E,F,G; ClassI Zone 0, Groups IIC, Class III; T-Code: T4
- DIV 2 model:
 - High and low modes:
 - » High: 1,200 lumens; 548m beam; runs 5.75 hours
 - » Low: 350 lumens; 296m beam; runs 16 hours
 - Class I, Division 2, Groups A, B, C, D; Class II, Division 2, Groups F, G: Class III; Temperature Class T4
- Features a 180° articulating head that aims the beam where you need it; head locks in place in forward facing position
- Three LEDs produce a tight beam with optimum peripheral illumination; ultra-bright blue taillight LEDs make certain you can be seen even in thick smoke
 Rechargeable lithium ion battery
- · High impact, super-tough nylon construction; articulating head constructed from high grade aluminum encased in super-tough nylon; reinforced D-Rings
- Rubberized cushioned-grip handle designed for easy hand off; flat base area allows light to stand on its own for scene lighting
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position
- 7.43 in. (18.8 cm); 2.47 lbs. (1123g)

WAYPOINT[®] 300 RECHARGEABLE HIGH LUMEN, LONG-RANGE PISTOL GRIP SPOTLIGHT



- Pistol-grip spotlight with 3 modes:
 - High: 1,000 lumens; 1,039m beam distance; runs 3.75 hours
 - Medium: 550 lumens; 735m beam distance; runs 7.5 hours
 - Low: 35 lumens; 200m beam distance; runs 87 hours
- · Trigger-style switch for easy momentary and constant on operation; secondary rotary switch selects High, Medium or Low mode
- Powered by rechargeable lithium ion battery; fully recharges in 4 hours
- Weight balanced design and cushioned grip handle for a comfortable hold
- High-impact polycarbonate housing; rubberized lens ring
- IPX8 waterproof to 2 meters; it floats! 1m impact-resistance tested
- Includes high-strength adjustable lanyard
- Integrated stand for scene lighting

STINGER[®] 2020 RECHARGEABLE, MULTI-FUNCTION FLASHLIGHT

78104
78100

- Intuitive mode switch for easy selection of High, Medium or Low "Set and forget it" no need to cycle through the settings to get to the desired mode

 High for a high lumen beam: 2,000 lumens; 315m beam; runs 2 hours
- Medium for bright light & longer run time: 850 lumens; 200m beam; runs 4 hours
- Low for extended run time: 100 lumens; 70m beam; runs 24 hours
- Strobe for disorienting or signaling: runs 3.25 hours
- · Features Independently functioning head-mounted and tail switches
- Uses two SL-B26[™] protected Li-lon USB rechargeable battery packs
- Charge with existing Stinger chargers, USB cord or lithium ion bank charger
- Aluminum alloy body with ergonomic, anti-roll body design and textured grip
- Corrosion resistant, gasket-sealed Borofloat® glass lens
- IPX7 waterproof; 2m impact resistance tested
- 7.67" (19.48 cm); 12.3 oz (350g)

30 Eagleville Rd | Eagleville, PA 19403 | (P) 800.523.7488 | STREAMLIGHT.COM ©2021 Streamlight, Inc. Hot Products 9/21 INDUSTRIAL All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies. Streamlight has not sought endorsement of its products.

DUALIE[®] 2AA COMPACT, INTRINSICALLY SAFE, MULTI-FUNCTION FLASHLIGHT



Dualie 2AA with 2 "AA" alkaline batteries. Clam - Yellow..... #67750 Dualie 2AA with 2 "AA" alkaline batteries. Box - Yellow#67751 Dualie 2AA with 2 "AA" alkaline batteries. Clam - Black#67752 Dualie 2AA with 2 "AA" alkaline batteries. Box - Black#67753

- · Three lighting modes: Spot, flood, spot/flood combo - Spot: 115 lumens; 3,100 candela; 111m beam; runs 24 hours » Provides tight beam with optimum peripheral illumination
- Flood: 115 lumens; 75 candela; 17m beam; runs 24 hours

- Spot/Flood combo: 175 lumens; runs 15 hours
- Beams intersect for optimum path illumination and no blind spots • Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens

- IPX4 rated; 2m impact resistance tested
- Integrated magnet on tail end for hands-free use
- Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4

» Produces a soft, wide beam to illuminate your work area

DUALIE[®] 3AA/DUALIE[®] 3AA LASER INTRINSICALLY SAFE, WATERPROOF, MULTI-FUNCTION FLASHLIGHTS



Dualie 3AA with 3 "AA" alkaline batteries - Yellow	#68750
Dualie 3AA without batteries - Yellow	#68751
Dualie 3AA Magnet with lanyard, without batteries - Box - Yellow	#68780
Dualie 3AA Laser with 3 "AA" alkaline batteries - Yellow	

- **DUALIE MODEL:** three lighting modes: Spot, flood, spot/flood combo - Spot: 140 lumens; 171m beam; runs 18 hours
 - Flood: 140 lumens. 18m beam: runs 18 hours
 - Spot/Flood combo: 245 lumens; runs 9 hours
 - » Intersecting beams eliminate blind spots

- DUALIE LASER MODEL: three lighting modes: Spot, laser, spot/laser combo - Spot: 150 lumens; 175m beam; runs 17 hours
 - 640-650nm Laser: <5mW output power; Class 3R laser; runs 70 hours

Dualie Rechargeable 120V/100V AC - Yellow - Box......#68793 Dualie Rechargeable 12V DC - Yellow - Box.....#68795 Dualie Rechargeable Light Only - Yellow - Box.....#68785

- Flood: 105 lumens; 60 candela; 18m beam; runs 13.5 hours

» Produces a soft, wide beam to illuminate your work area

- Spot/Laser combo: runs 12 hours
- Uses three "AA" alkaline batteries; also accepts "AA" lithium batteries; mechanical battery polarity protection
- Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use
- Magnet model features integrated magnets in clip for hands-free use
- · Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens
- IP67 dust-tight; waterproof to 1m for 30 minutes; 2m impact resistance tested
- MSHA Permissible Handheld Flashlight Approval No. A160001-0. Tested for Intrinsic Safety in Methane-Air mixtures only.
 - Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4

UALIE[®] RECHARGEABLE INTRINSICALLY SAFE, MULTI-FUNCTION RECHARGEABLE FLASHLIGHT



Dualie Rechargeable Magnet 120V/100V AC - Yellow - Box	.#68793
Dualie Rechargeable Magnet 12V DC - Yellow - Box	.#68795
Dualie Rechargeable Magnet Light Only - Yellow - Box	.#68785

- Three lighting modes: Spot, flood, spot/flood combo
 - Spot: 180 lumens; 11,500 candela; 171m beam; runs 7.25 hours » Provides tight beam with optimum peripheral illumination
 - Spot/Flood combo: 275 lumens; runs 5.5 hours
 - » Intersecting beams eliminate blind spots
- Dual head switches for accessibility of each of three functions; easy, one-handed operation for all functions
- · Lithium ion battery recharges in less than 9 hours
- Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use - Optional integrated magnets in clip for hands-free use
- Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens
- · IP67 dust-tight; waterproof to 1m for 30 minutes; 2m impact resistance tested
- Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4

30 Eagleville Rd I Eagleville, PA 19403 I (P) 800.523.7488 I STREAMLIGHT.COM ©2021 Streamlight, Inc. Hot Products 9/21 INDUSTRIAL All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies. Streamlight has not sought endorsement of its products.

VANTAGE[®] II ULTRA-COMPACT HELMET MOUNTED LIGHT



Vantage II - Industrial hard hat mount and with lithium battery – Box......#69333

- · High and low modes: - High: 350 lumens; 3,500 candela; 118m beam; runs 2.25 hours - Low: 135 lumens; 1,700 candela; 80m beam; runs 5 hours
- Bright blue taillight LED ensures you can be seen even from behind
- "Safe off" feature prevents accidental activation, saves batteries
- Anodized aluminum construction; IPX7 waterproof to 1m for 30 minutes; 1m impact resistance tested
- · Includes one CR123A lithium battery, integrated mount and hex key
- 2.37" (6.01 cm): 2.97 oz. (84.2a)
- Meets requirements of NFPA 1971-8.6 (2013)

NDURO® PRO HAZ-LO® LOW PROFILE, CLASS I, DIV. 1 INTRINSICALLY SAFE HEADLAMP



• Three lighting modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eves and spot/flood combo: - Spot: 160 lumens; 1,320 candela; 73m beam; runs 5 hours

#66601

- Flood: 160 lumens; 100 candela; 20m beam; runs 5 hours
- Spot/flood combo: 235 lumens; runs 4.75 hours
- Multi-function push-button switch
- Tough polycarbonate thermoplastic construction with elastomer over mold; unbreakable polycarbonate lenses
- 45° tilting head
- IPX7 waterproof to 1m for 30 minutes; 2m impact resistance tested
- Includes 3 "AAA" alkaline batteries, elastic headstrap, rubber hard hat strap and 3M® Dual Lock® for strapless mounting to hard hats
- 3.5 oz (99.2g)
- Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; Class 1, Zone 0, Group IIC, Exia; T-Code: T4

ICROSTREAM[®] USB ULTRA-COMPACT USB RECHARGEABLE PERSONAL LIGHT



- MicroStream USB Black Clam.
 - · High and low modes:
 - 250 lumens; 68m beam; runs 1.5 hours
 - 50 lumens; 31m beam; runs 3.5 hours
 - · Replaceable lithium ion battery charges in-product in 4 hours
- Machined aluminum construction; unbreakable, scratch-resistant polycarbonate lens; IPX4 water-resistant; 1m impact resistance tested
- 3.87" (98.2mm); 1.2 oz. (34.1g)

WEDGETM COMPACT, RECHARGEABLE, HIGH-PERFORMANCE EDC FLASHLIGHT

 Vedge - Includes USB cord, wrist lanyard - Box - Black	#88811
 300 lumens; 69m beam; runs 3 hours THRO™: 1,000 lumens; 110m beam; 35 second burst Thin, ergonomic design fits comfortably in your hand and provides clean pocket carry Grooved for a sure grip Rotatable switch with battery level/charge indicator Deep carry pocket clip attaches on either side of light USB-C rechargeable Lithium polymer battery charges in 3 hours Durable, anodized aluminum construction; tempered glass lens IPX7 waterproof to 1m; 1m impact resistance tested 	ut) mode for maximum brightness

PROTAC[®] HL-X USB MULTI-FUEL, HIGH LUMEN FLASHLIGHT



- MULTI-FUEL uses one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack; also accepts two CR123A lithium batteries
- TEN-TAP® Programming choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 - High: 1,000 lumens; 330m beam; runs 1.25 hours (CR123A); runs 1.5 hours (SL-B26)
 Medium: 400 lumens; 200m beam; runs 3 hours (CR123A); runs 3.5 hours (SL-B26)
 Low 55 human 200 hours (2012)
 - Low: 65 lumens; 80m beam; runs 20 hours (CR123A); runs 23 hours (SL-B26)
 - Strobe for signaling or disorienting: runs 2.5 hours (CR123A); runs 3.25 hours (SL-B26)
 - Durable, anodized aluminum construction; IP68 dust tight and waterproof to 2m; 2m impact resistance tested
 - Includes nylon holster

POLYTAC[®] X USB MULTI-FUEL, POLYMER PROFESSIONAL FLASHLIGHT



PolyTac X USB - includes SL-B26 battery pack, USB cord and nylon holster - Clam#88611 PolyTac X USB - includes SL-B26 battery pack, USB cord and nylon holster - Box......#88614

- MULTI-FUEL uses one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack; also accepts two CR123A lithium batteries
- TEN-TAP® Programming choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high:
 High for super-bright light: 600 lumens; 205m beam; runs 2.75 hours (CR123A); runs 3.5 hours (SL-B26)
 - Medium for bright light and longer run time: 260 lumens; 135m beam; runs 5.5 hours (CR123A); runs 5.75 hours (SL-B26)
- Low for extended run time: 35 lumens; 50m beam; runs 34 hours (CR123A); runs 36 hours (SL-B26)
- Strobe for signaling or disorienting: runs 5.5 hours (CR123A); runs 8 hours (SL-B26)
- High-impact, nylon polymer construction; IPX7 waterproof to 1m for 30 minutes; 3m impact resistance tested

SL-B26[®] PROTECTED LITHIUM ION BATTERY PACK & BANK CHARGER

ITEM	SINGLE BATTERY	2-PACK
SL-B26 battery pack	#22101	#22102

BATTERY FEATURES:

- · Protected lithium ion battery with on-board safety control circuit
- · USB rechargeable; also charges in charger holder
- Charges in 5 hours using USB cord
- 2.75 in (7.0 cm); 1.7 oz (48 grams)



 ITEM
 W/O BATTERIES
 W/ BATTERIES

 8-UNIT BANK CHARGER - 120V/100V AC
 #20221
 #20224

 8-UNIT BANK CHARGER - 12V DC
 #20220
 #20223

8-UNIT CHARGER FEATURES:

- Organize, store and charge up to eight lithium ion USB rechargeable battery packs; charge time: 5.25 hours
- Charge bays securely hold batteries in place ideal for truck mounting
- Charge indicators over each battery slot: red = charging, green = charged
- Low-profile 1" (2.54 cm) minimal mounting area required
- Impact-resistant polymer construction
- 10.45" x 4.74"x 1" (26.54x12.06x2.54 cm); 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in upright position



DISTRIBUTED BY: