

## Patents by Product

| Product Name                                   | Pat. Nos.                                           |
|------------------------------------------------|-----------------------------------------------------|
| 2AA Propolymer®                                | --                                                  |
| 2AA Propolymer® HAZ-LO®                        | --                                                  |
| 2AA Propolymer® LED                            | --                                                  |
| 2AAA Propolymer® HAZ-LO®                       | --                                                  |
| 3AA HAZ-LO® Headlamp                           | --                                                  |
| 3AA Propolymer® HAZ-LO®                        | U.S. Pat. Nos. 8,807,781; 8,690,377                 |
| 3AA Propolymer® HAZ-LO®<br>Helmet Lighting Kit | U.S. Pat. Nos. 8,820,690                            |
| 3AA Propolymer® LED                            | --                                                  |
| 3C ProPolymer®                                 | --                                                  |
| 3C ProPolymer® HAZ-LO®                         | U.S. Pat. Nos. 8,807,781; 8,690,377                 |
| 3C ProPolymer® LED                             | U.S. Pat. Nos. 7,466,082 (Div 2); 7,357,534 (Div 1) |
| 3C ProPolymer® Lux LED                         | U.S. Pat. Nos. 7,466,082 (Div 2); 7,357,534 (Div 1) |
| 3N ProPolymer® HAZ-LO®                         | --                                                  |
| 3N ProPolymer® LED                             | --                                                  |
| 4AA Helmet Kit                                 | U.S. Pat. No. 8,820,690                             |
| 4AA ProPolymax®                                | --                                                  |
| 4AA Propolymer®                                | --                                                  |
| 4AA ProPolymer® LED                            | --                                                  |
| 4AA ProPolymer® Luxeon®                        | --                                                  |
| Argo HP® Headlamp                              | U.S. Pat. No. D508,140; EP000330055-1 & 2           |
| Argo® HAZ-LO® Headlamp                         | U.S Pat. No. D733,951                               |
| Argo® Headlamp                                 | U.S. Pat. No. D508,140; D733,951; EP000330055-1 & 2 |

## Patents by Product

| Product Name                | Pat. Nos.                                                                  |
|-----------------------------|----------------------------------------------------------------------------|
| Bandit®                     | U.S. Patent Pending; China Pat. No. ZL2017300680993                        |
| Buckmasters® Packmate®      | U.S. Pat. No. 7,534,975                                                    |
| Buckmasters® Trident®       | --                                                                         |
| Buckmasters® Twin-Task® 2L  | --                                                                         |
| ClipMate®                   | --                                                                         |
| ClipMate® USB               | U.S. Pat. Nos. D782,716; 9,347,656; 9,206,951; 9,057,490                   |
| CuffMate®                   | U.S. Pat. Nos. RE38,549; 6,609,811                                         |
| Double Clutch™ USB Headlamp | U.S. Pat. Nos. 9,605,836; 9,285,105; D750,823                              |
| Dualie® 2AA                 | Patent Pending                                                             |
| Dualie® 3AA                 | U.S. Pat. No. D765,295; Patent Pending; EU Comm. Design App. No. 002613778 |
| Dualie® 3AA Laser           | U.S. Pat. No. D765,295; Patent Pending; EU Comm. Design App. No. 002613778 |
| Dualie® 3AA Magnet          | Patent Pending                                                             |
| E-Flood® FireBox®           | --                                                                         |
| E-Flood® LiteBox®           | --                                                                         |
| E-Flood® LiteBox® HL™       | Patent Pending                                                             |
| Enduro® Headlamp            | --                                                                         |
| E-Spot® FireBox®            | --                                                                         |
| E-Spot® LiteBox®            | --                                                                         |
| Fire Vulcan®                | U.S. Pat. Nos. 7,481,551; 7,059,744                                        |
| Fire Vulcan® LED            | U.S. Pat. Nos. 7,481,551; 7,059,744                                        |
| FireBox®                    | U.S. Pat. Nos. 7,481,551; 7,059,744                                        |
| H.I.D. LiteBox®             | --                                                                         |
| Key-Mate®                   | European Design Pat. No. 000034699; Japan Design Pat. No. 1,214,427        |

## Patents by Product

| Product Name           | Pat. Nos.                                                                                                                                                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Key-Mate® USB          | Patent Pending                                                                                                                                                                                                                                  |
| Knucklehead®           | U.S. Pat. Nos. D752,263; 8,777,446; RE42,945; D681,246; AUST. REG. DES. NO. 332519; CA Reg No. 2,789,155; 136630; EU Reg. No. 001741018-0001 & 001741018-0002; Japan Reg. No. 1414740; Mexico Pat. 315,427, 307,934                             |
| Knucklehead® Alkaline  | U.S. Pat. Nos. 8,777,446; D752,263; D681,246; AUST. REG. DES. NO. 332519; EU Reg. No. 001741018-0001 & 001741018-0002; CANADA REG. NO. 2,789,155; 136630; Japan Reg. No. 1414740; Mexico Pat. 315,427                                           |
| Knucklehead® HAZ-LO®   | U.S. Pat. Nos. 8,777,446; RE42,945; D752,263; D681,246; AUST. REG. DES. NO. 332519; CA Reg No. 2,789,155; 136630; EU Reg. No. 001741018-0001 & 001741018-0002; Japan Reg. No. 1414741; Japan Reg. No. 1414740; Mexico Pat. No. 315,427; 307,934 |
| Knucklehead® Spot      | U.S. Pat. Nos. 8,777,446; RE42,945; D752,263; D681,246; AUST. REG. DES. NO. 332519; CA Reg. No. 2,789,155; 136630; EU Reg. No. 001741018-0001 & 001741018-0002; Japan Reg. No. 1414740; Mexico Pat. 315,427; 307,934                            |
| Litebox®               | --                                                                                                                                                                                                                                              |
| Litebox® Power Failure | --                                                                                                                                                                                                                                              |
| MicroStream®           | U.S. Pat. No. D578,236                                                                                                                                                                                                                          |
| Multi Ops®             | U.S. Pat. No. 7,534,975                                                                                                                                                                                                                         |
| Nano Light®            | U.S. Pat. No. D572,394; European Design Pat. No. 000946504-0001                                                                                                                                                                                 |
| Night Com®             | U.S. Pat. Nos. 7,534,975                                                                                                                                                                                                                        |
| Night Com® LED         | U.S. Pat. Nos. 7,534,975                                                                                                                                                                                                                        |
| Night Com® UV          | U.S. Pat. Nos. 7,534,975                                                                                                                                                                                                                        |
| NightFighter®          | U.S. Pat. Nos. 7,163,314; 6,491,409; 6,099,147; D603,988; EU Design Reg. 000296082-0001 & 0002                                                                                                                                                  |
| NightFighter® LED      | U.S. Pat. Nos. 7,163,314; 6,491,409; D527,476; EU Design Reg. 000296082-0001 & 0002                                                                                                                                                             |
| NightFighter® X        | U.S. Pat. Nos. 7,163,314; 6,491,409; D527,476                                                                                                                                                                                                   |
| PolyStinger DS® LED    | US Pat. Nos. 8,110,760; 7,084,531; 6,652,115; 6,952,084; 6,621,225. Belgium, German Pat. No. 69434676.9                                                                                                                                         |
| PolyStinger®           | U.S. Pat. Nos. 6,652,115; 6,099,147                                                                                                                                                                                                             |
| PolyStinger® Div. 1    | US Pat. Nos. 8,110,760; 7,084,531; 6,652,115; 6,952,084; 6,621,225; German Pat. No. 69434676.9                                                                                                                                                  |

## Patents by Product

| Product Name                 | Pat. Nos.                                                                                                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PolyStinger® LED             | US Pat. Nos. 8,110,760; 7,084,531; 6,652,115; 6,952,084; 6,621,225; German Pat. Nos. 69434676.9                                                                                         |
| PolyStinger® LED HAZ-LO®     | US Pat. Nos. 8,110,760; 7,084,531; 6,652,115; 6,952,084; 6,621,225; German Pat. Nos. 69434676.9                                                                                         |
| PolyStylus®                  | U.S. Pat. Nos. 8,388,169; 8,382,312; D649,275; Australian Des. Pat. No. 320774; Canadian Des. Pat. No. ZL00830119953.5; EU Des. Pat. No. 000926068-0002; Japanese Des. Pat. No. 1341110 |
| PolyTac 90®                  | U.S. Pat. Nos. 9,453,624; 8,905,573; D681,858; HK Design Reg. No. 1101169.1; EU Reg. No. 01887548-0001                                                                                  |
| PolyTac®                     | U.S. Pat. No. 6,099,147                                                                                                                                                                 |
| PolyTac® Helmet Lighting Kit | U.S. Pat. No. 8,820,690                                                                                                                                                                 |
| PolyTac® HP                  | --                                                                                                                                                                                      |
| PolyTac® LED                 | --                                                                                                                                                                                      |
| Portable Scene Light         | U.S. Patent Nos. 9,816,661; 9,470,382                                                                                                                                                   |
| ProTac HL®                   | U.S. Pat. Nos. D688,402; Pat. Pending; EU Reg. No. 002151894; Canadian Design Pat. No. 149408; Japanese Design Pat. No. 1479750                                                         |
| ProTac HL® Headlamp          | U.S. Pat. No. D729,426                                                                                                                                                                  |
| ProTac HL® USB               | U.S. Pat. No. 9,341,325; Pat. Pending; EU Reg. No. 002151894; Canadian Design Pat. No. 149408; Japanese Design Pat. No. 1479750                                                         |
| ProTac HL® USB Headlamp      | Patent Pending                                                                                                                                                                          |
| ProTac HL®3                  | U.S. Pat. Nos. D698,961; Pat. Pending; EU Reg. No. 002151894; Canadian Design Pat. No. 149408; Japanese Design Pat. No. 1479750                                                         |
| ProTac HL®4                  | U.S. Pat. No. 9,341,324; D794,857                                                                                                                                                       |
| ProTac® 1AA                  | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |
| ProTac® 1AAA                 | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |
| ProTac® 1L                   | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |
| ProTac® 1L-1AA               | U.S. Pat. No. 8,727,561; D688,402                                                                                                                                                       |
| ProTac® 2AA                  | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |
| ProTac® 2AAA                 | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |
| ProTac® 2L                   | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                                                                                       |

## Patents by Product

| Product Name                      | Pat. Nos.                                                                                                        |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------|
| ProTac® 2L-X                      | U.S. Pat. No. D688,402                                                                                           |
| ProTac® EMS                       | U.S. Pat. Nos. D688,402; EU Design Reg. 001752338-0001 thru -0004                                                |
| ProTac® HL-X                      | U.S. Patent No. D688,402                                                                                         |
| ProTac® Rail Mount 1              | U.S. Pat. Nos. D788,965; 8,779,683; 8,727,561                                                                    |
| ProTac® Rail Mount 2              | U.S. Pat. No. D788,965; 8,779,683                                                                                |
| ProTac® Rail Mount HL-X           | Patent Pending                                                                                                   |
| Scorpion®                         | U.S. Pat. Nos. 6,612,714 (clip mount); 6,099,147                                                                 |
| Scorpion® HL                      | --                                                                                                               |
| Scorpion® LED                     | --                                                                                                               |
| Scorpion® X                       | U.S. Pat. No. 527,476                                                                                            |
| Septor® HAZ-LO®                   | U.S. Pat. No. D733,951                                                                                           |
| Septor® Headlamp                  | U.S. Pat. No. D733,951                                                                                           |
| Sidewinder Compact®               | U.S. Pat. Nos. 7,581,847; 7,549,766; D611,629; EU000798400-1,2,3; EU Reg. No. 001614736-001                      |
| Sidewinder Compact® II            | U.S. Pat. Nos. 8,779,683; 8,727,561; 7,581,847; 7,549,766; 8,727,561; D611,629; EU000798400-1,2,3; Pat.s Pending |
| Sidewinder®                       | U.S. Pat. Nos. 7,581,847; 7,549,766; D549,379; EU000676168-001                                                   |
| Sidewinder® (Helmet Light System) | U.S. Pat. Nos. 7,581,847; 7,549,766; D578,686; D549,379; EU000798400-1,2,3; EU000676168-001                      |
| Sidewinder® Rescue                | U.S. Pat. Nos. 7,581,847; 7,549,766; D578,686; D549,379; Patent Pending; EU000676168-001                         |
| The Siege®                        | U.S. Pat. No. 9,347,627; 9,217,547; D725,300                                                                     |
| Siege® AA                         | U.S. Pat. No. 9,347,627; 9,217,547; D725,300                                                                     |
| SL-20L®                           | U.S. Pat. No. 7,582,838; Patent Pending                                                                          |
| SL-20LP®                          | U.S. Pat. No. 7,582,838; Patent Pending                                                                          |

## Patents by Product

| Product Name          | Pat. Nos.                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| SL-20X®               | U.S. Pat. No. 6,099,147                                                                                                                           |
| SL-20X® LED           | U.S. Pat. Nos. 7,582,838; 7,215,084                                                                                                               |
| SL-20XP®              | U.S. Patent No. 6,099,147                                                                                                                         |
| SL-20XP®-LED          | U.S. Pat. Nos. 7,582,838; 7,215,084                                                                                                               |
| SL-35X®               | U.S. Pat. No. 7,582,838                                                                                                                           |
| Stinger DS LED HL®    | U.S. Pat Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 7,880,100; 7,674,003; 7,652,216; 6,652,115                                              |
| Stinger DS® LED       | US Pat. Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 7,880,100, 7,674,003; 7,652,216; 7,084,531; 6,952,084; 6,621,225; 6,652,115              |
| Stinger DS® LED HP    | U.S. Pat Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 7,880,100; 7,674,003; 7,652,216; 6,652,115                                              |
| Stinger DS® HPL       | U.S. Pat Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 7,880,100; 7,674,003; 7,652,216; 6,652,115                                              |
| Stinger LED HL®       | U.S. Pat. Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 8,110,760; 7,880,100, 7,652,216; 7,084,531; 6,652,115; 6,952,084; 6,621,225; 6,652,115 |
| Stinger XT HP®        | U.S. Pat. Nos. 8,258,416; 7,652,216; 6,652,115; 6,183,106; 6,099,147                                                                              |
| Stinger XT®           | U.S. Pat. Nos. 8,258,416; 7,652,216; 6,652,115; 6,183,106; 6,099,147                                                                              |
| Stinger®              | U.S. Pat. Nos. 8,258,416; 7,652,216; 6,652,115; 6,183,106; 6,099,147                                                                              |
| Stinger® Classic LED  | U.S. Pat. No. 8,662,701; 6,652,115                                                                                                                |
| Stinger® HPL™         | U.S. Pat. Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 8,110,760; 7,880,100, 7,652,216; 7,084,531; 6,652,115; 6,952,084; 6,621,225            |
| Stinger® LED          | U.S. Pat. Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 8,110,760; 7,880,100, 7,652,216; 7,084,531; 6,652,115; 6,952,084; 6,621,225            |
| Stinger® LED HP™      | U.S. Pat. Nos. 9,478,371; 8,662,701; 8,360,598; 8,258,416; 8,110,760; 7,880,100, 7,652,216; 7,084,531; 6,652,115; 6,952,084; 6,621,225            |
| Stinger® Lite Pipe    | U.S. Pat. Nos. D740,987; 8,870,408; 6,652,115                                                                                                     |
| Streamlight Jr®       | --                                                                                                                                                |
| Streamlight Jr® Reach | U.S. Pat. No. D536,116                                                                                                                            |
| Strion LED HL®        | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; 7,220,013; Canadian Pat. No. 2,548,747                                                            |
| Strion®               | U.S. Pat. Nos. 8,382,311; 7,891,833; 7,220,013; 6,099,147; Canadian Pat. No. 2,548,744                                                            |
| Strion® DS            | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; Canadian Pat. No. 2,548,746                                                                       |

## Patents by Product

| Product Name                | Pat. Nos.                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Strion® DS HL               | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; Canadian Pat. No. 2,548,746                                                                                                                                                                                                                                                                                                                             |
| Strion® DS HPL              | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; Canadian Pat. No. 2,548,746                                                                                                                                                                                                                                                                                                                             |
| Strion® HPL                 | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; 7,220,013; Canadian Pat. No. 2,548,748                                                                                                                                                                                                                                                                                                                  |
| Strion® LED                 | U.S. Pat. Nos. 9,478,371; 8,662,701; 7,891,833; 7,220,013; Canadian Pat. No. 2,548,746                                                                                                                                                                                                                                                                                                                  |
| Stylus Pro Reach®           | U.S. Pat. Nos. D673,710; 6,874,908; EU Reg. No. 001949512-0001                                                                                                                                                                                                                                                                                                                                          |
| Stylus Pro®                 | U.S. Pat. No. D578,236                                                                                                                                                                                                                                                                                                                                                                                  |
| Stylus Pro® 360             | Patent Pending                                                                                                                                                                                                                                                                                                                                                                                          |
| Stylus Pro® USB             | U.S. Pat. No. D578,237; Pat. Pending                                                                                                                                                                                                                                                                                                                                                                    |
| Stylus Pro® USB UV          | U.S. Pat. No. D578,237; Pat. Pending                                                                                                                                                                                                                                                                                                                                                                    |
| Stylus Reach®               | U.S. Pat. Nos. 8,281,479; 6,886,960; 6,874,908; 6,491,409                                                                                                                                                                                                                                                                                                                                               |
| Stylus Reach® UL Listed     | U.S. Pat. Nos. 8,281,479; 6,886,960; 6,874,908; 6,491,409                                                                                                                                                                                                                                                                                                                                               |
| Stylus Reach® 18            | U.S. Pat. Nos. 8,281,479; 6,886,960; 6,874,908; 6,491,409                                                                                                                                                                                                                                                                                                                                               |
| Stylus®                     | U.S. Pat. Nos. 8,752,270; 8,281,479; 7,954,978; 7,083,300; 6,886,960; 6,857,758; 6,811,280; 6,491,409; 6,402,340; D521,164; DE Pat. 40205586.1; IT Pat. 84931; FR Pat. 022416; UK Pat. 3002164; Benelux Pat. 34205-01; Taiwan Pat. 1274125                                                                                                                                                              |
| Stylus® UL Listed           | U.S. Pat. Nos. 8,752,270; 8,281,479; 7,954,978; 7,083,300; 6,886,960; 6,857,758; 6,811,280; 6,491,409; 6,402,340; D521,164                                                                                                                                                                                                                                                                              |
| Stylus® Combo               | U.S. Pat. Nos. 8,752,270; 8,281,479; 7,954,978; 7,083,300; 6,886,960; 6,857,758; 6,811,280; 6,491,409; 6,402,340; D521,164. Stylus: Benelux Pat. Nos. 34205-01; 24205-02; 64205-03; 34205-04; German Pat. No. 40205586.1; French Pat. No. 02 2416; Italian Pat. No. 84931; United Kingdom Pat. No. 3002164; and U.S. Pat. Nos. 6,811,280; 6,491,409; 6,402,340                                          |
| Stylus®/Stylus Reach® Combo | U.S. Pat. Nos. 8,752,270; 8,281,479; 7,954,978; 7,083,300; 6,886,960; 6,857,758; 6,811,280; 6,491,409; 6,402,340. Stylus: Benelux Pat. Nos. 34205-01; 24205-02; 64205-03; 34205-04; German Pat. No. 40205586.1; French Pat. No. 02 2416; Italian Pat. No. 84931; United Kingdom Pat. No. 3002164; and U.S. Pat. Nos. 6,811,280; 6,491,409; 6,402,340. Stylus Reach: U.S. Pat. Nos. 6,491,409; 6,491,409 |
| Super Siege®                | U.S. Pat. Nos. 9,217,547; 8,905,573; D725,300                                                                                                                                                                                                                                                                                                                                                           |
| Super Tac®                  | --                                                                                                                                                                                                                                                                                                                                                                                                      |

## Patents by Product

| Product Name                      | Pat. Nos.                                                                                                                                                                                                   |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Super Tac® X                      | --                                                                                                                                                                                                          |
| Survivor®                         | U.S. Pat Nos. RE42,945                                                                                                                                                                                      |
| Survivor® LED                     | U.S. Pat Nos. 9,488,331; RE42,945; RE44,281                                                                                                                                                                 |
| Survivor® LED ( <i>Alkaline</i> ) | U.S. Pat No. 9,488,331; RE44,281                                                                                                                                                                            |
| Syclone®                          | --                                                                                                                                                                                                          |
| Tactical Strion®                  | U.S. Pat. Nos. 8,382,311; 7,891,833; 7,220,013; Canadian Pat. No. 2,548,745                                                                                                                                 |
| Task-Light® 1AA                   | --                                                                                                                                                                                                          |
| Task-Light® 2AA                   | --                                                                                                                                                                                                          |
| Task-Light® 3AA LED               | --                                                                                                                                                                                                          |
| Task-Light® 3AAA                  | --                                                                                                                                                                                                          |
| The Logo®                         | U.S. Pat. No. D738,554; EU Reg. No. 002209601-001                                                                                                                                                           |
| TL-2®                             | U.S. Pat Nos. 7,093,954; 6,099,147; EU Design Reg. 000052188-0001 & 0002                                                                                                                                    |
| TL-2® IR                          | U.S. Pat. Nos. D527,476; D521,170; 7,093,954                                                                                                                                                                |
| TL-2® LED                         | U.S. Pat Nos. 7,093,954 6,491,409; D527,476; D521,170; EU Design Reg. 000296082-0001 & 0002; EU Design Reg. 00357546-0001 & 0002                                                                            |
| TL-2® X                           | U.S. Pat. Nos. 7,093,954; 6,491,409; D527,476; D521,170; EU Design Reg. 000296082-0001 & 0002; EU Design Reg. 000357546-0001 & 0002                                                                         |
| TLR-1 HL®                         | U.S. Pat. Nos. 7,199,315; 7,188,978; D543,446                                                                                                                                                               |
| TLR-1 HPL®                        | U.S. Pat. Nos. 7,199,315; 7,188,978; D673,709; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mex. Patenado 270,372; EU Reg. No. 001949512-0002 & -0003; AU Reg. No. 343191; CA Reg. No. 145465 |
| TLR-1®                            | U.S. Pat. Nos. 7,188,978; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mexico Pat.ado 270,372                                                                                                 |
| TLR-1® Game Spotter®              | U.S. Pat. Nos. 7,199,315; 7,188,978; D673,709; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mex. Patenado 270,372; EU Reg. No. 001949512-0002 & -0003; AU Reg. No. 343191; CA Reg. No. 145465 |
| TLR-1® IR                         | U.S. Pat. Nos. 7,188,978; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mexico Patentado 270,372                                                                                               |
| TLR-1®s                           | U.S. Pat. Nos. 7,188,978; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mexico Patentado 270,372                                                                                               |



## Patents by Product

| Product Name     | Pat. Nos.                                                                                                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TLR-1®s HP™      | U.S. Pat. Nos. ; 7,188,978; D673,709; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; Mex. Patented 270,372; EU Reg. No. 001949512-0002 & -0003; AU Reg. No. 343191; CA Reg. No. 145465                          |
| TLR-2 HL®        | U.S. Pat. Nos. 8,226,267; 7,614,760; 7,188,978; D548,385; D543,446                                                                                                                                                          |
| TLR-2 HL® G      | U.S. Pat. Nos. 8,226,267; 7,614,760; 7,188,978; D548,385; D543,446                                                                                                                                                          |
| TLR-2®           | U.S. Pat. Nos. 8,226,267; 7,614,760; ; 7,188,978; D548,385; D543,446; Can. Pat No. 2,586,530; Japan Pat No. 4144714; EU Pat. No. 000621883-0001; Mexico Patentado 270,372                                                   |
| TLR-2® G         | U.S. Pat. Nos. 8,226,267; 7,614,760; ; 7,188,978; D548,385; D543,446; Can. Pat No. 2,586,530; Japan Pat No. 4144714; EU Pat. No. 000621883-0001; Mexico                                                                     |
| TLR-2® IR        | U.S. Pat. Nos. 8,226,267; 7,614,760; ; 7,188,978; D548,385; D543,446; Can. Pat No. 2,586,530; Japan Pat No. 4144714; EU Pat. No. 000621883-0001; Mexico Patentado 270,372                                                   |
| TLR-2® IRW       | U.S. Pat. Nos. 8,226,267; 7,614,760; ; 7,188,978; D548,385; D543,446; Can. Pat No. 2,586,530; Japan Pat No. 4144714; EU Pat. No. 000621883-0001; Mexico Patentado 270,372                                                   |
| TLR-2®s          | U.S. Pat. Nos. 8,226,267; 7,614,760; ; 7,188,978; D548,385; D543,446; Can. Pat No. 2,586,530; Japan Pat No. 4144714; EU Pat. No. 000621883-0001; Mexico Patentado 270,372                                                   |
| TLR-3®           | U.S. Pat. Nos. 8,371,729; 8,287,157; 7,188,978; D612,970; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 4144714; EU Des. Reg. No. 001614736-001; EU Patent No. 10731989.9                                               |
| TLR-4®           | U.S. Pat. Nos. 8,287,157; 8,226,267; 7,614,760; 7,188,978; D674,525; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 414474; Mexico Patentado 270,372; EU Reg. No. 001949512-0004; AU Reg. No. 342677; CA Reg. No. 145466 |
| TLR-4® G         | U.S. Pat. Nos. 8,287,157; 8,226,267; 7,614,760; 7,188,978; D674,525; D543,446; Can. Pat. No. 2,586,530; Japan Pat. No. 414474; Mexico Patentado 270,372; EU Reg. No. 001949512-0004; AU Reg. No. 342677; CA Reg. No. 145467 |
| TLR-6®           | U.S. Pat. No. D796,622; 9,772,163                                                                                                                                                                                           |
| TLR-VIR®         | U.S. Pat. Nos. 7,614,760; 7,188,978                                                                                                                                                                                         |
| TLR-VIR® Pistol  | U.S. Pat. Nos. 7,614,760; 7,188,978                                                                                                                                                                                         |
| Trident HP®      | U.S. Pat. No. D733,951                                                                                                                                                                                                      |
| Trident®         | U.S. Pat. No. D733,951                                                                                                                                                                                                      |
| Trident® HAZ-LO® | U.S. Pat. No. D733,951                                                                                                                                                                                                      |
| Twin-Task® 1-L   | --                                                                                                                                                                                                                          |

## Patents by Product

| Product Name                                           | Pat. Nos.               |
|--------------------------------------------------------|-------------------------|
| Twin-Task® 2D                                          | --                      |
| Twin-Task® 2-L                                         | --                      |
| Twin-Task® 3AA                                         | --                      |
| Twin-Task® 3AAA                                        | --                      |
| Twin-Task® 3AAA Laser Combo                            | --                      |
| Twin-Task® 3C                                          | --                      |
| Twin-Task® 3C Laser Combo                              | --                      |
| Twin-Task® 3C UV                                       | --                      |
| Twin-Task® Rechargeable                                | --                      |
| UltraStinger®                                          | U.S. Pat. No. 6,099,147 |
| UltraStinger® LED                                      | U.S. Pat. No. 9,651,208 |
| Vantage®                                               | U.S. Pat. No. 7,059,744 |
| Vulcan®                                                | --                      |
| Waypoint®                                              | --                      |
| Waypoint® Rechargeable                                 | --                      |
| WOW®                                                   | --                      |
|                                                        |                         |
| <b>MISC./TRADEMARK</b>                                 |                         |
| C4®                                                    |                         |
| C4® Logo                                               |                         |
| Fiberwrap®                                             |                         |
| HAZ-LO Division 1 Lighting and Design® (Fanciful Mark) |                         |

## Patents by Product

| Product Name                                        | Pat. Nos.                                                                 |
|-----------------------------------------------------|---------------------------------------------------------------------------|
| HL and Design®                                      |                                                                           |
| IT'S GO TIME™                                       |                                                                           |
| Misc Design - Stinger Triangle                      |                                                                           |
| Misc Design - Configuration of Flashlight Head      |                                                                           |
| SL Streamlight SolarStream® (Fanciful Mark)         |                                                                           |
| Streamlight Factory Authorized E-Commerce & Design® |                                                                           |
| Streamlite®                                         |                                                                           |
| Ten-Tap®                                            |                                                                           |
| Tools Not Toys® (Fanciful Mark)                     |                                                                           |
| Tools Not Toys® (Word Mark)                         |                                                                           |
| TOPSPOT®                                            |                                                                           |
| Additional Patents                                  | 6,270,231; 5,848,834; 9,200,792; 8,494,374; D680,672; 8,511,847; D758,627 |
|                                                     |                                                                           |
| <b>PARTS/ACCESSORIES</b>                            |                                                                           |
| 18650 Charger Kit                                   |                                                                           |
| 4AA/3AA Fire Helmet Mount                           | U.S. Pat. No. 8,820,690                                                   |
| EPU-5200™                                           | --                                                                        |
| Force Spreading Clamp                               | U.S. Pat. No. 8,827,484                                                   |
| Li-Ion Battery                                      | U.S. Pat. No. 8,356,910                                                   |
| SL SolarStream™                                     | --                                                                        |