

Product Name	Pat. Nos.
2AA ProPolymer®	—
2AA ProPolymer® HAZ-LO®	—
2AA ProPolymer® HAZ-LO®	
2AA ProPolymer® HAZ-LO®	
2AA ProPolymer® HAZ-LO®	
2AA ProPolymer® LED	—
2AAA Propolymer® HAZ-LO®	—
2AAA Propolymer® HAZ-LO®	
2AAA Propolymer® HAZ-LO®	
2AAA Propolymer® HAZ-LO®	
3AA HAZ-LO® Headlamp	—
3AA HAZ-LO® Headlamp	
3AA HAZ-LO® Headlamp	
3AA ProPolymer® HAZ-LO®	U.S. - 8,807,781
3AA ProPolymer® HAZ-LO®	
3AA ProPolymer® HAZ-LO®	
3AA ProPolymer® HAZ-LO®	
3AA ProPolymer® HAZ-LO® Helmet Lighting Kit	U.S. - 8,820,690
3AA ProPolymer® HAZ-LO® Helmet Lighting Kit	
3AA ProPolymer® HAZ-LO® Helmet Lighting Kit	
3AA ProPolymer® HAZ-LO® Helmet Lighting Kit	
3C ProPolymer®	—
3C ProPolymer® HAZ-LO®	U.S. - 8,807,781
3C ProPolymer® HAZ-LO®	
3C ProPolymer® HAZ-LO®	
3C ProPolymer® HAZ-LO®	
3C ProPolymer® LED	U.S. - 7,466,082 (Div 2);
3C ProPolymer® LED	U.S. - 7,357,534 (Div 1)
3C ProPolymer® Lux Div 1	U.S. - 7,357,534
3C ProPolymer® Lux Div 2	U.S. - 7,466,082
3N ProPolymer® HAZ-LO®	—
3N ProPolymer® HAZ-LO®	
3N ProPolymer® HAZ-LO®	
3N ProPolymer® HAZ-LO®	
3N ProPolymer® LED	—
4AA Helmet Kit	U.S. - 8,820,690
4AA ProPolyMax®	—
4AA ProPolymer®	—
4AA ProPolymer® LED	—
4AA ProPolymer® Lux	—
4AA/3AA Fire Helmet Mount	US - 8,820,690
Additional Patents	US - 8,494,374
Additional Patents	US - D680,672
Additional Patents	US - 8,511,847
Additional Patents	US - D758,627
Additional Patents	US - D941,751
Additional Patents	US - 8,356,910
Additional Patents	US - D758,627
Additional Patents	US - D680,672
Additional Patents	US - 9,057,490
Additional Patents	US - 8,511,847
Additional Patents	EU - 001899329
Additional Patents	EU - 001813148-0001
Additional Patents	JP - 5740071
Additional Patents	Chinese Pat. No. ZL 2023 3 003593.X
Additional Patents	US - 11,212,892
Additional Patents	US - 9,651,208
Argo® HAZ-LO® LED Headlamp	U.S. - D733,951
Argo® HP Headlamp	—
Argo® LED Headlamp	U.S. - D733,951
Bandit®	U.S. - D952,214
Bandit®	U.S. - D851,307
Bandit®	U.S. - 10,221,601

Product Name	Pat. Nos.
Bandit®	CN - ZL2017300680993
Bandit® Pro	
Bandit® Pro	
Bandit® Pro	
Battery Charger	US - 10,326,292
BearTrap®	U.S. - D951,507
BearTrap®	U.S. - 11,236,892
BearTrap® 360	U.S. - D951,507
BearTrap® 360	U.S. - 11,236,892
Brilliant Thinking™	
Buckmasters® Packmate®	U.S. - 7,534,975
Buckmasters® Packmate®	
Buckmasters® Trident®	—
Buckmasters® Trident®	
Buckmasters® Twin-Task® 2L	—
Buckmasters® Twin-Task® 2L	
C4®	
C4® Logo	
Camolight®	
ClipMate®	—
ClipMate® USB	U.S. - 10,151,433
ClipMate® USB	U.S. - D782,716
ClipMate® USB	U.S. - 9,347,656
ClipMate® USB	U.S. - 9,206,951
ClipMate® USB	U.S. - 9,057,490
ClipMate® USB	EU - 002486720-0001
Color-Rite Technology®	
Color-Rite®	
CuffMate®	—
Des Idées Brillantes®	
Double Clutch® USB Headlamp	U.S. - 9,605,836
Double Clutch® USB Headlamp	U.S. - 9,285,105
Double Clutch® USB Headlamp	U.S. - D750,823
Dual Switch and Design	
Dual Switch Technology and Design®	
Dualie Waypoint®	—
Dualie Waypoint®	
Dualie® 2AA	
Dualie® 3AA	US - D765,295
Dualie® 3AA	US - 9,964,290
Dualie® 3AA	EU Comm. Design App. No. 002613778
Dualie® 3AA Color-Rite®	
Dualie® 3AA Color-Rite®	
Dualie® 3AA Laser	U.S. - D765,294
Dualie® 3AA Laser	EU Comm. Design App. No. 002613778
Dualie® Rechargeable	EU - 004171729 (0001-0005)
E-Flood® FireBox®	—
E-Flood® FireBox®	
E-Flood® LiteBox®	—
E-Flood® LiteBox®	
E-Flood® LiteBox® HL	U.S. - 9,920,918
E-Flood® LiteBox® HL	
E-Spot® FireBox®	—
E-Spot® FireBox®	
E-Spot® LiteBox®	—
E-Spot® LiteBox®	
Enduro® LED Headlamp	—
Enduro® Pro	U.S. - D869,034
Enduro® Pro HAZ-LO®	
Enduro® Pro HAZ-LO®	

Product Name	Pat. Nos.
Enduro® Pro USB	U.S. - D869,034
Enduro® Pro USB	EU Comm. 004171729-0001, 0002, 0003, 0004, 0005;
Enduro® Pro USB	CN304643928S
EPU-5200™	
Fiberwrap®	
Fire Vulcan®	—
Fire Vulcan®	
Fire Vulcan® LED	—
Fire Vulcan® LED	
FireBox®	—
Five-Tap®	
FlipMate®	U.S. - D930,206
FlipMate®	EU Design Pat. No. 0007427349-0005-0008;
FlipMate®	China Cert. ZL 2019 30707775.6
Force Spreading Clamp	US - 8,820,690
H.I.D. LiteBox®	—
HAZ-LO Division 1 Lighting and Design® (Fanciful Mark)	
HAZ-LO Zone 0 Lighting and Design® (European)	
HAZ-LO®	
Heroes Trust Streamlight®	
HL and Design®	
IT'S GO TIME®	
Jack-Cap®	
Key-Mate®	EU Design Pat. No. 000034699
Key-Mate® USB	U.S. - 10,612,732
Key-Mate® USB	U.S. - 10,295,128
Key-Mate® USB	U.S. - D814,675
Key-Mate® USB	EU Design Pat. No. 003707678-0001
Knucklehead® Flood	U.S. - D752,263
Knucklehead® Flood	U.S. - 8,777,446
Knucklehead® Flood	Aust. Reg. Des. No. 332519
Knucklehead® Flood	Can. Reg No. - 2,789,155
Knucklehead® Flood	Can. Reg No - 136,630 (expired)
Knucklehead® Flood	EU Reg. No. 001741018-0001
Knucklehead® Flood	EU Reg. No. 001741018-0002
Knucklehead® Flood	Mex. Patenado 315,427
Knucklehead® Flood	Mex. Patenado 307,934
Knucklehead® HAZ-LO® Flood	U.S. - 8,777,446
Knucklehead® HAZ-LO® Flood	U.S. - D752,263
Knucklehead® HAZ-LO® Flood	Aust. Reg. Des. No. 332519;
Knucklehead® HAZ-LO® Flood	Can. Reg No. - 2,789,155
Knucklehead® HAZ-LO® Flood	Can. Reg No. 136,630 (expired)
Knucklehead® HAZ-LO® Flood	EU Reg. No. 001741018-0001
Knucklehead® HAZ-LO® Flood	Mex. Patenado 315,427
Knucklehead® HAZ-LO® Flood	Mex. Patenado 307,934
Knucklehead® HAZ-LO® Spot	U.S. - 8,777,446
Knucklehead® HAZ-LO® Spot	U.S. - D752,263
Knucklehead® HAZ-LO® Spot	Aust. Reg. Des. No. 332519;
Knucklehead® HAZ-LO® Spot	Can. Reg No. - 2,789,155
Knucklehead® HAZ-LO® Spot	Can. Reg No. 136,630 (expired)
Knucklehead® HAZ-LO® Spot	EU Reg. No. 001741018-0001
Knucklehead® HAZ-LO® Spot	EU Reg. No. 001741018-0002;
Knucklehead® HAZ-LO® Spot	Mex. Patenado 315,427
Knucklehead® HAZ-LO® Spot	Mex. Patenado 307,934
Knucklehead® Spot	U.S. - 8,777,446
Knucklehead® Spot	U.S. - D752,263
Knucklehead® Spot	Aust. Reg. Des. No. 332519
Knucklehead® Spot	Can. Reg. No. 2,789,155 (expired)
Knucklehead® Spot	Can. Reg. No. 136,630 (expired)

Product Name	Pat. Nos.
Knucklehead® Spot	EU Reg. No. 001741018-0001
Knucklehead® Spot	EU Reg. No. 001741018-0002
Knucklehead® Spot	Mex. Patenado 315,427
Knucklehead® Spot	Mex. Patenado 307,934
Li-Ion Battery	US - 8,356,910
MacroStream® USB	U.S. - D861,215
MacroStream® USB	EU Design Pat. No. 004753689-0001
MegaStream® HP USB	U.S. Pat. No. 11,639,789
MegaStream® USB	U.S. Pat. No. 11,639,789
MegaStream® USB	UK - Design No. 6441316
MicroStream®	
MicroStream® USB	U.S. - D861,215
MicroStream® USB	EU Design Pat. No. 004753689-0001
Misc. Design (Configuration of a flashlight head)	
Misc. Design (Stinger Triangle)	
Misc. Design (TLR)	
<b>MISC./TRADEMARK</b>	
<b>MISC/PARTS/ACCESSORIES</b>	
Multi Ops®	U.S. - 7,534,975
Nano Light®	EU Design Pat. No. 000946504-0001
Nano Light® II	Japanese Design Reg. No. 1804003
Night Com®	U.S. - 7,534,975
Night Com® LED	U.S. - 7,534,975
Night Com® UV	U.S. - 7,534,975
NightFighter®	EU Design Reg. 000296082-0001
NightFighter®	EU Design Reg. 000296082-0002
NightFighter® LED	EU Design Reg. 000296082-0001
NightFighter® LED	EU Design Reg. 000296082-0002
NightFighter® X	
Nova®	
Orbital Lighting Technology®	
Orbital Visibility®	
Piggyback®	
Pocket Mate®	U.S. - D963,218
PolyStinger DS® LED	US - 8,110,760
PolyStinger DS® LED	US - 10,326,292
PolyStinger DS® LED	German Pat. Nos. 69434676.4
PolyStinger®	US - 10,326,292
PolyStinger® LED	German Pat. Nos. 69434676.4
PolyStinger® LED	US - 8,110,760
PolyStinger® LED	US - 10,326,292
PolyStinger® LED HAZ-LO®	US - 8,110,760
PolyStinger® LED HAZ-LO®	German Pat. Nos. 69434676.4
PolyStinger® LED HAZ-LO®	US - 10,326,292
PolyStylus®	US - 8,388,169
PolyStylus®	US - 8,382,312
PolyStylus®	US - D649,275
PolyStylus®	Aust. Reg. Des. No. 320774
PolyStylus®	Chinese. Des. Pat. No. ZL200830119953.5;
PolyStylus®	EU Des. Pat. No. 000926068-0002;
PolyStylus®	Japanese Des. Pat. No. 1341110
PolyTac 90®	US - 10,119,686
PolyTac 90®	US - 9,453,624
PolyTac 90®	US - 8,905,573
PolyTac 90®	US - D681,858
PolyTac 90®	HK Design Reg. No. 1101169.1
PolyTac 90®	EU Reg. No. 001887548-0001
PolyTac 90®	Japanese Reg. No. 1433728
PolyTac 90®	Mex. Patenado 35,654
PolyTac 90® X	US - D936,881

Product Name	Pat. Nos.
PolyTac 90® X	
PolyTac 90® X USB	US - D936,881
PolyTac 90® X USB	
PolyTac®	—
PolyTac® 1X	
PolyTac® Helmet Lighting Kit	US - 8,820,690
PolyTac® HP	—
PolyTac® X	—
PolyTac® X USB	—
Portable Scene Light	US - 10,655,777
Portable Scene Light	US - 10,215,331
Portable Scene Light	US - 9,920,918
Portable Scene Light	US - 9,816,661
Portable Scene Light	US - 9,470,382
Portable Scene Light	Chile Pat. No. 59,763
Portable Scene Light II	US - 11,209,152
Portable Scene Light II	US - 11,060,656
Portable Scene Light II	EU Reg. Nos. 006376984-0001/0002/0003/0004;
Portable Scene Light II	Aust. Des. App. No. 201912187
Portable Scene Light II	Japanese Reg. No. 1656759;
Portable Scene Light II	Can. Pat. No. 3,126,231
Portable Scene Light II	Chile Reg. No. 67137
ProTac HL®	US - D688,402
ProTac HL®	US - D788,965
ProTac HL®	EU Reg. No. 002151894
ProTac HL®	Japanese Design Pat. No. 1479750
ProTac HL® 3	US - D698,961
ProTac HL® 4	US - D698,961
ProTac HL® 4	
ProTac HL® 4	US - D794,857
ProTac HL® 4	US - D846,783
ProTac HL® 4	Japanese Design Pat. No. 1479750
ProTac HL® 4	EU Reg. No. 002151894
ProTac HL® 5	US - D794,857
ProTac HL® 5	US - D846,783
ProTac HL® 5-X	US - D846,783
ProTac HL® 5-X	
ProTac HL® 5-X USB	
ProTac HL® 5-X USB	
ProTac HL® 6	US - D846,783
ProTac HL® Headlamp	US - D729,426
ProTac HL® USB	US - 9,341,325
ProTac HL® USB	EU Reg. No. 002151894
ProTac HL® USB	Japanese Design Pat. No. 1479750
ProTac HL® USB Headlamp	
ProTac HL® USB Headlamp	
ProTac Lights and Design®	
ProTac® 1AA	US - D688,402
ProTac® 1AA	EU Design Reg. 001752338-0001 thru -0004
ProTac® 1AAA	
ProTac® 1L	US - D688,402
ProTac® 1L	EU Design Reg. 001752338-0001 thru -0004
ProTac® 1L-1AA	US - 8,727,561
ProTac® 1L-1AA	US - D688,402
ProTac® 1L-1AA	US - D810,337
ProTac® 2.0	US - 11,639,789
ProTac® 2.0	US - D999,423
ProTac® 2.0 Headlamp	US - D1,061,974
ProTac® 2.0 HP	US - 11,639,789
ProTac® 2.0 HP	US - D999,423

Product Name	Pat. Nos.
ProTac® 2.0 Rail Mount	US - D1,013,239
ProTac® 2.0 Rail Mount HP	US - D1,013,239
ProTac® 2AA	US - D688,402
ProTac® 2AA	EU Design Reg. 001752338-0001 thru -0004
ProTac® 2AA-X	US - D688,402
ProTac® 2AA-X USB	US - D688,402
ProTac® 2AAA	
ProTac® 2L	US - D688,402
ProTac® 2L	EU Design Reg. 001752338-0001 thru -0004
ProTac® 2L-X	US - D688,402
ProTac® 2L-X USB	US - D688,402
ProTac® 4.0	US - D1,071,264
ProTac® 90	US - D884,942
ProTac® 90X	US - D884,942
ProTac® 90X USB	US - D884,942
ProTac® EMS	US - D688,402
ProTac® EMS	EU Design Reg. 001752338-0001 thru -0004
ProTac® HL-X	
ProTac® HL-X USB	
ProTac® HP-X	
ProTac® HP-X USB	
ProTac® HPL USB	US - D844,874
ProTac® HPL USB	US - 9,341,324
ProTac® Rail Mount 1	US - D788,965
ProTac® Rail Mount 1	US - 8,779,683
ProTac® Rail Mount 1	US - 8,727,561
ProTac® Rail Mount 1L-X	
ProTac® Rail Mount 1L-X Pro	
ProTac® Rail Mount 2	US - D788,965
ProTac® Rail Mount 2	US - 8,779,683
ProTac® Rail Mount HL-X	US - D788,965
ProTac® Rail Mount HL-X Laser	US - D999,332
ProTac® Rail Mount HL-X Pro	US - D788,965
ProTac® Rail Mount HL-X Pro USB	US - D788,965
ProTac® Rail Mount HP-X Pro	
ProTac® Rail Mount VIR Pro	EU - Reg. No. 015110767
QB Head Lamp®	—
QB Head Lamp®	
QB®	—
Scorpion®	—
Scorpion® HL	—
Scorpion® LED	—
Scorpion® X	
Septor® HAZ-LO®	US - D733,951
Septor® HAZ-LO®	
Septor® Headlamp	US - D733,951
Sidewinder Boot®	US - 10,948,139
Sidewinder Boot®	US - D907,825
Sidewinder Boot®	US - D940,369
Sidewinder Compact®	US - 7,581,847
Sidewinder Compact®	US - 7,549,766
Sidewinder Compact®	EU Reg. No. 000798400-1,2,3
Sidewinder Compact® II	US - 8,779,683
Sidewinder Compact® II	US - 8,727,561
Sidewinder Compact® II	US - 7,581,847
Sidewinder Compact® II	US - 7,549,766
Sidewinder Compact® II	EU - 000798400-0001
Sidewinder Compact® III	
Sidewinder Stalk®	US - 11,421,833
Sidewinder Stalk®	US - D934,473

Product Name	Pat. Nos.
Sidewinder Stalk®	US - 1,042,919
Sidewinder®	US - 7,581,847
Sidewinder®	US - 7,549,766
Sidewinder®	EU - 000676168-0001
Sidewinder® (Helmet Light System)	US - 7,581,847
Sidewinder® (Helmet Light System)	US - 7,549,766
Sidewinder® (Helmet Light System)	EU - 000798400-1,2,3
Sidewinder® (Helmet Light System)	EU - 000676168-0001
Sidewinder® II	
Sidewinder® Rescue	US - 10,533,727
Sidewinder® Rescue	US - 10,030,847
Sidewinder® Rescue	US - 7,581,847
Sidewinder® Rescue	US - 7,549,766
Sidewinder® Rescue	EU - 000676168-0001
Sidewinder® X	US - 10,948,139
Sidewinder® X	US - 7,581,847
Sidewinder® X	US - 7,549,766
Siege® AA	US - 9,347,627
Siege® AA	US - 9,217,547
Siege® AA	US - D725,300
Siege® X USB	US - D930,204
Siege® X USB	
SL Brilliant Thinking® (EU Only)	
SL Design (Black and White)	
SL Design (Color)	
SL SideSaddle®	EU Design Reg. 015102041-0001-0007
SL SideSaddle®	US - D1,090,939
SL SideSaddle®	US - D1,097,253
SL SideSaddle®	Can. Reg. No. - 240192
SL SideSaddle®	Can. Reg. No. - 240191
SL Streamlight and Design	
SL Streamlight Brilliant Durchdacht and Design®	
SL Streamlight Brilliant Thinking and Design®	
SL Streamlight Des Idées Brillantes and Design®	
SL Streamlight SL-SideSaddle & Design	
SL Streamlight SolarStream™ (Fanciful Mark)	
SL-20LP®	US - 7,582,838
SL-20L®	US - 7,582,838
SL-20XP®	—
SL-20XP® LED	US - 7,582,838
SL-20X®	—
SL-20X® LED	US - 7,582,838
SL-35X®	US - 7,582,838
SL-B26®	
SL-B34®	
SL-B48®	
SL-B50®	US - D949,095
SL-B9®	
Sledge®	
Smoke Cutter®	
Speed Locker®	US - 11,548,705
Speed Locker®	US - D1,078,268
Speed Locker®	EU Reg. 009085566-0001-0004
Speed Locker®	Israel Reg. No. 69086
Speed Locker®	Norwegian Reg. 087503
Stinger DS LED HL®	US - 9,960,622
Stinger DS LED HL®	US - 9,960,621
Stinger DS LED HL®	US - 9,478,371
Stinger DS LED HL®	US - 8,662,701
Stinger DS LED HL®	US - 8,360,598

Product Name	Pat. Nos.
Stinger DS LED HL®	US - 8,258,416
Stinger DS LED HL®	US - 7,880,100
Stinger DS LED HL®	US - 7,674,003
Stinger DS LED HL®	US - 7,652,216
Stinger DS LED HL®	US - 10,326,292
Stinger DS® HPL	US - 9,960,622
Stinger DS® HPL	US - 9,960,621
Stinger DS® HPL	US - 9,478,371
Stinger DS® HPL	US - 8,662,701
Stinger DS® HPL	US - 8,360,598
Stinger DS® HPL	US - 8,258,416
Stinger DS® HPL	US - 7,880,100
Stinger DS® HPL	US - 7,674,003
Stinger DS® HPL	US - 7,652,216
Stinger DS® HPL	US - 10,326,292
Stinger DS® LED	US - 9,960,622
Stinger DS® LED	US - 9,960,621
Stinger DS® LED	US - 9,478,371
Stinger DS® LED	US - 8,662,701
Stinger DS® LED	US - 8,360,598
Stinger DS® LED	US - 8,258,416
Stinger DS® LED	US - 7,880,100
Stinger DS® LED	US - 7,674,003
Stinger DS® LED	US - 7,652,216
Stinger DS® LED	US - 10,326,292
Stinger DS® LED HP	US - 9,960,622
Stinger DS® LED HP	US - 9,960,621
Stinger DS® LED HP	US - 9,478,371
Stinger DS® LED HP	US - 8,662,701
Stinger DS® LED HP	US - 8,360,598
Stinger DS® LED HP	US - 8,258,416
Stinger DS® LED HP	US - 7,880,100
Stinger DS® LED HP	US - 7,674,003
Stinger DS® LED HP	US - 7,652,216
Stinger DS® LED HP	US - 10,326,292
Stinger LED HL®	US - 9,960,622
Stinger LED HL®	US - 9,960,621
Stinger LED HL®	US - 9,478,371
Stinger LED HL®	US - 8,662,701
Stinger LED HL®	US - 8,360,598
Stinger LED HL®	US - 8,258,416
Stinger LED HL®	US - 8,110,760
Stinger LED HL®	US - 7,880,100
Stinger LED HL®	US - 7,652,216
Stinger LED HL®	US - 10,326,292
Stinger Switchblade®	US - D851,309
Stinger Switchblade®	Can. Design Reg. No. 180101
Stinger Switchblade®	US - 10,326,292
Stinger XT HP®	US - 8,258,416
Stinger XT HP®	US - 7,652,216
Stinger XT HP®	US - 10,326,292
Stinger XT®	US - 8,258,416
Stinger XT®	US - 7,652,216
Stinger XT®	US - 10,326,292
Stinger®	US - 8,258,416
Stinger®	US - 7,652,216
Stinger®	US - 10,326,292
Stinger®	Chile Pat. No. 51,933
Stinger® 2020	US - 11,054,124
Stinger® 2020	US - 9,960,622



Product Name	Pat. Nos.
Stinger® 2020	US - 9,960,621
Stinger® 2020	US - 9,478,371
Stinger® 2020	US - 8,662,701
Stinger® 2020	US - D940,937
Stinger® 2020	US - D940,936
Stinger® 2020	US - 10,326,292
Stinger® 2020 S	US - 11,054,124
Stinger® 2020 S	US - 9,960,622
Stinger® 2020 S	US - 9,960,621
Stinger® 2020 S	US - 9,478,371
Stinger® 2020 S	US - 8,662,701
Stinger® 2020 S	US - D940,937
Stinger® 2020 S	US - D940,936
Stinger® 2020 S	US - 10,326,292
Stinger® Classic LED	US - 8,662,701
Stinger® Classic LED	US - 10,326,292
Stinger® Color-Rite®	US - 9,960,622
Stinger® Color-Rite®	US - 9,960,621
Stinger® Color-Rite®	US - 9,478,371
Stinger® Color-Rite®	US - 8,662,701
Stinger® Color-Rite®	US - 8,360,598
Stinger® Color-Rite®	US - 8,258,416
Stinger® Color-Rite®	US - 8,110,760
Stinger® Color-Rite®	US - 7,880,100
Stinger® Color-Rite®	US - 7,652,216
Stinger® Color-Rite®	US - 10,326,292
Stinger® HPL	US - 9,960,622
Stinger® HPL	US - 9,960,621
Stinger® HPL	US - 9,478,371
Stinger® HPL	US - 8,662,701
Stinger® HPL	US - 8,360,598
Stinger® HPL	US - 8,258,416
Stinger® HPL	US - 8,110,760
Stinger® HPL	US - 7,880,100
Stinger® HPL	US - 7,652,216
Stinger® HPL	US - 10,326,292
Stinger® LED	US - 9,960,622
Stinger® LED	US - 9,960,621
Stinger® LED	US - 9,478,371
Stinger® LED	US - 8,662,701
Stinger® LED	US - 8,360,598
Stinger® LED	US - 8,258,416
Stinger® LED	US - 8,110,760
Stinger® LED	US - 7,880,100
Stinger® LED	US - 7,652,216
Stinger® LED	US - 10,326,292
Stinger® LED HP™	US - 9,960,622
Stinger® LED HP™	US - 9,960,621
Stinger® LED HP™	US - 9,478,371
Stinger® LED HP™	US - 8,662,701
Stinger® LED HP™	US - 8,360,598
Stinger® LED HP™	US - 8,258,416
Stinger® LED HP™	US - 8,110,760
Stinger® LED HP™	US - 7,880,100
Stinger® LED HP™	US - 7,652,216
Stinger® LED HP™	US - 10,326,292
Stinger® Lite Pipe	US - D740,987
Stinger® Lite Pipe	US - 8,870,408
Stinger® Lite Pipe	US - 10,326,292

Product Name	Pat. Nos.
Streamlight & Design® (Battery Fanciful Mark)	
Streamlight (Stylized)	
Streamlight Factory Authorized E-Commerce & Design®	
Streamlight Jr. F-STOP®	—
Streamlight Jr. F-STOP®	
Streamlight Jr®	—
Streamlight Jr® Reach	—
Streamlite®	
Strion LED HL®	US - 9,960,622
Strion LED HL®	US - 9,960,621
Strion LED HL®	US - 9,478,371
Strion LED HL®	US - 8,662,701
Strion LED HL®	US - 10,326,292
Strion Switchblade®	US - D943,132
Strion Switchblade®	EU Reg. Design No. 007427349-0001-0004
Strion Switchblade®	China Cert. ZL 2019 30708241.5
Strion® 2020	US - 9,960,622
Strion® 2020	US - 9,960,621
Strion® 2020	US - 9,478,371
Strion® 2020	US - 8,662,701
Strion® 2020	US - 10,326,292
Strion® DS	US - 9,960,622
Strion® DS	US - 9,960,621
Strion® DS	US - 9,478,371
Strion® DS	US - 8,662,701
Strion® DS	US - 10,326,292
Strion® DS HL	US - 9,960,622
Strion® DS HL	US - 9,960,621
Strion® DS HL	US - 9,478,371
Strion® DS HL	US - 8,662,701
Strion® DS HL	US - 8,662,702
Strion® DS HPL	US - 9,960,622
Strion® DS HPL	US - 9,960,621
Strion® DS HPL	US - 9,478,371
Strion® DS HPL	US - 8,662,701
Strion® DS HPL	US - 10,326,292
Strion® HPL	US - 9,960,622
Strion® HPL	US - 9,960,621
Strion® HPL	US - 9,478,371
Strion® HPL	US - 8,662,701
Strion® HPL	US - 10,326,292
Strion® LED	US - 9,960,622
Strion® LED	US - 9,960,621
Strion® LED	US - 9,478,371
Strion® LED	US - 8,662,701
Strion® LED	US - 10,326,292
Stylus Pro Reach®	US - D673,710
Stylus Pro Reach®	
Stylus Pro Reach®	
Stylus Pro®	US - D578,236
Stylus Pro®	
Stylus Pro® 360	
Stylus Pro® 360	
Stylus Pro® COB	US - D851,797
Stylus Pro® COB	Can. Reg. No. 180,102
Stylus Pro® HAZ-LO®	US - D1,071,279
Stylus Pro® HAZ-LO®	
Stylus Pro® HAZ-LO®	
Stylus Pro® USB	US - D578,236

Product Name	Pat. Nos.
Stylus Reach®	
Stylus Reach®	
Stylus Reach® UL Listed	
Stylus Reach® UL Listed	
Stylus Reach® 18	
Stylus Reach® 18	
Stylus®	DE - 40205586.1
Stylus®	IT - 84931
Stylus®	FR - 20022416001, 002, 003, 004
Stylus®	UK - 3002164
Stylus®	Benelux - 34205-01
Stylus® UL Listed	—
Stylus® Combo	Benelux Pat. No. 34205-01
Stylus® Combo	Benelux Pat. No. 34205-02
Stylus® Combo	Benelux Pat. No. 34205-03
Stylus® Combo	Benelux Pat. No. 34205-04
Stylus® Combo	German Pat. No. 40205586.1
Stylus® Combo	French Pat. No. 02 2416
Stylus® Combo	Italian Pat. No. 84931
Stylus® Combo	United Kingdom Pat. No. 3002164
Stylus® IR	—
Stylus® UV	—
Stylus®/Stylus Reach® Combo	Benelux Pat. No. 34205-01
Stylus®/Stylus Reach® Combo	Benelux Pat. No. 34205-02
Stylus®/Stylus Reach® Combo	Benelux Pat. No. 34205-03
Stylus®/Stylus Reach® Combo	Benelux Pat. No. 34205-04
Stylus®/Stylus Reach® Combo	German Pat. No. 40205586.1
Stylus®/Stylus Reach® Combo	French Pat. No. 02 2416
Stylus®/Stylus Reach® Combo	Italian Pat. No. 84931
Stylus®/Stylus Reach® Combo	United Kingdom Pat. No. 3002164
Super Siege®	US - 9,217,547
Super Siege®	US - D725,300
Super Tac®	—
Super Tac® X	—
Survivor Pivot®	US - D1,069,197
Survivor Pivot®	CN - ZL202430645028.5
Survivor Pivot®	IL - 73352
Survivor Pivot® USB	US - RE44,281
Survivor Pivot® USB	US - D1,069,197
Survivor Pivot® USB	CN - ZL202430645028.5
Survivor Pivot® USB	IL - 73352
Survivor® LED	US - 9,488,331
Survivor® LED	US - RE44,281
Survivor® X	US - RE44,281
Syclone®	US - D922,644
Syclone® Jr.	US - D955,020
Task-Light® 3AA LED	—
Ten-Tap®	
The LOGO™	U.S. Pat. No. D738,554
The LOGO™	EU Reg. No. 002209601-001
The Shape of Things to Come®	
The Siege®	US - 9,347,627
The Siege®	US - 9,217,547
The Siege®	US - D725,300
THRO®	
TL-2®	EU Design Reg. 000052188-0001 & 0002
TL-2® IR	—
TL-2® LED	EU Design Reg. 000296082-0002
TL-2® X	EU Design Reg. 000296082-0001 & 0002
TL-3®	

Product Name	Pat. Nos.
TL-Racker®	US - D956,165
TL-Racker®	US - 11,092,323
TL-Racker®	US - D906,562
TL-Racker®	US - 10,670,251
TL-Racker®	EU Reg. Nos. 006376984-0005/0006/0007
TL-Racker®	Israel Pat No. 29/669,174
TL-Racker®	Israel Reg. No. 77536
TL-Racker® Shockwave	US - D1,004,816
TL-Racker® Shockwave	US - 11,118,859
TL-Racker® Shockwave	US - 11,092,393
TL-Racker® Shockwave	US - 10,670,251
TL-Racker® Shockwave	EU Reg. Design No. 008018634-0001
TL-Racker® Shockwave	Israel Reg. No. 65217
TLR-1 HL®	US - 7,199,315
TLR-1 HL®	US - 7,188,978
TLR-1 HL® Dual Remote Kit	—
TLR-1 HL®-X	US - 7,199,315
TLR-1 HL®-X	US - 7,188,978
TLR-1 HL®-X	US - 12,123,581
TLR-1 HL®-X	IL - 73461
TLR-1 HL®-X USB	US - 12,123,581
TLR-1 HL®-X USB	IL - 73461
TLR-1 HPL®	US - 7,199,315
TLR-1 HPL®	US - 7,188,978
TLR-1 HPL®	US - D673,709
TLR-1 HPL®	Can. Pat. No. 2,586,530
TLR-1 HPL®	Mex. Patenado 270,372
TLR-10®	US - 12,123,581
TLR-10®	US - D1,061,979
TLR-10® G	US - 12,123,581
TLR-10® G	US - 1,061,979
TLR-1®	US - 7,188,978
TLR-1®	Can. Pat. No. 2,586,530
TLR-1®	Mex. Patenado 270,372
TLR-1® Game Spotter®	US - 7,199,315
TLR-1® Game Spotter®	US - 7,188,978
TLR-1® Game Spotter®	US - D673,709
TLR-1® Game Spotter®	Can. Pat. No. 2,586,530
TLR-1® Game Spotter®	Mex. Patenado 270,372
TLR-1® Game Spotter®	AUST. Reg. No. 343191
TLR-1® Game Spotter®	EU Reg. No. 001949512-0002 & -0003
TLR-1® HP-X	—
TLR-1® IR	US - 7,188,978
TLR-1® IR	Can. Pat. No. 2,586,530
TLR-1® IR	Mex. Patenado 270,372
TLR-1®s	US - 7,188,978
TLR-1®s	Can. Pat. No. 2,586,530
TLR-1®s	Mex. Patenado 270,372
TLR-1®s HP™	EU Reg. No. 001949512-0002 & -0003
TLR-1®s HP™	AUST. Reg. No. 343191
TLR-1®s HP™	US - 7,188,978
TLR-1®s HP™	US - D673,709
TLR-1®s HP™	Can. Pat. No. 2,586,530
TLR-1®s HP™	Mex. Patenado 270,372
TLR-1®s HP™	EU Reg. No. 001949512-0002 & -0003;
TLR-1®s HP™	AUST. Reg. No. 343191
TLR-2 HL®	US - 8,226,267
TLR-2 HL®	US - 7,614,760
TLR-2 HL®	US - 7,188,978
TLR-2 HL® G	US - 8,226,267

Product Name	Pat. Nos.
TLR-2 HL® G	US - 7,614,760
TLR-2 HL® G	US - 7,188,978
TLR-2®	US - 8,226,267
TLR-2®	US - 7,614,760
TLR-2®	US - 7,188,978
TLR-2®	Can. Pat No. 2,586,530
TLR-2®	EU Pat. No. 000621883-0001
TLR-2®	Mex. Patenado 270,372
TLR-2® G	US - 8,226,267
TLR-2® G	US - 7,614,760
TLR-2® G	US - 7,188,978
TLR-2® G	Can. Pat No. 2,586,530
TLR-2® G	EU Pat. No. 000621883-0001
TLR-2® G	Mex. Patenado 270,372
TLR-2® IR	US - 8,226,267
TLR-2® IR	US - 7,614,760
TLR-2® IR	US - 7,188,978
TLR-2® IR	Can. Pat No. 2,586,530
TLR-2® IR	EU Pat. No. 000621883-0001
TLR-2® IR	Mex. Patenado 270,372
TLR-2® IRW	US - 8,226,267
TLR-2® IRW	US - 7,614,760
TLR-2® IRW	US - 7,188,978
TLR-2® IRW	Can. Pat No. 2,586,530
TLR-2® IRW	EU Pat. No. 000621883-0001
TLR-2® IRW	Mex. Patenado 270,372
TLR-2®s	US - 8,226,267
TLR-2®s	US - 7,614,760
TLR-2®s	US - 7,188,978
TLR-2®s	Can. Pat No. 2,586,530
TLR-2®s	EU Pat. No. 000621883-0001
TLR-2®s	Mex. Patenado 270,372
TLR-3®	US - 8,371,729
TLR-3®	US - 8,287,157
TLR-3®	US - 7,188,978
TLR-3®	Can. Pat. No. 2,586,530
TLR-3®	EU Des. Reg. No. 001614736-0001
TLR-3®	EU Patent No. 10731989.9
TLR-3® X	
TLR-3® X USB	
TLR-4®	US - 8,287,157
TLR-4®	US - 8,226,267
TLR-4®	US - 7,188,978
TLR-4®	US - D674,525
TLR-4®	Can. Pat. No. 2,586,530
TLR-4®	Mex. Patenado 270,372
TLR-4® G	US - 8,287,157
TLR-4® G	US - 8,226,267
TLR-4® G	US - 7,188,978
TLR-4® G	US - D674,525
TLR-4® G	Can. Pat. No. 2,586,530
TLR-4® G	Mex. Patenado 270,372
TLR-4® G	Can. Reg. No. 145466
TLR-6 HL®	US - 10,001,342
TLR-6 HL®	US - 9,772,163
TLR-6 HL® G	US - 10,001,342
TLR-6 HL® G	US - 9,772,163
TLR-6®	US - 10,001,343
TLR-6®	US - 10,001,342
TLR-6®	US - D796,622

Product Name	Pat. Nos.
TLR-6®	US - 9,772,163
TLR-6®	EU Pat. No. 002734053-0001
TLR-6®	China Pat. No. ZL201530189192.0
TLR-7A FLEX®	US - 11,162,665
TLR-7A FLEX®	
TLR-7®	US - 11,162,665
TLR-7®	US - 10,612,761
TLR-7®	US - D898,260
TLR-7®	US - D857,268
TLR-7®	US - 10,344,959
TLR-7®	AUST. Pat. No. 201811915
TLR-7® HL-X	US - 12,123,581
TLR-7® HL-X sub	US - 12,123,581
TLR-7® HL-X sub USB	US - 12,123,581
TLR-7® HL-X USB	US - 12,123,581
TLR-7® HL-X USB	US - D1,048,527
TLR-7® sub	US - 11,506,366
TLR-7® sub	US - D997,285
TLR-7® sub	US - D997,413
TLR-7® sub	US - D999,624
TLR-7® X	US - 12,123,581
TLR-7® X	US - 11,506,366
TLR-7® X	US - D997,285
TLR-7® X	US - D997,413
TLR-7® X	US - D999,624
TLR-7® X sub	US - 12,123,581
TLR-7® X sub	US - 11,506,366
TLR-7® X sub	US - D997,285
TLR-7® X sub	US - D997,413
TLR-7® X sub	US - D999,624
TLR-7® X sub USB	US - 12,123,581
TLR-7®A HI	US - 11,162,665
TLR-7®A HI	US - D919,149
TLR-7®A HI	US - D907,267
TLR-7®A LO	US - 11,162,665
TLR-7®A LO	US - D919,150
TLR-7®A LO	US - D907,268
TLR-8®	US - 10,612,761
TLR-8®	US - 10,697,623
TLR-8®	US - D898,261
TLR-8®	US - 10,344,959
TLR-8®	US - D857,960
TLR-8®	AUST. Pat. No. 201811920
TLR-8® G sub	US - 12,123,581
TLR-8® HL-X	US - 12,123,581
TLR-8® HL-X	US - 11,162,665
TLR-8® HL-X	US - 10,697,623
TLR-8® HL-X	US - 10,612,761
TLR-8® HL-X	US - 10,344,959
TLR-8® HL-X	US - D919,149
TLR-8® HL-X	US - D919,150
TLR-8® HL-X G	US - 12,123,581
TLR-8® HL-X G	US - 11,162,665
TLR-8® HL-X G	US - 10,697,623
TLR-8® HL-X G	US - 10,612,761
TLR-8® HL-X G	US - 10,344,959
TLR-8® HL-X G	US - D919,149
TLR-8® HL-X G	US - D919,150
TLR-8® HL-X G sub	US - 12,123,581
TLR-8® HL-X G sub	US - 11,162,665

Product Name	Pat. Nos.
TLR-8® HL-X G sub	US - 10,697,623
TLR-8® HL-X G sub	US - 10,612,761
TLR-8® HL-X G sub	US - 10,344,959
TLR-8® HL-X G sub	US - D907,269
TLR-8® HL-X G sub	US - D907,270
TLR-8® HL-X G sub	US - D907,268
TLR-8® HL-X G sub	US - D907,267
TLR-8® HL-X G sub	US - D919,149
TLR-8® HL-X G sub	US - D919,150
TLR-8® HL-X G sub USB	US - 12,123,581
TLR-8® HL-X G sub USB	US - 11,162,665
TLR-8® HL-X G sub USB	US - 10,697,623
TLR-8® HL-X G sub USB	US - 10,612,761
TLR-8® HL-X G sub USB	US - 10,344,959
TLR-8® HL-X G sub USB	US - D907,269
TLR-8® HL-X G sub USB	US - D907,270
TLR-8® HL-X G sub USB	US - D907,268
TLR-8® HL-X G sub USB	US - D907,267
TLR-8® HL-X G sub USB	US - D919,149
TLR-8® HL-X G sub USB	US - D919,150
TLR-8® HL-X G USB	US - 12,123,581
TLR-8® HL-X G USB	US - 11,162,665
TLR-8® HL-X G USB	US - 10,697,623
TLR-8® HL-X G USB	US - 10,612,761
TLR-8® HL-X G USB	US - 10,344,959
TLR-8® HL-X G USB	US - D919,149
TLR-8® HL-X G USB	US - D919,150
TLR-8® HL-X sub	US - 12,123,581
TLR-8® HL-X sub	US - 11,162,665
TLR-8® HL-X sub	US - 10,697,623
TLR-8® HL-X sub	US - 10,612,761
TLR-8® HL-X sub	US - 10,344,959
TLR-8® HL-X sub	US - D907,269
TLR-8® HL-X sub	US - D907,270
TLR-8® HL-X sub	US - D907,268
TLR-8® HL-X sub	US - D907,267
TLR-8® HL-X sub	US - D919,149
TLR-8® HL-X sub	US - D919,150
TLR-8® HL-X sub USB	US - 12,123,581
TLR-8® HL-X sub USB	US - 11,162,665
TLR-8® HL-X sub USB	US - 10,697,623
TLR-8® HL-X sub USB	US - 10,612,761
TLR-8® HL-X sub USB	US - 10,344,959
TLR-8® HL-X sub USB	US - D907,269
TLR-8® HL-X sub USB	US - D907,270
TLR-8® HL-X sub USB	US - D907,268
TLR-8® HL-X sub USB	US - D907,267
TLR-8® HL-X sub USB	US - D919,149
TLR-8® HL-X sub USB	US - D919,150
TLR-8® HL-X USB	US - 12,123,581
TLR-8® HL-X USB	US - 11,162,665
TLR-8® HL-X USB	US - 10,697,623
TLR-8® HL-X USB	US - 10,612,761
TLR-8® HL-X USB	US - 10,344,959
TLR-8® HL-X USB	US - D919,149
TLR-8® HL-X USB	US - D919,150
TLR-8® sub	US - 12,123,581
TLR-8® X	US - D907,270
TLR-8® X G	US - 12,123,581
TLR-8® X G	US - 11,506,366

Product Name	Pat. Nos.
TLR-8® X G	US - D907,270
TLR-8® X G sub	US - 12,123,581
TLR-8® X G sub	US - 11,162,665
TLR-8® X G sub	US - 10,697,623
TLR-8® X G sub	US - 10,612,761
TLR-8® X G sub	US - 10,344,959
TLR-8® X G sub	US - D907,269
TLR-8® X G sub	US - D907,270
TLR-8® X G sub	US - D907,268
TLR-8® X G sub	US - D907,267
TLR-8® X G sub	US - D919,149
TLR-8® X G sub	US - D919,150
TLR-8® X G sub USB	US - 12,123,581
TLR-8® X G sub USB	US - 11,162,665
TLR-8® X G sub USB	US - 10,697,623
TLR-8® X G sub USB	US - 10,612,761
TLR-8® X G sub USB	US - 10,344,959
TLR-8® X G sub USB	US - D907,269
TLR-8® X G sub USB	US - D907,270
TLR-8® X G sub USB	US - D907,268
TLR-8® X G sub USB	US - D907,267
TLR-8® X G sub USB	US - D919,149
TLR-8® X G sub USB	US - D919,150
TLR-8® X G USB	US - 12,123,581
TLR-8® X G USB	US - 11,506,366
TLR-8® X G USB	US - D907,270
TLR-8® X sub	US - 11,162,665
TLR-8® X sub	US - 10,697,623
TLR-8® X sub	US - 10,612,761
TLR-8® X sub	US - 10,344,959
TLR-8® X sub	US - D907,269
TLR-8® X sub	US - D907,270
TLR-8® X sub	US - D907,268
TLR-8® X sub	US - D907,267
TLR-8® X sub	US - D919,149
TLR-8® X sub	US - D919,150
TLR-8® X sub USB	US - 12,123,581
TLR-8® X sub USB	US - 11,162,665
TLR-8® X sub USB	US - 10,697,623
TLR-8® X sub USB	US - 10,612,761
TLR-8® X sub USB	US - 10,344,959
TLR-8® X sub USB	US - D907,269
TLR-8® X sub USB	US - D907,270
TLR-8® X sub USB	US - D907,268
TLR-8® X sub USB	US - D907,267
TLR-8® X sub USB	US - D919,149
TLR-8® X sub USB	US - D919,150
TLR-8® X USB	US - 12,123,581
TLR-8® X USB	US - 11,506,366
TLR-8® X USB	US - D907,270
TLR-8®A G Flex	US - 11,162,665
TLR-8®A G Flex	US - 12,123,581
TLR-8®A Flex	US - 11,162,665
TLR-8®A Flex	US - D907,269
TLR-8®A Flex	US - 12,123,581
TLR-8®A HI	US - 11,162,665
TLR-8®A HI	US - D919,149
TLR-8®A HI	US - D907,269
TLR-8®A LO	US - 11,162,665
TLR-8®A LO	US - D919,150



Product Name	Pat. Nos.
TLR-8®A LO	US - D907,270
TLR-9®	US - 11,162,665
TLR-9®	US - D1,005,541
TLR-9®	US - 12,123,581
TLR-9®	US - D1,048,527
TLR-VIR®	US - 9,927,209
TLR-VIR®	US - 7,614,760
TLR-VIR®	US - 7,188,978
TLR-VIR® II	
TLR®	
TLR® Dual Remote Kit	—
TLR® RM 2	US - 11,181,258
TLR® RM 2	US - D913,554
TLR® RM 2	US - 10,928,051
TLR® RM 2	Chinese Patent 202080097406.X
TLR® RM 2	US - D1,092,809
TLR® RM 2 Laser	US - 11,181,258
TLR® RM 2 Laser	US - 10,928,051
TLR® RM 2 Laser-G	US - 11,181,258
TLR® RM 1	US - 11,181,258
TLR® RM 1	US - D913,553
TLR® RM 1	US - 10,928,051
TLR® RM 1	US - D1,091,907
TLR® RM 1	Chinese Patent 202080097406.X
TLR® RM 1 HL-X	US - 11,181,258
TLR® RM 1 HL-X	US - D913,553
TLR® RM 1 HL-X	US - 10,928,051
TLR® RM 1 HL-X	Chinese Patent 202080097406.X
TLR® RM 1 Laser	US - 11,181,258
TLR® RM 1 Laser	US - 10,928,051
TLR® RM 1 Laser-G	US - 11,181,258
Tools Not Toys® (Fanciful Mark)	
Tools Not Toys® (Word Mark)	
Trident HP®	US - D733,951
Trident®	US - D733,951
Trident® HAZ-LO®	US - D733,951
Trident® HAZ-LO®	
Twin-Task® 1L	—
Twin-Task® 2L	—
Twin-Task® 3AA	—
Twin-Task® 3AAA	—
Twin-Task® 3AAA Laser	—
Twin-Task® 3C	—
Twin-Task® 3C UV	—
Twin-Task® Headlamp (AA)	US - D864,449
Twin-Task® Headlamp (AA)	US - D930,203
Twin-Task® Headlamp (AA)	Can. Pat. No. 180,100
Twin-Task® Rechargeable	—
Twin-Task® USB Headlamp	US - D864,449
Twin-Task® USB Headlamp	US - D930,203
Twin-Task® USB Headlamp	Can. Pat. No. 180,100
UltraStinger®	US - 10,326,292
UltraStinger® LED	US - 10,326,292
USB HAZ-LO® Headlamp	US - D884,237
Vantage®	US - 10,627,056
Vantage® 180	Japanese Pat. No. 2018-551394
Vantage® 180 X	US - 10,378,744
Vantage® 180 X	US - D837,428
Vantage® 180 X USB	US - 10,378,744
Vantage® 180 X USB	US - D837,428

Product Name	Pat. Nos.
Vantage® II	US - 10,738,980
Vantage® II	US - D914,260
Vantage® II	US - 10,627,056
Vantage® II	Can. Pat. No. 3,110,071
Vantage® II	Mex. Pat. No. 391,178
Vulcan Clutch®	US - 11,162,649
Vulcan Clutch®	US - D1,013,237
Vulcan Clutch®	Chile Pat. No. 10,968
Vulcan®	—
Vulcan® 180	US - 10,767,820
Vulcan® 180	US - 10,393,328
Vulcan® 180	US - 10,240,729
Vulcan® 180 E-Flood®	
Vulcan® 180 E-Flood®	
Vulcan® 180 HAZ-LO®	
Vulcan® 180 HAZ-LO®	
Vulcan® 180 HAZ-LO® ATEX	
Vulcan® 180 HAZ-LO® ATEX	
Waypoint®	—
Waypoint® 300	—
Waypoint® 400	—
Wedge®	US - 11,585,521
Wedge®	US - D1,007,728
Wedge®	US - D950,818
Wedge®	US - 11,287,121
Wedge®	US - 11,181,257
Wedge®	US - 12,435,867
Wedge®	Australian Reg. No. 202015214
Wedge®	Can. Reg. No. 198356
Wedge® SL	
Wedge® XT	China Design Pat. No. ZL202030572492.8
Wedge® XT	Mexican Pat. No. 64656
Wedge® XT	US - 11,585,521
Wedge® XT	US - 11,287,121
Wedge® XT	US - D1,090,938
Wedge® XT	US - 12,366,350
Wedge® XT	Japanese Cert. 1765368
Wedge® XT	China Design Pat. No. ZL 202330437430.X
Xtreme Light®	
Xtreme Light® (Design)	
	US - D1,080,005
	US - D1,080,005