

| Product Name                                | Pat. Nos.                           |
|---|-------------------------------------|
| 2AA ProPolymer®                             | —                                   |
| 2AA ProPolymer® HAZ-LO®                     | —                                   |
| 2AA ProPolymer® HAZ-LO®                     |                                     |
| 2AA ProPolymer® HAZ-LO®                     |                                     |
| 2AA ProPolymer® HAZ-LO®                     |                                     |
| 2AA ProPolymer® LED                         | —                                   |
| 2AAA Propolymer® HAZ-LO®                    | —                                   |
| 2AAA Propolymer® HAZ-LO®                    |                                     |
| 2AAA Propolymer® HAZ-LO®                    |                                     |
| 2AAA Propolymer® HAZ-LO®                    |                                     |
| 3AA HAZ-LO® Headlamp                        | —                                   |
| 3AA HAZ-LO® Headlamp                        |                                     |
| 3AA HAZ-LO® Headlamp                        |                                     |
| 3AA ProPolymer® HAZ-LO®                     | U.S. - 8,807,781                    |
| 3AA ProPolymer® HAZ-LO®                     |                                     |
| 3AA ProPolymer® HAZ-LO®                     |                                     |
| 3AA ProPolymer® HAZ-LO®                     |                                     |
| 3AA ProPolymer® HAZ-LO® Helmet Lighting Kit | U.S. - 8,820,690                    |
| 3AA ProPolymer® HAZ-LO® Helmet Lighting Kit |                                     |
| 3AA ProPolymer® HAZ-LO® Helmet Lighting Kit |                                     |
| 3AA ProPolymer® HAZ-LO® Helmet Lighting Kit |                                     |
| 3C ProPolymer®                              | —                                   |
| 3C ProPolymer® HAZ-LO®                      | U.S. - 8,807,781                    |
| 3C ProPolymer® HAZ-LO®                      |                                     |
| 3C ProPolymer® HAZ-LO®                      |                                     |
| 3C ProPolymer® HAZ-LO®                      |                                     |
| 3C ProPolymer® LED                          | U.S. - 7,466,082 (Div 2);           |
| 3C ProPolymer® LED                          | U.S. - 7,357,534 (Div 1)            |
| 3C ProPolymer® Lux Div 1                    | U.S. - 7,357,534                    |
| 3C ProPolymer® Lux Div 2                    | U.S. - 7,466,082                    |
| 3N ProPolymer® HAZ-LO®                      | —                                   |
| 3N ProPolymer® HAZ-LO®                      |                                     |
| 3N ProPolymer® HAZ-LO®                      |                                     |
| 3N ProPolymer® HAZ-LO®                      |                                     |
| 3N ProPolymer® LED                          | —                                   |
| 4AA Helmet Kit                              | U.S. - 8,820,690                    |
| 4AA ProPolyMax®                             | —                                   |
| 4AA ProPolymer®                             | —                                   |
| 4AA ProPolymer® LED                         | —                                   |
| 4AA ProPolymer® Lux                         | —                                   |
| 4AA/3AA Fire Helmet Mount                   | US - 8,820,690                      |
| Additional Patents                          | US - 8,494,374                      |
| Additional Patents                          | US - D680,672                       |
| Additional Patents                          | US - 8,511,847                      |
| Additional Patents                          | US - D758,627                       |
| Additional Patents                          | US - D941,751                       |
| Additional Patents                          | US - 8,356,910                      |
| Additional Patents                          | US - D758,627                       |
| Additional Patents                          | US - D680,672                       |
| Additional Patents                          | US - 9,057,490                      |
| Additional Patents                          | US - 8,511,847                      |
| Additional Patents                          | EU - 001899329                      |
| Additional Patents                          | EU - 001813148-0001                 |
| Additional Patents                          | JP - 5740071                        |
| Additional Patents                          | Chinese Pat. No. ZL 2023 3 003593.X |
| Additional Patents                          | US - 11,212,892                     |
| Additional Patents                          | US - 9,651,208                      |
| Argo® HAZ-LO® LED Headlamp                  | U.S. - D733,951                     |
| Argo® HP Headlamp                           | —                                   |
| Argo® LED Headlamp                          | U.S. - D733,951                     |
| Bandit®                                     | U.S. - D952,214                     |
| Bandit®                                     | U.S. - D851,307                     |
| Bandit®                                     | U.S. - 10,221,601                   |

| Product Name                       | Pat. Nos.                          |
|------------------------------------|------------------------------------|
| Bandit®                            | CN - ZL2017300680993               |
| Bandit® Pro                        |                                    |
| Bandit® Pro                        |                                    |
| Bandit® Pro                        |                                    |
| Battery Charger                    | US - 10,326,292                    |
| BearTrap®                          | U.S. - D951,507                    |
| BearTrap®                          | U.S. - 11,236,892                  |
| BearTrap® 360                      | U.S. - D951,507                    |
| BearTrap® 360                      | U.S. - 11,236,892                  |
| Brilliant Thinking™                |                                    |
| Buckmasters® Packmate®             | U.S. - 7,534,975                   |
| Buckmasters® Packmate®             |                                    |
| Buckmasters® Trident®              | —                                  |
| Buckmasters® Trident®              |                                    |
| Buckmasters® Twin-Task® 2L         | —                                  |
| Buckmasters® Twin-Task® 2L         |                                    |
| C4®                                |                                    |
| C4® Logo                           |                                    |
| Camolight®                         |                                    |
| ClipMate®                          | —                                  |
| ClipMate® USB                      | U.S. - 10,151,433                  |
| ClipMate® USB                      | U.S. - D782,716                    |
| ClipMate® USB                      | U.S. - 9,347,656                   |
| ClipMate® USB                      | U.S. - 9,206,951                   |
| ClipMate® USB                      | U.S. - 9,057,490                   |
| ClipMate® USB                      | EU - 002486720-0001                |
| Color-Rite Technology®             |                                    |
| Color-Rite®                        |                                    |
| CuffMate®                          | —                                  |
| Des Idées Brillantes®              |                                    |
| Double Clutch® USB Headlamp        | U.S. - 9,605,836                   |
| Double Clutch® USB Headlamp        | U.S. - 9,285,105                   |
| Double Clutch® USB Headlamp        | U.S. - D750,823                    |
| Dual Switch and Design             |                                    |
| Dual Switch Technology and Design® |                                    |
| Dualie Waypoint®                   | —                                  |
| Dualie Waypoint®                   |                                    |
| Dualie® 2AA                        |                                    |
| Dualie® 3AA                        | US - D765,295                      |
| Dualie® 3AA                        | US - 9,964,290                     |
| Dualie® 3AA                        | EU Comm. Design App. No. 002613778 |
| Dualie® 3AA Color-Rite®            |                                    |
| Dualie® 3AA Color-Rite®            |                                    |
| Dualie® 3AA Laser                  | U.S. - D765,294                    |
| Dualie® 3AA Laser                  | EU Comm. Design App. No. 002613778 |
| Dualie® Rechargeable               | EU - 004171729 (0001-0005)         |
| E-Flood® FireBox®                  | —                                  |
| E-Flood® FireBox®                  |                                    |
| E-Flood® LiteBox®                  | —                                  |
| E-Flood® LiteBox®                  |                                    |
| E-Flood® LiteBox® HL               | U.S. - 9,920,918                   |
| E-Flood® LiteBox® HL               |                                    |
| E-Spot® FireBox®                   | —                                  |
| E-Spot® FireBox®                   |                                    |
| E-Spot® LiteBox®                   | —                                  |
| E-Spot® LiteBox®                   |                                    |
| Enduro® LED Headlamp               | —                                  |
| Enduro® Pro                        | U.S. - D869,034                    |
| Enduro® Pro HAZ-LO®                |                                    |
| Enduro® Pro HAZ-LO®                |                                    |

| Product Name   | Pat. Nos.  |
|--|--|
| Enduro® Pro USB  | U.S. - D869,034                                  |
| Enduro® Pro USB  | EU Comm. 004171729-0001, 0002, 0003, 0004, 0005; |
| Enduro® Pro USB  | CN304643928S                                     |
| EPU-5200™  |  |
| Fiberwrap®   |  |
| Fire Vulcan®   | —  |
| Fire Vulcan®   |  |
| Fire Vulcan® LED                                       | —  |
| Fire Vulcan® LED                                       |  |
| FireBox®   | —  |
| Five-Tap®  |  |
| FlipMate®  | U.S. - D930,206                                  |
| FlipMate®  | EU Design Pat. No. 0007427349-0005-0008;         |
| FlipMate®  | China Cert. ZL 2019 30707775.6                   |
| Force Spreading Clamp                                  | US - 8,820,690                                   |
| H.I.D. LiteBox®  | —  |
| HAZ-LO Division 1 Lighting and Design® (Fanciful Mark) |  |
| HAZ-LO Zone 0 Lighting and Design® (European)          |  |
| HAZ-LO®  |  |
| Heroes Trust Streamlight®                              |  |
| HL and Design®   |  |
| IT'S GO TIME®  |  |
| Jack-Cap®  |  |
| Key-Mate®  | EU Design Pat. No. 000034699                     |
| Key-Mate® USB  | U.S. - 10,612,732                                |
| Key-Mate® USB  | U.S. - 10,295,128                                |
| Key-Mate® USB  | U.S. - D814,675                                  |
| Key-Mate® USB  | EU Design Pat. No. 003707678-0001                |
| Knucklehead® Flood                                     | U.S. - D752,263                                  |
| Knucklehead® Flood                                     | U.S. - 8,777,446                                 |
| Knucklehead® Flood                                     | Aust. Reg. Des. No. 332519                       |
| Knucklehead® Flood                                     | Can. Reg No. - 2,789,155                         |
| Knucklehead® Flood                                     | Can. Reg No - 136,630 (expired)                  |
| Knucklehead® Flood                                     | EU Reg. No. 001741018-0001                       |
| Knucklehead® Flood                                     | EU Reg. No. 001741018-0002                       |
| Knucklehead® Flood                                     | Mex. Patenado 315,427                            |
| Knucklehead® Flood                                     | Mex. Patenado 307,934                            |
| Knucklehead® HAZ-LO® Flood                             | U.S. - 8,777,446                                 |
| Knucklehead® HAZ-LO® Flood                             | U.S. - D752,263                                  |
| Knucklehead® HAZ-LO® Flood                             | Aust. Reg. Des. No. 332519;                      |
| Knucklehead® HAZ-LO® Flood                             | Can. Reg No. - 2,789,155                         |
| Knucklehead® HAZ-LO® Flood                             | Can. Reg No. 136,630 (expired)                   |
| Knucklehead® HAZ-LO® Flood                             | EU Reg. No. 001741018-0001                       |
| Knucklehead® HAZ-LO® Flood                             | Mex. Patenado 315,427                            |
| Knucklehead® HAZ-LO® Flood                             | Mex. Patenado 307,934                            |
| Knucklehead® HAZ-LO® Spot                              | U.S. - 8,777,446                                 |
| Knucklehead® HAZ-LO® Spot                              | U.S. - D752,263                                  |
| Knucklehead® HAZ-LO® Spot                              | Aust. Reg. Des. No. 332519;                      |
| Knucklehead® HAZ-LO® Spot                              | Can. Reg No. - 2,789,155                         |
| Knucklehead® HAZ-LO® Spot                              | Can. Reg No. 136,630 (expired)                   |
| Knucklehead® HAZ-LO® Spot                              | EU Reg. No. 001741018-0001                       |
| Knucklehead® HAZ-LO® Spot                              | EU Reg. No. 001741018-0002;                      |
| Knucklehead® HAZ-LO® Spot                              | Mex. Patenado 315,427                            |
| Knucklehead® HAZ-LO® Spot                              | Mex. Patenado 307,934                            |
| Knucklehead® Spot                                      | U.S. - 8,777,446                                 |
| Knucklehead® Spot                                      | U.S. - D752,263                                  |
| Knucklehead® Spot                                      | Aust. Reg. Des. No. 332519                       |
| Knucklehead® Spot                                      | Can. Reg. No. 2,789,155 (expired)                |
| Knucklehead® Spot                                      | Can. Reg. No. 136,630 (expired)                  |

| Product Name                                      | Pat. Nos.                                |
|---|--|
| Knucklehead® Spot                                 | EU Reg. No. 001741018-0001               |
| Knucklehead® Spot                                 | EU Reg. No. 001741018-0002               |
| Knucklehead® Spot                                 | Mex. Patenado 315,427                    |
| Knucklehead® Spot                                 | Mex. Patenado 307,934                    |
| Li-Ion Battery                                    | US - 8,356,910                           |
| MacroStream® USB                                  | U.S. - D861,215                          |
| MacroStream® USB                                  | EU Design Pat. No. 004753689-0001        |
| MegaStream® HP USB                                | U.S. Pat. No. 11,639,789                 |
| MegaStream® USB                                   | U.S. Pat. No. 11,639,789                 |
| MegaStream® USB                                   | UK - Design No. 6441316                  |
| MicroStream®                                      |  |
| MicroStream® USB                                  | U.S. - D861,215                          |
| MicroStream® USB                                  | EU Design Pat. No. 004753689-0001        |
| Misc. Design (Configuration of a flashlight head) |  |
| Misc. Design (Stinger Triangle)                   |  |
| Misc. Design (TLR)                                |  |
| <b>MISC./TRADEMARK</b>                            |  |
| <b>MISC/PARTS/ACCESSORIES</b>                     |  |
| Multi Ops®  | U.S. - 7,534,975                         |
| Nano Light®                                       | EU Design Pat. No. 000946504-0001        |
| Nano Light® II                                    | Japanese Design Reg. No. 1804003         |
| Night Com®  | U.S. - 7,534,975                         |
| Night Com® LED                                    | U.S. - 7,534,975                         |
| Night Com® UV                                     | U.S. - 7,534,975                         |
| NightFighter®                                     | EU Design Reg. 000296082-0001            |
| NightFighter®                                     | EU Design Reg. 000296082-0002            |
| NightFighter® LED                                 | EU Design Reg. 000296082-0001            |
| NightFighter® LED                                 | EU Design Reg. 000296082-0002            |
| NightFighter® X                                   |  |
| Nova®   |  |
| Orbital Lighting Technology®                      |  |
| Orbital Visibility®                               |  |
| Piggyback®  |  |
| Pocket Mate®                                      | U.S. - D963,218                          |
| PolyStinger DS® LED                               | US - 8,110,760                           |
| PolyStinger DS® LED                               | US - 10,326,292                          |
| PolyStinger DS® LED                               | German Pat. Nos. 69434676.4              |
| PolyStinger®                                      | US - 10,326,292                          |
| PolyStinger® LED                                  | German Pat. Nos. 69434676.4              |
| PolyStinger® LED                                  | US - 8,110,760                           |
| PolyStinger® LED                                  | US - 10,326,292                          |
| PolyStinger® LED HAZ-LO®                          | US - 8,110,760                           |
| PolyStinger® LED HAZ-LO®                          | German Pat. Nos. 69434676.4              |
| PolyStinger® LED HAZ-LO®                          | US - 10,326,292                          |
| PolyStylus®                                       | US - 8,388,169                           |
| PolyStylus®                                       | US - 8,382,312                           |
| PolyStylus®                                       | US - D649,275                            |
| PolyStylus®                                       | Aust. Reg. Des. No. 320774               |
| PolyStylus®                                       | Chinese. Des. Pat. No. ZL200830119953.5; |
| PolyStylus®                                       | EU Des. Pat. No. 000926068-0002;         |
| PolyStylus®                                       | Japanese Des. Pat. No. 1341110           |
| PolyTac 90®                                       | US - 10,119,686                          |
| PolyTac 90®                                       | US - 9,453,624                           |
| PolyTac 90®                                       | US - 8,905,573                           |
| PolyTac 90®                                       | US - D681,858                            |
| PolyTac 90®                                       | HK Design Reg. No. 1101169.1             |
| PolyTac 90®                                       | EU Reg. No. 001887548-0001               |
| PolyTac 90®                                       | Japanese Reg. No. 1433728                |
| PolyTac 90®                                       | Mex. Patenado 35,654                     |
| PolyTac 90® X                                     | US - D936,881                            |

| Product Name                 | Pat. Nos.                                   |
|------------------------------|---|
| PolyTac 90® X                |   |
| PolyTac 90® X USB            | US - D936,881                               |
| PolyTac 90® X USB            |   |
| PolyTac®                     | —   |
| PolyTac® Helmet Lighting Kit | US - 8,820,690                              |
| PolyTac® HP                  | —   |
| PolyTac® X                   | —   |
| PolyTac® X USB               | —   |
| Portable Scene Light         | US - 10,655,777                             |
| Portable Scene Light         | US - 10,215,331                             |
| Portable Scene Light         | US - 9,920,918                              |
| Portable Scene Light         | US - 9,816,661                              |
| Portable Scene Light         | US - 9,470,382                              |
| Portable Scene Light         | Chile Pat. No. 59,763                       |
| Portable Scene Light II      | US - 11,209,152                             |
| Portable Scene Light II      | US - 11,060,656                             |
| Portable Scene Light II      | EU Reg. Nos. 006376984-0001/0002/0003/0004; |
| Portable Scene Light II      | Aust. Des. App No. 201912187                |
| Portable Scene Light II      | Japanese Reg. No. 1656759;                  |
| Portable Scene Light II      | Can. Pat. No. 3,126,231                     |
| Portable Scene Light II      | Chile Reg. No. 67137                        |
| ProTac HL®                   | US - D688,402                               |
| ProTac HL®                   | US - D788,965                               |
| ProTac HL®                   | EU Reg. No. 002151894                       |
| ProTac HL®                   | Japanese Design Pat. No. 1479750            |
| ProTac HL® 3                 | US - D698,961                               |
| ProTac HL® 4                 | US - D698,961                               |
| ProTac HL® 4                 |   |
| ProTac HL® 4                 | US - D794,857                               |
| ProTac HL® 4                 | US - D846,783                               |
| ProTac HL® 4                 | Japanese Design Pat. No. 1479750            |
| ProTac HL® 4                 | EU Reg. No. 002151894                       |
| ProTac HL® 5                 | US - D794,857                               |
| ProTac HL® 5                 | US - D846,783                               |
| ProTac HL® 5-X               | US - D846,783                               |
| ProTac HL® 5-X               |   |
| ProTac HL® 5-X USB           |   |
| ProTac HL® 5-X USB           |   |
| ProTac HL® 6                 | US - D846,783                               |
| ProTac HL® Headlamp          | US - D729,426                               |
| ProTac HL® USB               | US - 9,341,325                              |
| ProTac HL® USB               | EU Reg. No. 002151894                       |
| ProTac HL® USB               | Japanese Design Pat. No. 1479750            |
| ProTac HL® USB Headlamp      |   |
| ProTac HL® USB Headlamp      |   |
| ProTac Lights and Design®    |   |
| ProTac® 1AA                  | US - D688,402                               |
| ProTac® 1AA                  | EU Design Reg. 001752338-0001 thru -0004    |
| ProTac® 1AAA                 |   |
| ProTac® 1L                   | US - D688,402                               |
| ProTac® 1L                   | EU Design Reg. 001752338-0001 thru -0004    |
| ProTac® 1L-1AA               | US - 8,727,561                              |
| ProTac® 1L-1AA               | US - D688,402                               |
| ProTac® 1L-1AA               | US - D810,337                               |
| ProTac® 2.0                  | US - 11,639,789                             |
| ProTac® 2.0                  | US - D999,423                               |
| ProTac® 2.0 Headlamp         | US - D1,061,974                             |
| ProTac® 2.0 HP               | US - 11,639,789                             |
| ProTac® 2.0 HP               | US - D999,423                               |
| ProTac® 2.0 Rail Mount       | US - D1,013,239                             |

| Product Name                    | Pat. Nos.                                |
|---------------------------------|--|
| ProTac® 2.0 Rail Mount HP       | US - D1,013,239                          |
| ProTac® 2AA                     | US - D688,402                            |
| ProTac® 2AA                     | EU Design Reg. 001752338-0001 thru -0004 |
| ProTac® 2AA-X                   | US - D688,402                            |
| ProTac® 2AA-X USB               | US - D688,402                            |
| ProTac® 2AAA                    |  |
| ProTac® 2L                      | US - D688,402                            |
| ProTac® 2L                      | EU Design Reg. 001752338-0001 thru -0004 |
| ProTac® 2L-X                    | US - D688,402                            |
| ProTac® 2L-X USB                | US - D688,402                            |
| ProTac® 4.0                     | US - D1,071,264                          |
| ProTac® 90                      | US - D884,942                            |
| ProTac® 90X                     | US - D884,942                            |
| ProTac® 90X USB                 | US - D884,942                            |
| ProTac® EMS                     | US - D688,402                            |
| ProTac® EMS                     | EU Design Reg. 001752338-0001 thru -0004 |
| ProTac® HL-X                    |  |
| ProTac® HL-X USB                |  |
| ProTac® HP-X                    |  |
| ProTac® HP-X USB                |  |
| ProTac® HPL USB                 | US - D844,874                            |
| ProTac® HPL USB                 | US - 9,341,324                           |
| ProTac® Rail Mount 1            | US - D788,965                            |
| ProTac® Rail Mount 1            | US - 8,779,683                           |
| ProTac® Rail Mount 1            | US - 8,727,561                           |
| ProTac® Rail Mount 2            | US - D788,965                            |
| ProTac® Rail Mount 2            | US - 8,779,683                           |
| ProTac® Rail Mount HL-X         | US - D788,965                            |
| ProTac® Rail Mount HL-X Laser   | US - D999,332                            |
| ProTac® Rail Mount HL-X Pro     | US - D788,965                            |
| ProTac® Rail Mount HL-X Pro USB | US - D788,965                            |
| ProTac® Rail Mount HP-X Pro     |  |
| QB Head Lamp®                   | —  |
| QB Head Lamp®                   |  |
| QB®                             | —  |
| Scorpion®                       | —  |
| Scorpion® HL                    | —  |
| Scorpion® LED                   | —  |
| Scorpion® X                     |  |
| Septor® HAZ-LO®                 | US - D733,951                            |
| Septor® HAZ-LO®                 |  |
| Septor® Headlamp                | US - D733,951                            |
| Sidewinder Boot®                | US - 10,948,139                          |
| Sidewinder Boot®                | US - D907,825                            |
| Sidewinder Boot®                | US - D940,369                            |
| Sidewinder Compact®             | US - 7,581,847                           |
| Sidewinder Compact®             | US - 7,549,766                           |
| Sidewinder Compact®             | EU Reg. No. 000798400-1,2,3              |
| Sidewinder Compact® II          | US - 8,779,683                           |
| Sidewinder Compact® II          | US - 8,727,561                           |
| Sidewinder Compact® II          | US - 7,581,847                           |
| Sidewinder Compact® II          | US - 7,549,766                           |
| Sidewinder Compact® II          | EU - 000798400-0001                      |
| Sidewinder Compact® III         |  |
| Sidewinder Stalk®               | US - 11,421,833                          |
| Sidewinder Stalk®               | US - D934,473                            |
| Sidewinder Stalk®               | US - 1,042,919                           |
| Sidewinder®                     | US - 7,581,847                           |
| Sidewinder®                     | US - 7,549,766                           |
| Sidewinder®                     | EU - 000676168-0001                      |

| Product Name                                    | Pat. Nos.                          |
|---|------------------------------------|
| Sidewinder® (Helmet Light System)               | US - 7,581,847                     |
| Sidewinder® (Helmet Light System)               | US - 7,549,766                     |
| Sidewinder® (Helmet Light System)               | EU - 000798400-1,2,3               |
| Sidewinder® (Helmet Light System)               | EU - 000676168-0001                |
| Sidewinder® II                                  |                                    |
| Sidewinder® Rescue                              | US - 10,533,727                    |
| Sidewinder® Rescue                              | US - 10,030,847                    |
| Sidewinder® Rescue                              | US - 7,581,847                     |
| Sidewinder® Rescue                              | US - 7,549,766                     |
| Sidewinder® Rescue                              | EU - 000676168-0001                |
| Sidewinder® X                                   | US - 10,948,139                    |
| Sidewinder® X                                   | US - 7,581,847                     |
| Sidewinder® X                                   | US - 7,549,766                     |
| Siege® AA                                       | US - 9,347,627                     |
| Siege® AA                                       | US - 9,217,547                     |
| Siege® AA                                       | US - D725,300                      |
| Siege® X USB                                    | US - D930,204                      |
| Siege® X USB                                    |                                    |
| SL Brilliant Thinking® (EU Only)                |                                    |
| SL Design (Black and White)                     |                                    |
| SL Design (Color)                               |                                    |
| SL SideSaddle®                                  | EU Design Reg. 015102041-0001-0007 |
| SL SideSaddle®                                  | US - 1,090,939                     |
| SL SideSaddle®                                  | US - D1,097,253                    |
| SL Streamlight and Design                       |                                    |
| SL Streamlight Brilliant Durchdacht and Design® |                                    |
| SL Streamlight Brilliant Thinking and Design®   |                                    |
| SL Streamlight Des Idées Brillantes and Design® |                                    |
| SL Streamlight SL-SideSaddle & Design           |                                    |
| SL Streamlight SolarStream™ (Fanciful Mark)     |                                    |
| SL-20LP®  | US - 7,582,838                     |
| SL-20L®   | US - 7,582,838                     |
| SL-20XP®  | —                                  |
| SL-20XP® LED                                    | US - 7,582,838                     |
| SL-20X®   | —                                  |
| SL-20X® LED                                     | US - 7,582,838                     |
| SL-35X®   | US - 7,582,838                     |
| SL-B26®   |                                    |
| SL-B34®   |                                    |
| SL-B48®   |                                    |
| SL-B50®   | US - D949,095                      |
| SL-B9®  |                                    |
| Sledge®   |                                    |
| Smoke Cutter®                                   |                                    |
| Speed Locker®                                   | US - 11,548,705                    |
| Speed Locker®                                   | US - D1,078,268                    |
| Speed Locker®                                   | EU Reg. 009085566-0001-0004        |
| Speed Locker®                                   | Israel Reg. No. 69086              |
| Speed Locker®                                   | Norwegian Reg. 087503              |
| Stinger DS LED HL®                              | US - 9,960,622                     |
| Stinger DS LED HL®                              | US - 9,960,621                     |
| Stinger DS LED HL®                              | US - 9,478,371                     |
| Stinger DS LED HL®                              | US - 8,662,701                     |
| Stinger DS LED HL®                              | US - 8,360,598                     |
| Stinger DS LED HL®                              | US - 8,258,416                     |
| Stinger DS LED HL®                              | US - 7,880,100                     |
| Stinger DS LED HL®                              | US - 7,674,003                     |
| Stinger DS LED HL®                              | US - 7,652,216                     |
| Stinger DS LED HL®                              | US - 10,326,292                    |
| Stinger DS® HPL                                 | US - 9,960,622                     |

| Product Name         | Pat. Nos.                   |
|----------------------|-----------------------------|
| Stinger DS® HPL      | US - 9,960,621              |
| Stinger DS® HPL      | US - 9,478,371              |
| Stinger DS® HPL      | US - 8,662,701              |
| Stinger DS® HPL      | US - 8,360,598              |
| Stinger DS® HPL      | US - 8,258,416              |
| Stinger DS® HPL      | US - 7,880,100              |
| Stinger DS® HPL      | US - 7,674,003              |
| Stinger DS® HPL      | US - 7,652,216              |
| Stinger DS® HPL      | US - 10,326,292             |
| Stinger DS® LED      | US - 9,960,622              |
| Stinger DS® LED      | US - 9,960,621              |
| Stinger DS® LED      | US - 9,478,371              |
| Stinger DS® LED      | US - 8,662,701              |
| Stinger DS® LED      | US - 8,360,598              |
| Stinger DS® LED      | US - 8,258,416              |
| Stinger DS® LED      | US - 7,880,100              |
| Stinger DS® LED      | US - 7,674,003              |
| Stinger DS® LED      | US - 7,652,216              |
| Stinger DS® LED      | US - 10,326,292             |
| Stinger DS® LED HP   | US - 9,960,622              |
| Stinger DS® LED HP   | US - 9,960,621              |
| Stinger DS® LED HP   | US - 9,478,371              |
| Stinger DS® LED HP   | US - 8,662,701              |
| Stinger DS® LED HP   | US - 8,360,598              |
| Stinger DS® LED HP   | US - 8,258,416              |
| Stinger DS® LED HP   | US - 7,880,100              |
| Stinger DS® LED HP   | US - 7,674,003              |
| Stinger DS® LED HP   | US - 7,652,216              |
| Stinger DS® LED HP   | US - 10,326,292             |
| Stinger LED HL®      | US - 9,960,622              |
| Stinger LED HL®      | US - 9,960,621              |
| Stinger LED HL®      | US - 9,478,371              |
| Stinger LED HL®      | US - 8,662,701              |
| Stinger LED HL®      | US - 8,360,598              |
| Stinger LED HL®      | US - 8,258,416              |
| Stinger LED HL®      | US - 8,110,760              |
| Stinger LED HL®      | US - 7,880,100              |
| Stinger LED HL®      | US - 7,652,216              |
| Stinger LED HL®      | US - 10,326,292             |
| Stinger Switchblade® | US - D851,309               |
| Stinger Switchblade® | Can. Design Reg. No. 180101 |
| Stinger Switchblade® | US - 10,326,292             |
| Stinger XT HP®       | US - 8,258,416              |
| Stinger XT HP®       | US - 7,652,216              |
| Stinger XT HP®       | US - 10,326,292             |
| Stinger XT®          | US - 8,258,416              |
| Stinger XT®          | US - 7,652,216              |
| Stinger XT®          | US - 10,326,292             |
| Stinger®             | US - 8,258,416              |
| Stinger®             | US - 7,652,216              |
| Stinger®             | US - 10,326,292             |
| Stinger®             | Chile Pat. No. 51,933       |
| Stinger® 2020        | US - 11,054,124             |
| Stinger® 2020        | US - 9,960,622              |
| Stinger® 2020        | US - 9,960,621              |
| Stinger® 2020        | US - 9,478,371              |
| Stinger® 2020        | US - 8,662,701              |
| Stinger® 2020        | US - D940,937               |
| Stinger® 2020        | US - D940,936               |
| Stinger® 2020        | US - 10,326,292             |



| Product Name   | Pat. Nos.       |
|--|-----------------|
| Stinger® 2020 S  | US - 11,054,124 |
| Stinger® 2020 S  | US - 9,960,622  |
| Stinger® 2020 S  | US - 9,960,621  |
| Stinger® 2020 S  | US - 9,478,371  |
| Stinger® 2020 S  | US - 8,662,701  |
| Stinger® 2020 S  | US - D940,937   |
| Stinger® 2020 S  | US - D940,936   |
| Stinger® 2020 S  | US - 10,326,292 |
| Stinger® Classic LED                                   | US - 8,662,701  |
| Stinger® Classic LED                                   | US - 10,326,292 |
| Stinger® Color-Rite®                                   | US - 9,960,622  |
| Stinger® Color-Rite®                                   | US - 9,960,621  |
| Stinger® Color-Rite®                                   | US - 9,478,371  |
| Stinger® Color-Rite®                                   | US - 8,662,701  |
| Stinger® Color-Rite®                                   | US - 8,360,598  |
| Stinger® Color-Rite®                                   | US - 8,258,416  |
| Stinger® Color-Rite®                                   | US - 8,110,760  |
| Stinger® Color-Rite®                                   | US - 7,880,100  |
| Stinger® Color-Rite®                                   | US - 7,652,216  |
| Stinger® Color-Rite®                                   | US - 10,326,292 |
| Stinger® HPL   | US - 9,960,622  |
| Stinger® HPL   | US - 9,960,621  |
| Stinger® HPL   | US - 9,478,371  |
| Stinger® HPL   | US - 8,662,701  |
| Stinger® HPL   | US - 8,360,598  |
| Stinger® HPL   | US - 8,258,416  |
| Stinger® HPL   | US - 8,110,760  |
| Stinger® HPL   | US - 7,880,100  |
| Stinger® HPL   | US - 7,652,216  |
| Stinger® HPL   | US - 10,326,292 |
| Stinger® LED   | US - 9,960,622  |
| Stinger® LED   | US - 9,960,621  |
| Stinger® LED   | US - 9,478,371  |
| Stinger® LED   | US - 8,662,701  |
| Stinger® LED   | US - 8,360,598  |
| Stinger® LED   | US - 8,258,416  |
| Stinger® LED   | US - 8,110,760  |
| Stinger® LED   | US - 7,880,100  |
| Stinger® LED   | US - 7,652,216  |
| Stinger® LED   | US - 10,326,292 |
| Stinger® LED HP™                                       | US - 9,960,622  |
| Stinger® LED HP™                                       | US - 9,960,621  |
| Stinger® LED HP™                                       | US - 9,478,371  |
| Stinger® LED HP™                                       | US - 8,662,701  |
| Stinger® LED HP™                                       | US - 8,360,598  |
| Stinger® LED HP™                                       | US - 8,258,416  |
| Stinger® LED HP™                                       | US - 8,110,760  |
| Stinger® LED HP™                                       | US - 7,880,100  |
| Stinger® LED HP™                                       | US - 7,652,216  |
| Stinger® LED HP™                                       | US - 10,326,292 |
| Stinger® Lite Pipe                                     | US - D740,987   |
| Stinger® Lite Pipe                                     | US - 8,870,408  |
| Stinger® Lite Pipe                                     | US - 10,326,292 |
| Streamlight & Design®<br>(Battery Fanciful Mark)       |                 |
| Streamlight (Stylized)                                 |                 |
| Streamlight Factory Authorized E-Commerce &<br>Design® |                 |
| Streamlight Jr. F-STOP®                                | —               |
| Streamlight Jr. F-STOP®                                |                 |
| Streamlight Jr®  | —               |

| Product Name            | Pat. Nos.                              |
|-------------------------|--|
| Streamlight Jr® Reach   | —                                      |
| Streamlite®             |  |
| Strion LED HL®          | US - 9,960,622                         |
| Strion LED HL®          | US - 9,960,621                         |
| Strion LED HL®          | US - 9,478,371                         |
| Strion LED HL®          | US - 8,662,701                         |
| Strion LED HL®          | US - 10,326,292                        |
| Strion Switchblade®     | US - D943,132                          |
| Strion Switchblade®     | EU Reg. Design No. 007427349-0001-0004 |
| Strion Switchblade®     | China Cert. ZL 2019 30708241.5         |
| Strion® 2020            | US - 9,960,622                         |
| Strion® 2020            | US - 9,960,621                         |
| Strion® 2020            | US - 9,478,371                         |
| Strion® 2020            | US - 8,662,701                         |
| Strion® 2020            | US - 10,326,292                        |
| Strion® DS              | US - 9,960,622                         |
| Strion® DS              | US - 9,960,621                         |
| Strion® DS              | US - 9,478,371                         |
| Strion® DS              | US - 8,662,701                         |
| Strion® DS              | US - 10,326,292                        |
| Strion® DS HL           | US - 9,960,622                         |
| Strion® DS HL           | US - 9,960,621                         |
| Strion® DS HL           | US - 9,478,371                         |
| Strion® DS HL           | US - 8,662,701                         |
| Strion® DS HL           | US - 8,662,702                         |
| Strion® DS HPL          | US - 9,960,622                         |
| Strion® DS HPL          | US - 9,960,621                         |
| Strion® DS HPL          | US - 9,478,371                         |
| Strion® DS HPL          | US - 8,662,701                         |
| Strion® DS HPL          | US - 10,326,292                        |
| Strion® HPL             | US - 9,960,622                         |
| Strion® HPL             | US - 9,960,621                         |
| Strion® HPL             | US - 9,478,371                         |
| Strion® HPL             | US - 8,662,701                         |
| Strion® HPL             | US - 10,326,292                        |
| Strion® LED             | US - 9,960,622                         |
| Strion® LED             | US - 9,960,621                         |
| Strion® LED             | US - 9,478,371                         |
| Strion® LED             | US - 8,662,701                         |
| Strion® LED             | US - 10,326,292                        |
| Stylus Pro Reach®       | US - D673,710                          |
| Stylus Pro Reach®       |  |
| Stylus Pro Reach®       |  |
| Stylus Pro®             | US - D578,236                          |
| Stylus Pro®             |  |
| Stylus Pro® 360         |  |
| Stylus Pro® 360         |  |
| Stylus Pro® COB         | US - D851,797                          |
| Stylus Pro® COB         | Can. Reg. No. 180,102                  |
| Stylus Pro® HAZ-LO®     | US - D1,071,279                        |
| Stylus Pro® HAZ-LO®     |  |
| Stylus Pro® HAZ-LO®     |  |
| Stylus Pro® USB         | US - D578,236                          |
| Stylus Reach®           |  |
| Stylus Reach®           |  |
| Stylus Reach® UL Listed |  |
| Stylus Reach® UL Listed |  |
| Stylus Reach® 18        |  |
| Stylus Reach® 18        |  |
| Stylus®                 | DE - 40205586.1                        |

| Product Name                 | Pat. Nos.                             |
|------------------------------|---------------------------------------|
| Stylus®                      | IT - 84931                            |
| Stylus®                      | FR - 20022416001, 002, 003, 004       |
| Stylus®                      | UK - 3002164                          |
| Stylus®                      | Benelux - 34205-01                    |
| Stylus® UL Listed            | —                                     |
| Stylus® Combo                | Benelux Pat. No. 34205-01             |
| Stylus® Combo                | Benelux Pat. No. 34205-02             |
| Stylus® Combo                | Benelux Pat. No. 34205-03             |
| Stylus® Combo                | Benelux Pat. No. 34205-04             |
| Stylus® Combo                | German Pat. No. 40205586.1            |
| Stylus® Combo                | French Pat. No. 02 2416               |
| Stylus® Combo                | Italian Pat. No. 84931                |
| Stylus® Combo                | United Kingdom Pat. No. 3002164       |
| Stylus® IR                   | —                                     |
| Stylus® UV                   | —                                     |
| Stylus®/Stylus Reach® Combo  | Benelux Pat. No. 34205-01             |
| Stylus®/Stylus Reach® Combo  | Benelux Pat. No. 34205-02             |
| Stylus®/Stylus Reach® Combo  | Benelux Pat. No. 34205-03             |
| Stylus®/Stylus Reach® Combo  | Benelux Pat. No. 34205-04             |
| Stylus®/Stylus Reach® Combo  | German Pat. No. 40205586.1            |
| Stylus®/Stylus Reach® Combo  | French Pat. No. 02 2416               |
| Stylus®/Stylus Reach® Combo  | Italian Pat. No. 84931                |
| Stylus®/Stylus Reach® Combo  | United Kingdom Pat. No. 3002164       |
| Super Siege®                 | US - 9,217,547                        |
| Super Siege®                 | US - D725,300                         |
| Super Tac®                   | —                                     |
| Super Tac® X                 | —                                     |
| Survivor Pivot®              | US - D1,069,197                       |
| Survivor Pivot®              | CN - ZL202430645028.5                 |
| Survivor Pivot®              | IL - 73352                            |
| Survivor Pivot® USB          | US - RE44,281                         |
| Survivor Pivot® USB          | US - D1,069,197                       |
| Survivor Pivot® USB          | CN - ZL202430645028.5                 |
| Survivor Pivot® USB          | IL - 73352                            |
| Survivor® LED                | US - 9,488,331                        |
| Survivor® LED                | US - RE44,281                         |
| Survivor® X                  | US - RE44,281                         |
| Syclone®                     | US - D922,644                         |
| Syclone® Jr.                 | US - D955,020                         |
| Task-Light® 3AA LED          | —                                     |
| Ten-Tap®                     |                                       |
| The LOGO™                    | U.S. Pat. No. D738,554                |
| The LOGO™                    | EU Reg. No. 002209601-001             |
| The Shape of Things to Come® |                                       |
| The Siege®                   | US - 9,347,627                        |
| The Siege®                   | US - 9,217,547                        |
| The Siege®                   | US - D725,300                         |
| THRO®                        |                                       |
| TL-2®                        | EU Design Reg. 000052188-0001 & 0002  |
| TL-2® IR                     | —                                     |
| TL-2® LED                    | EU Design Reg. 000296082-0002         |
| TL-2® X                      | EU Design Reg. 000296082-0001 & 0002  |
| TL-3®                        |                                       |
| TL-Racker®                   | US - D956,165                         |
| TL-Racker®                   | US - 11,092,323                       |
| TL-Racker®                   | US - D906,562                         |
| TL-Racker®                   | US - 10,670,251                       |
| TL-Racker®                   | EU Reg. Nos. 006376984-0005/0006/0007 |
| TL-Racker®                   | Israel Pat No. 29/669,174             |
| TL-Racker®                   | Israel Reg. No. 77536                 |

| Product Name              | Pat. Nos.                           |
|---------------------------|-------------------------------------|
| TL-Racker® Shockwave      | US - D1,004,816                     |
| TL-Racker® Shockwave      | US - 11,118,859                     |
| TL-Racker® Shockwave      | US - 11,092,393                     |
| TL-Racker® Shockwave      | US - 10,670,251                     |
| TL-Racker® Shockwave      | EU Reg. Design No. 008018634-0001   |
| TL-Racker® Shockwave      | Israel Reg. No. 65217               |
| TLR-1 HL®                 | US - 7,199,315                      |
| TLR-1 HL®                 | US - 7,188,978                      |
| TLR-1 HL® Dual Remote Kit | —                                   |
| TLR-1 HL®-X               | US - 7,199,315                      |
| TLR-1 HL®-X               | US - 7,188,978                      |
| TLR-1 HL®-X               | US - 12,123,581                     |
| TLR-1 HL®-X               | IL - 73461                          |
| TLR-1 HL®-X USB           | US - 12,123,581                     |
| TLR-1 HL®-X USB           | IL - 73461                          |
| TLR-1 HPL®                | US - 7,199,315                      |
| TLR-1 HPL®                | US - 7,188,978                      |
| TLR-1 HPL®                | US - D673,709                       |
| TLR-1 HPL®                | Can. Pat. No. 2,586,530             |
| TLR-1 HPL®                | Mex. Patenado 270,372               |
| TLR-10®                   | US - 12,123,581                     |
| TLR-10®                   | US - D1,061,979                     |
| TLR-10® G                 | US - 12,123,581                     |
| TLR-10® G                 | US - 1,061,979                      |
| TLR-1®                    | US - 7,188,978                      |
| TLR-1®                    | Can. Pat. No. 2,586,530             |
| TLR-1®                    | Mex. Patenado 270,372               |
| TLR-1® Game Spotter®      | US - 7,199,315                      |
| TLR-1® Game Spotter®      | US - 7,188,978                      |
| TLR-1® Game Spotter®      | US - D673,709                       |
| TLR-1® Game Spotter®      | Can. Pat. No. 2,586,530             |
| TLR-1® Game Spotter®      | Mex. Patenado 270,372               |
| TLR-1® Game Spotter®      | AUST. Reg. No. 343191               |
| TLR-1® Game Spotter®      | EU Reg. No. 001949512-0002 & -0003  |
| TLR-1® HP-X               | —                                   |
| TLR-1® IR                 | US - 7,188,978                      |
| TLR-1® IR                 | Can. Pat. No. 2,586,530             |
| TLR-1® IR                 | Mex. Patenado 270,372               |
| TLR-1®s                   | US - 7,188,978                      |
| TLR-1®s                   | Can. Pat. No. 2,586,530             |
| TLR-1®s                   | Mex. Patenado 270,372               |
| TLR-1®s HP™               | EU Reg. No. 001949512-0002 & -0003  |
| TLR-1®s HP™               | AUST. Reg. No. 343191               |
| TLR-1®s HP™               | US - 7,188,978                      |
| TLR-1®s HP™               | US - D673,709                       |
| TLR-1®s HP™               | Can. Pat. No. 2,586,530             |
| TLR-1®s HP™               | Mex. Patenado 270,372               |
| TLR-1®s HP™               | EU Reg. No. 001949512-0002 & -0003; |
| TLR-1®s HP™               | AUST. Reg. No. 343191               |
| TLR-2 HL®                 | US - 8,226,267                      |
| TLR-2 HL®                 | US - 7,614,760                      |
| TLR-2 HL®                 | US - 7,188,978                      |
| TLR-2 HL® G               | US - 8,226,267                      |
| TLR-2 HL® G               | US - 7,614,760                      |
| TLR-2 HL® G               | US - 7,188,978                      |
| TLR-2®                    | US - 8,226,267                      |
| TLR-2®                    | US - 7,614,760                      |
| TLR-2®                    | US - 7,188,978                      |
| TLR-2®                    | Can. Pat No. 2,586,530              |
| TLR-2®                    | EU Pat. No. 000621883-0001          |

| Product Name | Pat. Nos.                       |
|--------------|---------------------------------|
| TLR-2®       | Mex. Patenado 270,372           |
| TLR-2® G     | US - 8,226,267                  |
| TLR-2® G     | US - 7,614,760                  |
| TLR-2® G     | US - 7,188,978                  |
| TLR-2® G     | Can. Pat No. 2,586,530          |
| TLR-2® G     | EU Pat. No. 000621883-0001      |
| TLR-2® G     | Mex. Patenado 270,372           |
| TLR-2® IR    | US - 8,226,267                  |
| TLR-2® IR    | US - 7,614,760                  |
| TLR-2® IR    | US - 7,188,978                  |
| TLR-2® IR    | Can. Pat No. 2,586,530          |
| TLR-2® IR    | EU Pat. No. 000621883-0001      |
| TLR-2® IR    | Mex. Patenado 270,372           |
| TLR-2® IRW   | US - 8,226,267                  |
| TLR-2® IRW   | US - 7,614,760                  |
| TLR-2® IRW   | US - 7,188,978                  |
| TLR-2® IRW   | Can. Pat No. 2,586,530          |
| TLR-2® IRW   | EU Pat. No. 000621883-0001      |
| TLR-2® IRW   | Mex. Patenado 270,372           |
| TLR-2®s      | US - 8,226,267                  |
| TLR-2®s      | US - 7,614,760                  |
| TLR-2®s      | US - 7,188,978                  |
| TLR-2®s      | Can. Pat No. 2,586,530          |
| TLR-2®s      | EU Pat. No. 000621883-0001      |
| TLR-2®s      | Mex. Patenado 270,372           |
| TLR-3®       | US - 8,371,729                  |
| TLR-3®       | US - 8,287,157                  |
| TLR-3®       | US - 7,188,978                  |
| TLR-3®       | Can. Pat. No. 2,586,530         |
| TLR-3®       | EU Des. Reg. No. 001614736-0001 |
| TLR-3®       | EU Patent No. 10731989.9        |
| TLR-4®       | US - 8,287,157                  |
| TLR-4®       | US - 8,226,267                  |
| TLR-4®       | US - 7,188,978                  |
| TLR-4®       | US - D674,525                   |
| TLR-4®       | Can. Pat. No. 2,586,530         |
| TLR-4®       | Mex. Patenado 270,372           |
| TLR-4® G     | US - 8,287,157                  |
| TLR-4® G     | US - 8,226,267                  |
| TLR-4® G     | US - 7,188,978                  |
| TLR-4® G     | US - D674,525                   |
| TLR-4® G     | Can. Pat. No. 2,586,530         |
| TLR-4® G     | Mex. Patenado 270,372           |
| TLR-4® G     | Can. Reg. No. 145466            |
| TLR-6 HL®    | US - 10,001,342                 |
| TLR-6 HL®    | US - 9,772,163                  |
| TLR-6 HL® G  | US - 10,001,342                 |
| TLR-6 HL® G  | US - 9,772,163                  |
| TLR-6®       | US - 10,001,343                 |
| TLR-6®       | US - 10,001,342                 |
| TLR-6®       | US - D796,622                   |
| TLR-6®       | US - 9,772,163                  |
| TLR-6®       | EU Pat. No. 002734053-0001      |
| TLR-6®       | China Pat. No. ZL201530189192.0 |
| TLR-7A FLEX® | US - 11,162,665                 |
| TLR-7A FLEX® |                                 |
| TLR-7®       | US - 11,162,665                 |
| TLR-7®       | US - 10,612,761                 |
| TLR-7®       | US - D898,260                   |
| TLR-7®       | US - D857,268                   |

| Product Name        | Pat. Nos.                |
|---------------------|--------------------------|
| TLR-7®              | US - 10,344,959          |
| TLR-7®              | AUST. Pat. No. 201811915 |
| TLR-7® HL-X         | US - 12,123,581          |
| TLR-7® HL-X sub     | US - 12,123,581          |
| TLR-7® HL-X sub USB | US - 12,123,581          |
| TLR-7® HL-X USB     | US - 12,123,581          |
| TLR-7® HL-X USB     | US - D1,048,527          |
| TLR-7® sub          | US - 11,506,366          |
| TLR-7® sub          | US - D997,285            |
| TLR-7® sub          | US - D997,413            |
| TLR-7® sub          | US - D999,624            |
| TLR-7® X            | US - 12,123,581          |
| TLR-7® X            | US - 11,506,366          |
| TLR-7® X            | US - D997,285            |
| TLR-7® X            | US - D997,413            |
| TLR-7® X            | US - D999,624            |
| TLR-7® X sub        | US - 12,123,581          |
| TLR-7® X sub        | US - 11,506,366          |
| TLR-7® X sub        | US - D997,285            |
| TLR-7® X sub        | US - D997,413            |
| TLR-7® X sub        | US - D999,624            |
| TLR-7® X sub USB    | US - 12,123,581          |
| TLR-7®A HI          | US - 11,162,665          |
| TLR-7®A HI          | US - D919,149            |
| TLR-7®A HI          | US - D907,267            |
| TLR-7®A LO          | US - 11,162,665          |
| TLR-7®A LO          | US - D919,150            |
| TLR-7®A LO          | US - D907,268            |
| TLR-8®              | US - 10,612,761          |
| TLR-8®              | US - 10,697,623          |
| TLR-8®              | US - D898,261            |
| TLR-8®              | US - 10,344,959          |
| TLR-8®              | US - D857,960            |
| TLR-8®              | AUST. Pat. No. 201811920 |
| TLR-8® G sub        | US - 12,123,581          |
| TLR-8® HL-X         | US - 12,123,581          |
| TLR-8® HL-X         | US - 11,162,665          |
| TLR-8® HL-X         | US - 10,697,623          |
| TLR-8® HL-X         | US - 10,612,761          |
| TLR-8® HL-X         | US - 10,344,959          |
| TLR-8® HL-X         | US - D919,149            |
| TLR-8® HL-X         | US - D919,150            |
| TLR-8® HL-X G       | US - 12,123,581          |
| TLR-8® HL-X G       | US - 11,162,665          |
| TLR-8® HL-X G       | US - 10,697,623          |
| TLR-8® HL-X G       | US - 10,612,761          |
| TLR-8® HL-X G       | US - 10,344,959          |
| TLR-8® HL-X G       | US - D919,149            |
| TLR-8® HL-X G       | US - D919,150            |
| TLR-8® HL-X G sub   | US - 12,123,581          |
| TLR-8® HL-X G sub   | US - 11,162,665          |
| TLR-8® HL-X G sub   | US - 10,697,623          |
| TLR-8® HL-X G sub   | US - 10,612,761          |
| TLR-8® HL-X G sub   | US - 10,344,959          |
| TLR-8® HL-X G sub   | US - D907,269            |
| TLR-8® HL-X G sub   | US - D907,270            |
| TLR-8® HL-X G sub   | US - D907,268            |
| TLR-8® HL-X G sub   | US - D907,267            |
| TLR-8® HL-X G sub   | US - D919,149            |
| TLR-8® HL-X G sub   | US - D919,150            |

| Product Name          | Pat. Nos.       |
|-----------------------|-----------------|
| TLR-8® HL-X G sub USB | US - 12,123,581 |
| TLR-8® HL-X G sub USB | US - 11,162,665 |
| TLR-8® HL-X G sub USB | US - 10,697,623 |
| TLR-8® HL-X G sub USB | US - 10,612,761 |
| TLR-8® HL-X G sub USB | US - 10,344,959 |
| TLR-8® HL-X G sub USB | US - D907,269   |
| TLR-8® HL-X G sub USB | US - D907,270   |
| TLR-8® HL-X G sub USB | US - D907,268   |
| TLR-8® HL-X G sub USB | US - D907,267   |
| TLR-8® HL-X G sub USB | US - D919,149   |
| TLR-8® HL-X G sub USB | US - D919,150   |
| TLR-8® HL-X G USB     | US - 12,123,581 |
| TLR-8® HL-X G USB     | US - 11,162,665 |
| TLR-8® HL-X G USB     | US - 10,697,623 |
| TLR-8® HL-X G USB     | US - 10,612,761 |
| TLR-8® HL-X G USB     | US - 10,344,959 |
| TLR-8® HL-X G USB     | US - D919,149   |
| TLR-8® HL-X G USB     | US - D919,150   |
| TLR-8® HL-X sub       | US - 12,123,581 |
| TLR-8® HL-X sub       | US - 11,162,665 |
| TLR-8® HL-X sub       | US - 10,697,623 |
| TLR-8® HL-X sub       | US - 10,612,761 |
| TLR-8® HL-X sub       | US - 10,344,959 |
| TLR-8® HL-X sub       | US - D907,269   |
| TLR-8® HL-X sub       | US - D907,270   |
| TLR-8® HL-X sub       | US - D907,268   |
| TLR-8® HL-X sub       | US - D907,267   |
| TLR-8® HL-X sub       | US - D919,149   |
| TLR-8® HL-X sub       | US - D919,150   |
| TLR-8® HL-X sub USB   | US - 12,123,581 |
| TLR-8® HL-X sub USB   | US - 11,162,665 |
| TLR-8® HL-X sub USB   | US - 10,697,623 |
| TLR-8® HL-X sub USB   | US - 10,612,761 |
| TLR-8® HL-X sub USB   | US - 10,344,959 |
| TLR-8® HL-X sub USB   | US - D907,269   |
| TLR-8® HL-X sub USB   | US - D907,270   |
| TLR-8® HL-X sub USB   | US - D907,268   |
| TLR-8® HL-X sub USB   | US - D907,267   |
| TLR-8® HL-X sub USB   | US - D919,149   |
| TLR-8® HL-X sub USB   | US - D919,150   |
| TLR-8® HL-X USB       | US - 12,123,581 |
| TLR-8® HL-X USB       | US - 11,162,665 |
| TLR-8® HL-X USB       | US - 10,697,623 |
| TLR-8® HL-X USB       | US - 10,612,761 |
| TLR-8® HL-X USB       | US - 10,344,959 |
| TLR-8® HL-X USB       | US - D919,149   |
| TLR-8® HL-X USB       | US - D919,150   |
| TLR-8® sub            | US - 12,123,581 |
| TLR-8® X              | US - D907,270   |
| TLR-8® X G            | US - 12,123,581 |
| TLR-8® X G            | US - 11,506,366 |
| TLR-8® X G            | US - D907,270   |
| TLR-8® X G sub        | US - 12,123,581 |
| TLR-8® X G sub        | US - 11,162,665 |
| TLR-8® X G sub        | US - 10,697,623 |
| TLR-8® X G sub        | US - 10,612,761 |
| TLR-8® X G sub        | US - 10,344,959 |
| TLR-8® X G sub        | US - D907,269   |
| TLR-8® X G sub        | US - D907,270   |
| TLR-8® X G sub        | US - D907,268   |

| Product Name       | Pat. Nos.       |
|--------------------|-----------------|
| TLR-8® X G sub     | US - D907,267   |
| TLR-8® X G sub     | US - D919,149   |
| TLR-8® X G sub     | US - D919,150   |
| TLR-8® X G sub USB | US - 12,123,581 |
| TLR-8® X G sub USB | US - 11,162,665 |
| TLR-8® X G sub USB | US - 10,697,623 |
| TLR-8® X G sub USB | US - 10,612,761 |
| TLR-8® X G sub USB | US - 10,344,959 |
| TLR-8® X G sub USB | US - D907,269   |
| TLR-8® X G sub USB | US - D907,270   |
| TLR-8® X G sub USB | US - D907,268   |
| TLR-8® X G sub USB | US - D907,267   |
| TLR-8® X G sub USB | US - D919,149   |
| TLR-8® X G sub USB | US - D919,150   |
| TLR-8® X G USB     | US - 12,123,581 |
| TLR-8® X G USB     | US - 11,506,366 |
| TLR-8® X G USB     | US - D907,270   |
| TLR-8® X sub       | US - 11,162,665 |
| TLR-8® X sub       | US - 10,697,623 |
| TLR-8® X sub       | US - 10,612,761 |
| TLR-8® X sub       | US - 10,344,959 |
| TLR-8® X sub       | US - D907,269   |
| TLR-8® X sub       | US - D907,270   |
| TLR-8® X sub       | US - D907,268   |
| TLR-8® X sub       | US - D907,267   |
| TLR-8® X sub       | US - D919,149   |
| TLR-8® X sub       | US - D919,150   |
| TLR-8® X sub USB   | US - 12,123,581 |
| TLR-8® X sub USB   | US - 11,162,665 |
| TLR-8® X sub USB   | US - 10,697,623 |
| TLR-8® X sub USB   | US - 10,612,761 |
| TLR-8® X sub USB   | US - 10,344,959 |
| TLR-8® X sub USB   | US - D907,269   |
| TLR-8® X sub USB   | US - D907,270   |
| TLR-8® X sub USB   | US - D907,268   |
| TLR-8® X sub USB   | US - D907,267   |
| TLR-8® X sub USB   | US - D919,149   |
| TLR-8® X sub USB   | US - D919,150   |
| TLR-8® X USB       | US - 12,123,581 |
| TLR-8® X USB       | US - 11,506,366 |
| TLR-8® X USB       | US - D907,270   |
| TLR-8®A G Flex     | US - 11,162,665 |
| TLR-8®A G Flex     | US - 12,123,581 |
| TLR-8®A Flex       | US - 11,162,665 |
| TLR-8®A Flex       | US - D907,269   |
| TLR-8®A Flex       | US - 12,123,581 |
| TLR-8®A HI         | US - 11,162,665 |
| TLR-8®A HI         | US - D919,149   |
| TLR-8®A HI         | US - D907,269   |
| TLR-8®A LO         | US - 11,162,665 |
| TLR-8®A LO         | US - D919,150   |
| TLR-8®A LO         | US - D907,270   |
| TLR-9®             | US - 11,162,665 |
| TLR-9®             | US - D1,005,541 |
| TLR-9®             | US - 12,123,581 |
| TLR-9®             | US - D1,048,527 |
| TLR-VIR®           | US - 9,927,209  |
| TLR-VIR®           | US - 7,614,760  |
| TLR-VIR®           | US - 7,188,978  |
| TLR-VIR® II        |                 |



| Product Name                    | Pat. Nos.                     |
|---------------------------------|-------------------------------|
| TLR®                            |                               |
| TLR® Dual Remote Kit            | —                             |
| TLR® RM 2                       | US - 11,181,258               |
| TLR® RM 2                       | US - D913,554                 |
| TLR® RM 2                       | US - 10,928,051               |
| TLR® RM 2                       | Chinese Patent 202080097406.X |
| TLR® RM 2                       | US - D1,092,809               |
| TLR® RM 2 Laser                 | US - 11,181,258               |
| TLR® RM 2 Laser                 | US - 10,928,051               |
| TLR® RM 2 Laser-G               | US - 11,181,258               |
| TLR® RM 1                       | US - 11,181,258               |
| TLR® RM 1                       | US - D913,553                 |
| TLR® RM 1                       | US - 10,928,051               |
| TLR® RM 1                       | US - D1,091,907               |
| TLR® RM 1                       | Chinese Patent 202080097406.X |
| TLR® RM 1 HL-X                  | US - 11,181,258               |
| TLR® RM 1 HL-X                  | US - D913,553                 |
| TLR® RM 1 HL-X                  | US - 10,928,051               |
| TLR® RM 1 HL-X                  | Chinese Patent 202080097406.X |
| TLR® RM 1 Laser                 | US - 11,181,258               |
| TLR® RM 1 Laser                 | US - 10,928,051               |
| TLR® RM 1 Laser-G               | US - 11,181,258               |
| Tools Not Toys® (Fanciful Mark) |                               |
| Tools Not Toys® (Word Mark)     |                               |
| Trident HP®                     | US - D733,951                 |
| Trident®                        | US - D733,951                 |
| Trident® HAZ-LO®                | US - D733,951                 |
| Trident® HAZ-LO®                |                               |
| Twin-Task® 1L                   | —                             |
| Twin-Task® 2L                   | —                             |
| Twin-Task® 3AA                  | —                             |
| Twin-Task® 3AAA                 | —                             |
| Twin-Task® 3AAA Laser           | —                             |
| Twin-Task® 3C                   | —                             |
| Twin-Task® 3C UV                | —                             |
| Twin-Task® Headlamp (AA)        | US - D864,449                 |
| Twin-Task® Headlamp (AA)        | US - D930,203                 |
| Twin-Task® Headlamp (AA)        | Can. Pat. No. 180,100         |
| Twin-Task® Rechargeable         | —                             |
| Twin-Task® USB Headlamp         | US - D864,449                 |
| Twin-Task® USB Headlamp         | US - D930,203                 |
| Twin-Task® USB Headlamp         | Can. Pat. No. 180,100         |
| UltraStinger®                   | US - 10,326,292               |
| UltraStinger® LED               | US - 10,326,292               |
| USB HAZ-LO® Headlamp            | US - D884,237                 |
| Vantage®                        | US - 10,627,056               |
| Vantage® 180                    | Japanese Pat. No. 2018-551394 |
| Vantage® 180 X                  | US - 10,378,744               |
| Vantage® 180 X                  | US - D837,428                 |
| Vantage® 180 X USB              | US - 10,378,744               |
| Vantage® 180 X USB              | US - D837,428                 |
| Vantage® II                     | US - 10,738,980               |
| Vantage® II                     | US - D914,260                 |
| Vantage® II                     | US - 10,627,056               |
| Vantage® II                     | Can. Pat. No. 3,110,071       |
| Vantage® II                     | Mex. Pat. No. 391,178         |
| Vulcan Clutch®                  | US - 11,162,649               |
| Vulcan Clutch®                  | US - D1,013,237               |
| Vulcan Clutch®                  | Chile Pat. No. 10,968         |
| Vulcan®                         | —                             |

| Product Name             | Pat. Nos.                               |
|--------------------------|---|
| Vulcan® 180              | US - 10,767,820                         |
| Vulcan® 180              | US - 10,393,328                         |
| Vulcan® 180              | US - 10,240,729                         |
| Vulcan® 180 E-Flood®     |   |
| Vulcan® 180 E-Flood®     |   |
| Vulcan® 180 HAZ-LO®      |   |
| Vulcan® 180 HAZ-LO®      |   |
| Vulcan® 180 HAZ-LO® ATEX |   |
| Vulcan® 180 HAZ-LO® ATEX |   |
| Waypoint®                | —                                       |
| Waypoint® 300            | —                                       |
| Waypoint® 400            | —                                       |
| Wedge®                   | US - 11,585,521                         |
| Wedge®                   | US - D1,007,728                         |
| Wedge®                   | US - D950,818                           |
| Wedge®                   | US - 11,287,121                         |
| Wedge®                   | US - 11,181,257                         |
| Wedge®                   | US - 12,435,867                         |
| Wedge®                   | Australian Reg. No. 202015214           |
| Wedge®                   | Canadian Reg. No. 198356                |
| Wedge® XT                | China Design Pat. No. ZL202030572492.8  |
| Wedge® XT                | Mexican Pat. No. 64656                  |
| Wedge® XT                | US - 11,585,521                         |
| Wedge® XT                | US - 11,287,121                         |
| Wedge® XT                | US - D1,090,938                         |
| Wedge® XT                | US - 12,366,350                         |
| Wedge® XT                | Japanese Cert. 1765368                  |
| Wedge® XT                | China Design Pat. No. ZL 202330437430.X |
| Xtreme Light®            |   |
| Xtreme Light® (Design)   |   |
|                          |   |
|                          | US - D1,080,005                         |
|                          | US - D1,080,005                         |